

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15	1.50	-	-	1.50 - 2.80	0.460 - 0.700	2.13	2.04	98
20	2.00	-	-	2.00 1.60 - 2.80	0.520 - 0.870	2.42	2.31	98
22	2.20	-	-	2.20 1.60 - 3.80	0.520 - 0.870	2.42	2.31	98
25	2.50	-	-	2.50 1.80 - 3.80	0.810 - 0.870	3.75	3.59	98
35	3.50	-	-	3.50 1.80 - 5.20	0.810 - 1.500	3.75	3.59	98
42	4.20	-	-	4.20 1.80 - 5.00	1.030 - 1.590	4.78	4.57	98
50	5.00	-	-	5.00 1.80 - 5.60	1.350 - 1.780	6.26	5.99	98
15+15	1.50	1.50	-	3.00 2.00 - 5.40	0.770 - 1.800	3.58	3.42	98
15+20	1.50	2.00	-	3.50 2.00 - 5.40	0.920 - 1.800	4.27	4.08	98
15+22	1.50	2.20	-	3.70 2.00 - 5.40	0.980 - 1.800	4.55	4.35	98
15+25	1.50	2.50	-	4.00 2.00 - 5.40	1.070 - 1.800	4.97	4.75	98
15+35	1.50	3.50	-	5.00 2.00 - 6.00	1.400 - 1.980	6.49	6.21	98
15+42	1.34	3.76	-	5.10 2.00 - 6.30	1.450 - 2.200	6.72	6.43	98
15+50	1.22	4.08	-	5.30 2.00 - 6.60	1.500 - 2.460	6.95	6.65	98
20+20	2.00	2.00	-	4.00 2.00 - 5.40	1.070 - 1.800	4.97	4.75	98
20+22	2.00	2.20	-	4.20 2.00 - 5.40	1.120 - 1.720	5.20	4.97	98
20+25	2.00	2.50	-	4.50 2.00 - 5.50	1.200 - 1.700	5.56	5.32	98
20+35	1.85	3.25	-	5.10 2.00 - 6.20	1.430 - 2.140	6.63	6.34	98
20+42	1.68	3.52	-	5.20 2.00 - 6.50	1.480 - 2.360	6.87	6.57	98
20+50	1.54	3.86	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
22+22	2.20	2.20	-	4.40 2.00 - 5.40	1.170 - 1.640	5.43	5.19	98
22+25	2.20	2.50	-	4.70 2.00 - 5.70	1.280 - 1.810	5.94	5.68	98
22+35	1.97	3.13	-	5.10 2.00 - 6.30	1.450 - 2.200	6.72	6.43	98
22+42	1.82	3.48	-	5.30 2.00 - 6.60	1.490 - 2.430	6.91	6.61	98
22+50	1.65	3.75	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
25+25	2.50	2.50	-	5.00 2.00 - 6.00	1.400 - 1.980	6.49	6.21	98
25+35	2.17	3.03	-	5.20 2.00 - 6.40	1.470 - 2.300	6.82	6.52	98
25+42	1.98	3.32	-	5.30 2.00 - 6.70	1.520 - 2.520	7.05	6.74	98
25+50	1.80	3.60	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+35	2.70	2.70	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+42	2.45	2.95	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+50	2.22	3.18	-	5.40 2.00 - 6.80	1.530 - 2.600	7.10	6.79	98
42+42	2.70	2.70	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
42+50	2.47	2.93	-	5.40 2.10 - 6.80	1.510 - 2.480	7.00	6.70	98
50+50	2.70	2.70	-	5.40 2.10 - 6.80	1.480 - 2.340	6.87	6.57	98
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.939 - 1.769	4.36	4.17	98
15+15+20	1.41	1.41	1.88	4.70 2.90 - 6.80	1.097 - 1.947	5.09	4.87	98
15+15+22	1.40	1.40	2.05	4.85 2.90 - 6.80	1.160 - 2.020	5.38	5.15	98
15+15+25	1.36	1.36	2.27	5.00 2.90 - 6.80	1.250 - 2.130	5.80	5.55	98
15+15+35	1.20	1.20	2.80	5.20 2.90 - 6.80	1.310 - 1.870	6.07	5.81	98
15+15+42	1.08	1.08	3.03 *	5.20 2.90 - 6.80	1.214 - 1.784	5.64	5.39	98
15+15+50	0.98	0.98	3.25 *	5.20 2.90 - 6.80	1.184 - 1.784	5.49	5.25	98
15+20+20	1.34	1.78	1.78	4.90 2.90 - 6.80	1.255 - 2.135	5.82	5.57	98

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15+20+22	1.33	1.77	1.95	5.05 2.90 - 6.80	1.318 0.740 - 2.198	6.12	5.85	98
15+20+25	1.30	1.73	2.17	5.20 2.90 - 6.80	1.408 0.760 - 2.308	6.53	6.25	98
15+20+35	1.11	1.49	2.60	5.20 2.90 - 6.80	1.238 0.670 - 1.788	5.74	5.49	98
15+20+42	1.01	1.35	2.84 *	5.20 2.90 - 6.80	1.182 0.670 - 1.782	5.48	5.24	98
15+20+50	0.92	1.22	3.06 *	5.20 2.90 - 6.80	1.182 0.670 - 1.782	5.48	5.24	98
15+22+22	1.32	1.94	1.94	5.20 2.90 - 6.80	1.371 0.750 - 2.261	6.36	6.08	98
15+22+25	1.27	1.86	2.12	5.25 2.90 - 6.80	1.361 0.730 - 2.121	6.31	6.04	98
15+22+35	1.09	1.60	2.55	5.25 2.90 - 6.80	1.211 0.670 - 1.781	5.61	5.37	98
15+22+42	1.00	1.46	2.79 *	5.25 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+22+50	0.91	1.33	3.02 *	5.25 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+25+25	1.22	2.04	2.04	5.30 2.90 - 6.80	1.301 0.690 - 1.861	6.03	5.77	98
15+25+35	1.06	1.77	2.47	5.30 2.90 - 6.80	1.181 0.670 - 1.781	5.48	5.24	98
15+25+42	0.97	1.62	2.71 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+25+50	0.88	1.47	2.94 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+35+35	0.94	2.18	2.18	5.30 2.90 - 6.80	1.181 0.670 - 1.781	5.48	5.24	98
15+35+42	0.86	2.02	2.42 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+35+50	0.80	1.86	2.65 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+42+42	0.80	2.25	2.25 *	5.30 2.90 - 6.80	1.169 0.670 - 1.769	5.43	5.19	98
20+20+20	1.70	1.70	1.70	5.10 2.90 - 6.80	1.413 0.760 - 2.313	6.56	6.27	98
20+20+22	1.66	1.66	1.83	5.15 2.90 - 6.80	1.366 0.730 - 2.126	6.34	6.06	98
20+20+25	1.60	1.60	2.00	5.20 2.90 - 6.80	1.306 0.690 - 1.866	6.05	5.79	98
20+20+35	1.39	1.39	2.43	5.20 2.90 - 6.80	1.186 0.670 - 1.786	5.50	5.26	98
20+20+42	1.27	1.27	2.66 *	5.20 2.90 - 6.80	1.180 0.670 - 1.780	5.48	5.24	98
20+20+50	1.16	1.16	2.89 *	5.20 2.90 - 6.80	1.180 0.670 - 1.780	5.48	5.24	98
20+22+22	1.63	1.79	1.79	5.20 2.90 - 6.80	1.319 0.700 - 1.949	6.12	5.85	98
20+22+25	1.57	1.72	1.96	5.25 2.90 - 6.80	1.269 0.670 - 1.779	5.89	5.63	98
20+22+35	1.36	1.50	2.39	5.25 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+22+42	1.25	1.38	2.63 *	5.25 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+22+50	1.14	1.26	2.85 *	5.25 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+25+25	1.51	1.89	1.89	5.30 2.90 - 6.80	1.229 0.670 - 1.779	5.70	5.45	98
20+25+35	1.33	1.66	2.32	5.30 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+25+42	1.22	1.52	2.56 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+25+50	1.12	1.39	2.79 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+35+35	1.18	2.06	2.06	5.30 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+35+42	1.09	1.91	2.29 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
22+22+22	1.75	1.75	1.75	5.25 2.90 - 6.80	1.272 0.670 - 1.772	5.90	5.64	98
22+22+25	1.69	1.69	1.92	5.30 2.90 - 6.80	1.232 0.670 - 1.772	5.72	5.47	98
22+22+35	1.48	1.48	2.35	5.30 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+22+42	1.36	1.36	2.59 *	5.30 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+22+50	1.24	1.24	2.82 *	5.30 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+25+25	1.63	1.86	1.86	5.35 2.90 - 6.80	1.202 0.670 - 1.772	5.57	5.33	98
22+25+35	1.44	1.63	2.28	5.35 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+25+42	1.32	1.50	2.52 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
22+25+50	1.21	1.38	2.76 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+35+35	1.28	2.04	2.04	5.35 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+35+42	1.19	1.89	2.27 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+25+25	1.80	1.80	1.80	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
25+25+35	1.59	1.59	2.22	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
25+25+42	1.47	1.47	2.47 *	5.40 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+25+50	1.35	1.35	2.70 *	5.40 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+35+35	1.42	1.99	1.99	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 1.47kW
- MSZ-AP25VGD : Rated capacity is 1.47kW
- MSZ-AP42VGD : Rated capacity is 2.22kW (=2.47*0.9)

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15	1.70	-	-	1.70 1.70 - 2.50	0.502 0.502 - 0.780	2.33	2.23	98
20	2.20	-	-	2.20 2.20 - 2.50	0.598 0.528 - 1.440	2.77	2.65	98
22	3.30	-	-	3.30 2.00 - 4.50	0.780 0.480 - 1.250	3.62	3.46	98
25	3.60	-	-	3.60 2.00 - 5.30	0.830 0.460 - 1.480	3.85	3.68	98
35	4.00	-	-	4.00 2.00 - 5.30	0.960 0.460 - 1.480	4.45	4.26	98
42	5.40	-	-	5.40 2.00 - 5.60	1.508 0.460 - 1.564	6.99	6.69	98
50	5.80	-	-	5.80 2.00 - 6.80	1.620 0.460 - 2.431	7.52	7.19	98
15+15	1.70	1.70	-	3.40 1.80 - 5.00	0.780 0.670 - 1.300	3.62	3.46	98
15+20	1.67	2.23	-	3.90 1.80 - 5.80	0.950 0.650 - 1.630	4.40	4.21	98
15+22	1.66	2.44	-	4.10 1.80 - 6.10	1.010 0.640 - 1.760	4.68	4.48	98
15+25	1.65	2.75	-	4.40 1.80 - 6.60	1.110 0.630 - 1.950	5.14	4.92	98
15+35	2.04	4.76	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
15+42	1.79	5.01	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
15+50	1.57	5.23	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+20	2.20	2.20	-	4.40 1.80 - 6.60	1.110 0.630 - 1.950	5.14	4.92	98
20+22	2.62	2.88	-	5.50 1.80 - 6.90	1.290 0.520 - 1.860	5.98	5.72	98
20+25	2.93	3.67	-	6.60 1.80 - 7.50	1.480 0.410 - 1.850	6.87	6.57	98
20+35	2.47	4.33	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+42	2.19	4.61	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+50	1.94	4.86	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+22	3.30	3.30	-	6.60 1.80 - 7.20	1.470 0.410 - 1.760	6.82	6.52	98
22+25	3.14	3.56	-	6.70 1.80 - 8.10	1.510 0.410 - 2.040	7.00	6.70	98
22+35	2.62	4.18	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+42	2.34	4.46	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+50	2.08	4.72	-	6.80 1.80 - 9.00	1.530 0.410 - 2.310	7.10	6.79	98
25+25	3.40	3.40	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+35	2.83	3.97	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+42	2.54	4.26	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+50	2.27	4.53	-	6.80 1.80 - 9.00	1.500 0.410 - 2.300	6.95	6.65	98
35+35	3.40	3.40	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
35+42	3.09	3.71	-	6.80 1.80 - 9.00	1.480 0.410 - 2.290	6.87	6.57	98
35+50	2.80	4.00	-	6.80 1.80 - 9.00	1.410 0.400 - 2.250	6.54	6.26	98
42+42	3.40	3.40	-	6.80 1.80 - 9.00	1.410 0.400 - 2.260	6.54	6.26	98
42+50	3.10	3.70	-	6.80 1.90 - 9.00	1.380 0.380 - 2.170	6.40	6.12	98
50+50	3.40	3.40	-	6.80 1.90 - 9.00	1.340 0.360 - 2.080	6.21	5.94	98
15+15+15	1.70	1.70	1.70	5.10 2.60 - 7.90	1.129 0.710 - 2.409	5.24	5.01	98
15+15+20	1.65	1.65	2.20	5.50 2.60 - 7.90	1.297 0.700 - 2.377	6.01	5.75	98
15+15+22	1.66	1.66	2.43	5.75 2.60 - 7.90	1.350 0.700 - 2.360	6.26	5.99	98

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15+15+25	1.64	1.64	2.73	6.00 2.60 - 8.00	1.450 0.690 - 2.350	6.72	6.43	98
15+15+35	1.55	1.55	3.61	6.70 2.60 - 8.80	1.520 0.530 - 2.130	7.05	6.74	98
15+15+42	1.42	1.42	3.97	6.80 2.60 - 9.00	1.404 0.500 - 2.094	6.51	6.23	98
15+15+50	1.28	1.28	4.25	6.80 2.60 - 9.00	1.364 0.500 - 2.094	6.33	6.05	98
15+20+20	1.61	2.15	2.15	5.90 2.60 - 8.00	1.455 0.690 - 2.355	6.75	6.46	98
15+20+22	1.62	2.16	2.37	6.15 2.60 - 8.00	1.518 0.690 - 2.328	7.04	6.73	98
15+20+25	1.60	2.13	2.67	6.40 2.60 - 8.00	1.618 0.680 - 2.318	7.51	7.18	98
15+20+35	1.46	1.94	3.40	6.80 2.60 - 9.00	1.438 0.500 - 2.098	6.67	6.38	98
15+20+42	1.32	1.77	3.71	6.80 2.60 - 9.00	1.362 0.500 - 2.092	6.31	6.04	98
15+20+50	1.20	1.60	4.00	6.80 2.60 - 9.00	1.362 0.500 - 2.092	6.31	6.04	98
15+22+22	1.60	2.35	2.35	6.30 2.60 - 8.00	1.581 0.680 - 2.311	7.33	7.01	98
15+22+25	1.58	2.32	2.64	6.55 2.60 - 8.30	1.571 0.620 - 2.231	7.29	6.97	98
15+22+35	1.43	2.09	3.33	6.85 2.60 - 9.00	1.401 0.500 - 2.091	6.50	6.22	98
15+22+42	1.30	1.91	3.64	6.85 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+22+50	1.18	1.73	3.94	6.85 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+25+25	1.57	2.62	2.62	6.80 2.60 - 8.80	1.511 0.530 - 2.121	7.00	6.70	98
15+25+35	1.38	2.30	3.22	6.90 2.60 - 9.00	1.361 0.500 - 2.091	6.31	6.04	98
15+25+42	1.26	2.10	3.53	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+25+50	1.15	1.92	3.83	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+35+35	1.22	2.84	2.84	6.90 2.60 - 9.00	1.361 0.500 - 2.091	6.31	6.04	98
15+35+42	1.13	2.63	3.15	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+35+50	1.04	2.42	3.45	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+42+42	1.05	2.93	2.93	6.90 2.60 - 9.00	1.349 0.500 - 2.079	6.25	5.98	98
20+20+20	2.10	2.10	2.10	6.30 2.60 - 8.00	1.623 0.680 - 2.323	7.53	7.20	98
20+20+22	2.08	2.08	2.29	6.45 2.60 - 8.30	1.576 0.620 - 2.236	7.31	6.99	98
20+20+25	2.06	2.06	2.58	6.70 2.60 - 8.80	1.516 0.530 - 2.126	7.04	6.73	98
20+20+35	1.81	1.81	3.17	6.80 2.60 - 9.00	1.366 0.500 - 2.096	6.34	6.06	98
20+20+42	1.66	1.66	3.48	6.80 2.60 - 9.00	1.360 0.500 - 2.090	6.30	6.03	98
20+20+50	1.51	1.51	3.78	6.80 2.60 - 9.00	1.360 0.500 - 2.090	6.30	6.03	98
20+22+22	2.09	2.30	2.30	6.70 2.60 - 8.70	1.529 0.560 - 2.159	7.09	6.78	98
20+22+25	2.04	2.25	2.56	6.85 2.60 - 9.00	1.469 0.500 - 2.089	6.82	6.52	98
20+22+35	1.78	1.96	3.11	6.85 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+22+42	1.63	1.79	3.43	6.85 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+22+50	1.49	1.64	3.72	6.85 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+25+25	1.97	2.46	2.46	6.90 2.60 - 9.00	1.429 0.500 - 2.089	6.63	6.34	98
20+25+35	1.73	2.16	3.02	6.90 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+25+42	1.59	1.98	3.33	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+25+50	1.45	1.82	3.63	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+35+35	1.53	2.68	2.68	6.90 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+35+42	1.42	2.49	2.99	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
22+22+22	2.28	2.28	2.28	6.85 2.60 - 9.00	1.482 0.500 - 2.082	6.87	6.57	98
22+22+25	2.20	2.20	2.50	6.90 2.60 - 9.00	1.432 0.500 - 2.082	6.64	6.35	98
22+22+35	1.92	1.92	3.06	6.90 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
22+22+42	1.77	1.77	3.37	6.90 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+22+50	1.61	1.61	3.67	6.90 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+25+25	2.12	2.41	2.41	6.95 2.60 - 9.00	1.392 0.500 - 2.082	6.46	6.18	98
22+25+35	1.86	2.12	2.97	6.95 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
22+25+42	1.72	1.95	3.28	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+25+50	1.58	1.79	3.58	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+35+35	1.66	2.64	2.64	6.95 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
22+35+42	1.54	2.46	2.95	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+25+25	2.33	2.33	2.33	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
25+25+35	2.06	2.06	2.88	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
25+25+42	1.90	1.90	3.20	7.00 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+25+50	1.75	1.75	3.50	7.00 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+35+35	1.84	2.58	2.58	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98