

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15	1.50	-	-	-	1.50 1.50 - 2.80	0.460 0.460 - 0.700	2.13	2.04	98
20	2.00	-	-	-	2.00 1.60 - 2.80	0.520 0.460 - 0.870	2.42	2.31	98
22	2.20	-	-	-	2.20 1.60 - 3.80	0.520 0.460 - 0.700	2.42	2.31	98
25	2.50	-	-	-	2.50 1.80 - 3.80	0.810 0.520 - 0.870	3.75	3.59	98
35	3.50	-	-	-	3.50 1.80 - 5.20	0.810 0.520 - 1.500	3.75	3.59	98
42	4.20	-	-	-	4.20 1.80 - 5.00	1.030 0.520 - 1.590	4.78	4.57	98
50	5.00	-	-	-	5.00 1.80 - 5.60	1.350 0.520 - 1.780	6.26	5.99	98
60	6.00	-	-	-	6.00 1.90 - 6.60	1.730 0.450 - 2.490	8.03	7.68	98
15+15	1.50	1.50	-	-	3.00 2.00 - 5.40	0.770 0.540 - 1.800	3.58	3.42	98
15+22	1.50	2.20	-	-	3.70 2.00 - 5.40	0.980 0.650 - 1.800	4.55	4.35	98
15+25	1.50	2.50	-	-	4.00 2.00 - 5.40	1.070 0.700 - 1.800	4.97	4.75	98
15+35	1.50	3.50	-	-	5.00 2.00 - 6.20	1.400 0.540 - 1.980	6.49	6.21	98
15+42	1.45	4.05	-	-	5.50 2.00 - 6.40	1.580 0.540 - 2.220	7.33	7.01	98
15+50	1.41	4.69	-	-	6.10 2.00 - 6.70	1.790 0.540 - 2.490	8.30	7.94	98
15+60	1.30	5.20	-	-	6.50 2.00 - 7.00	2.000 0.540 - 2.720	9.27	8.87	98
20+20	2.00	2.00	-	-	4.00 2.00 - 5.40	1.070 0.700 - 1.800	4.97	4.75	98
20+22	2.00	2.20	-	-	4.20 2.00 - 5.40	1.120 0.620 - 1.720	5.20	4.97	98
20+25	2.00	2.50	-	-	4.50 2.00 - 5.50	1.200 0.540 - 1.700	5.56	5.32	98
20+35	1.96	3.44	-	-	5.40 2.00 - 6.40	1.530 0.540 - 2.150	7.10	6.79	98
20+42	1.87	3.93	-	-	5.80 2.00 - 6.60	1.710 0.540 - 2.390	7.94	7.59	98
20+50	1.83	4.57	-	-	6.40 2.00 - 6.90	1.920 0.540 - 2.660	8.91	8.52	98
20+60	1.68	5.03	-	-	6.70 2.00 - 7.00	2.070 0.540 - 2.780	9.60	9.18	98
22+22	2.20	2.20	-	-	4.40 2.00 - 5.40	1.170 0.540 - 1.640	5.43	5.19	98
22+25	2.20	2.50	-	-	4.70 2.00 - 5.80	1.280 0.540 - 1.810	5.94	5.68	98
22+35	2.12	3.38	-	-	5.50 2.00 - 6.40	1.580 0.540 - 2.220	7.33	7.01	98
22+42	2.06	3.94	-	-	6.00 2.00 - 6.70	1.760 0.540 - 2.450	8.17	7.81	98
22+50	1.99	4.51	-	-	6.50 2.00 - 6.90	1.950 0.540 - 2.680	9.04	8.65	98
22+60	1.80	4.90	-	-	6.70 2.00 - 7.10	2.110 0.540 - 2.810	9.79	9.36	98
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.400 0.540 - 1.980	6.49	6.21	98
25+35	2.38	3.33	-	-	5.70 2.00 - 6.60	1.660 0.540 - 2.320	7.69	7.36	98
25+42	2.31	3.89	-	-	6.20 2.00 - 6.80	1.840 0.540 - 2.550	8.53	8.16	98
25+50	2.17	4.33	-	-	6.50 2.00 - 7.00	2.000 0.540 - 2.720	9.27	8.87	98
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	2.130 0.540 - 2.830	9.88	9.45	98
35+35	3.20	3.20	-	-	6.40 2.00 - 6.90	1.920 0.540 - 2.660	8.91	8.52	98
35+42	3.00	3.60	-	-	6.60 2.00 - 7.00	2.030 0.540 - 2.740	9.42	9.01	98
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.130 0.540 - 2.830	9.88	9.45	98
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.060 0.550 - 2.850	9.56	9.14	98
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.140 0.540 - 2.830	9.92	9.49	98
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.080 0.550 - 2.850	9.65	9.23	98
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.000 0.560 - 2.870	9.27	8.87	98
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.020 0.560 - 2.860	9.37	8.96	98
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.940 0.570 - 2.890	9.00	8.61	98
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.860 0.580 - 2.920	8.63	8.25	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.940 0.780 - 2.310	4.36	4.17	98
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.70	1.240 0.780 - 3.050	5.75	5.50	98
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 7.80	1.370 0.770 - 3.370	6.36	6.08	98
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
15+15+42	1.44	1.44	4.03 *	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
15+15+50	1.33	1.33	4.44 *	-	7.10 2.90 - 8.50	1.800 0.670 - 2.500	8.35	7.99	98
15+15+60	1.18	1.18	4.73	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 7.80	1.370 0.770 - 3.370	6.36	6.08	98
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 7.90	1.450 0.770 - 3.580	6.72	6.43	98
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.580 0.770 - 3.900	7.33	7.01	98
15+20+35	1.46	1.94	3.40	-	6.80 2.90 - 8.30	1.640 0.670 - 2.720	7.61	7.28	98
15+20+42	1.38	1.84	3.87 *	-	7.10 2.90 - 8.50	1.820 0.670 - 2.500	8.44	8.07	98
15+20+50	1.25	1.67	4.18 *	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
15+20+60	1.12	1.49	4.48	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.00	1.540 0.770 - 3.790	7.14	6.83	98
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.550 0.740 - 3.560	7.19	6.88	98
15+22+35	1.44	2.11	3.35	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
15+22+42	1.35	1.98	3.77 *	-	7.10 2.90 - 8.50	1.810 0.670 - 2.500	8.40	8.03	98
15+22+50	1.22	1.80	4.08 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
15+22+60	1.10	1.61	4.39	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
15+25+35	1.42	2.37	3.31	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
15+25+42	1.30	2.16	3.64 *	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
15+25+50	1.18	1.97	3.94 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
15+25+60	1.07	1.78	4.26	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
15+35+35	1.25	2.92	2.92	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
15+35+42	1.16	2.70	3.24 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
15+35+50	1.07	2.49	3.55 *	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
15+35+60	0.97	2.26	3.87	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+42+42	1.08	3.01	3.01 *	-	7.10 2.90 - 8.50	1.680 0.670 - 2.480	7.79	7.45	98
15+42+50	1.00	2.79	3.32 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+42+60	0.91	2.55	3.64	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+50+50	0.93	3.09	3.09 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+50+60	0.85	2.84	3.41	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.580 0.770 - 3.900	7.33	7.01	98
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.550 0.740 - 3.560	7.19	6.88	98
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
20+20+35	1.89	1.89	3.31	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
20+20+42	1.73	1.73	3.64 *	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
20+20+50	1.58	1.58	3.94 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
20+20+60	1.42	1.42	4.26	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
20+22+35	1.84	2.03	3.23	-	7.10 2.90 - 8.50	1.820 0.670 - 2.500	8.44	8.07	98
20+22+42	1.69	1.86	3.55 *	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+22+50	1.54	1.70	3.86 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
20+22+60	1.39	1.53	4.18	-	7.10 2.90 - 8.50	1.660 0.670 - 2.470	7.69	7.36	98
20+25+25	1.94	2.43	2.43	-	6.80 2.90 - 8.30	1.640 0.670 - 2.720	7.61	7.28	98
20+25+35	1.78	2.22	3.11	-	7.10 2.90 - 8.50	1.800 0.670 - 2.500	8.35	7.99	98
20+25+42	1.63	2.04	3.43 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
20+25+50	1.49	1.87	3.74 *	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
20+25+60	1.35	1.69	4.06	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+35+35	1.58	2.76	2.76	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
20+35+42	1.46	2.56	3.07 *	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
20+35+50	1.35	2.37	3.38 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+35+60	1.23	2.16	3.70	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+42+42	1.37	2.87	2.87 *	-	7.10 2.90 - 8.50	1.650 0.670 - 2.470	7.65	7.32	98
20+42+50	1.27	2.66	3.17 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+42+60	1.16	2.44	3.49	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+50+50	1.18	2.96	2.96 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.490 0.670 - 2.890	6.91	6.61	98
22+22+25	2.17	2.17	2.46	-	6.80 2.90 - 8.20	1.610 0.670 - 2.760	7.46	7.14	98
22+22+35	1.98	1.98	3.15	-	7.10 2.90 - 8.50	1.810 0.670 - 2.500	8.40	8.03	98
22+22+42	1.82	1.82	3.47 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
22+22+50	1.66	1.66	3.78 *	-	7.10 2.90 - 8.50	1.710 0.670 - 2.480	7.94	7.59	98
22+22+60	1.50	1.50	4.10	-	7.10 2.90 - 8.50	1.650 0.670 - 2.470	7.65	7.32	98
22+25+25	2.11	2.40	2.40	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
22+25+35	1.90	2.16	3.03	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
22+25+42	1.76	1.99	3.35 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
22+25+50	1.61	1.83	3.66 *	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
22+25+60	1.46	1.66	3.98	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+35+35	1.70	2.70	2.70	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
22+35+42	1.58	2.51	3.01 *	-	7.10 2.90 - 8.50	1.680 0.670 - 2.480	7.79	7.45	98
22+35+50	1.46	2.32	3.32 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+35+60	1.34	2.12	3.64	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+42+60	1.26	2.40	3.44	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+50+50	1.28	2.91	2.91 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+25+25	2.37	2.37	2.37	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
25+25+35	2.09	2.09	2.92	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
25+25+42	1.93	1.93	3.24 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
25+25+50	1.78	1.78	3.55 *	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
25+25+60	1.61	1.61	3.87	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+35+35	1.87	2.62	2.62	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
25+35+42	1.74	2.44	2.92 *	-	7.10 2.90 - 8.50	1.660 0.670 - 2.470	7.69	7.36	98
25+35+50	1.61	2.26	3.23 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+35+60	1.48	2.07	3.55	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+42+42	1.63	2.74	2.74 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+42+50	1.52	2.55	3.03 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
25+50+50	1.42	2.84	2.84 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+35	2.37	2.37	2.37	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+42	2.22	2.22	2.66 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+50	2.07	2.07	2.96 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+42+42	2.09	2.51	2.51 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.732 0.800 - 3.192	8.03	7.68	98
15+15+15+20	1.41	1.41	1.41	1.88	6.10 3.70 - 8.10	1.810 0.800 - 3.190	8.40	8.03	98
15+15+15+22	1.40	1.40	1.40	2.05	6.25 3.70 - 8.20	1.833 0.800 - 3.193	8.50	8.13	98
15+15+15+25	1.37	1.37	1.37	2.29	6.40 3.70 - 8.30	1.883 0.800 - 3.193	8.73	8.35	98
15+15+15+35	1.24	1.24	1.24	2.89	6.60 3.70 - 8.60	2.033 0.800 - 3.203	9.43	9.02	98
15+15+15+42	1.17	1.17	1.17	3.28 *	6.80 3.70 - 8.80	2.137 0.800 - 3.207	9.91	9.48	98
15+15+15+50	1.07	1.07	1.07	3.58 *	6.80 3.70 - 8.80	1.887 0.800 - 3.207	8.75	8.37	98
15+15+15+60	0.97	0.97	0.97	3.89	6.80 3.70 - 8.80	1.690 0.800 - 3.190	7.84	7.50	98
15+15+20+20	1.35	1.35	1.80	1.80	6.30 3.70 - 8.30	1.888 0.800 - 3.198	8.76	8.38	98
15+15+20+22	1.32	1.32	1.76	1.94	6.35 3.70 - 8.30	1.911 0.800 - 3.191	8.87	8.48	98
15+15+20+25	1.30	1.30	1.73	2.17	6.50 3.70 - 8.40	1.951 0.800 - 3.201	9.05	8.66	98
15+15+20+35	1.18	1.18	1.58	2.76	6.70 3.70 - 8.70	2.111 0.800 - 3.211	9.80	9.37	98
15+15+20+42	1.11	1.11	1.48	3.10 *	6.80 3.70 - 8.80	1.995 0.800 - 3.205	9.25	8.85	98
15+15+20+50	1.02	1.02	1.36	3.40 *	6.80 3.70 - 8.80	1.705 0.800 - 3.205	7.90	7.56	98
15+15+20+60	0.93	0.93	1.24	3.71	6.80 3.70 - 8.80	1.688 0.800 - 3.188	7.83	7.49	98
15+15+22+22	1.32	1.32	1.93	1.93	6.50 3.70 - 8.40	1.934 0.800 - 3.194	8.97	8.58	98
15+15+22+25	1.28	1.28	1.87	2.13	6.55 3.70 - 8.50	1.974 0.800 - 3.194	9.16	8.76	98
15+15+22+35	1.18	1.18	1.73	2.76	6.85 3.70 - 8.80	2.134 0.800 - 3.204	9.90	9.47	98
15+15+22+42	1.09	1.09	1.60	3.06 *	6.85 3.70 - 8.80	1.918 0.800 - 3.198	8.90	8.51	98
15+15+22+50	1.01	1.01	1.48	3.36 *	6.85 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+22+60	0.92	0.92	1.35	3.67	6.85 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+25+25	1.26	1.26	2.09	2.09	6.70 3.70 - 8.60	2.024 0.800 - 3.194	9.39	8.98	98
15+15+25+35	1.15	1.15	1.92	2.68	6.90 3.70 - 8.80	2.074 0.800 - 3.204	9.62	9.20	98
15+15+25+42	1.07	1.07	1.78	2.99 *	6.90 3.70 - 8.80	1.808 0.800 - 3.198	8.38	8.02	98
15+15+25+50	0.99	0.99	1.64	3.29 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+25+60	0.90	0.90	1.50	3.60	6.90 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+35+35	1.04	1.04	2.42	2.42	6.90 3.70 - 8.80	1.704 0.800 - 3.204	7.90	7.56	98
15+15+35+42	0.97	0.97	2.26	2.71 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+35+50	0.90	0.90	2.10	3.00 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+35+60	0.83	0.83	1.93	3.31	6.90 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+42+42	0.91	0.91	2.54 *	2.54 *	6.90 3.70 - 8.80	1.692 0.800 - 3.192	7.85	7.51	98
15+15+42+50	0.85	0.85	2.38 *	2.83 *	6.90 3.70 - 8.80	1.692 0.800 - 3.192	7.85	7.51	98
15+20+20+20	1.28	1.71	1.71	1.71	6.40 3.70 - 8.40	1.956 0.800 - 3.206	9.07	8.68	98
15+20+20+22	1.26	1.68	1.68	1.84	6.45 3.70 - 8.50	1.979 0.800 - 3.199	9.18	8.78	98
15+20+20+25	1.24	1.65	1.65	2.06	6.60 3.70 - 8.60	2.029 0.800 - 3.199	9.41	9.00	98
15+20+20+35	1.13	1.51	1.51	2.64	6.80 3.70 - 8.80	2.079 0.800 - 3.209	9.64	9.22	98
15+20+20+42	1.05	1.40	1.40	2.94 *	6.80 3.70 - 8.80	1.813 0.800 - 3.203	8.41	8.04	98
15+20+20+50	0.97	1.30	1.30	3.24 *	6.80 3.70 - 8.80	1.703 0.800 - 3.203	7.90	7.56	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+20+20+60	0.89	1.18	1.18	3.55	6.80 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
15+20+22+22	1.25	1.67	1.84	1.84	6.60 3.70 - 8.50	2.002 0.800 - 3.192	9.28	8.88	98
15+20+22+25	1.23	1.65	1.81	2.06	6.75 3.70 - 8.60	2.052 0.800 - 3.202	9.51	9.10	98
15+20+22+35	1.12	1.49	1.64	2.61	6.85 3.70 - 8.80	1.992 0.800 - 3.202	9.24	8.84	98
15+20+22+42	1.04	1.38	1.52	2.91 *	6.85 3.70 - 8.80	1.736 0.800 - 3.196	8.05	7.70	98
15+20+22+50	0.96	1.28	1.41	3.20 *	6.85 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+22+60	0.88	1.17	1.29	3.51	6.85 3.70 - 8.80	1.679 0.800 - 3.179	7.79	7.45	98
15+20+25+25	1.20	1.60	2.00	2.00	6.80 3.70 - 8.70	2.102 0.800 - 3.202	9.75	9.33	98
15+20+25+35	1.09	1.45	1.82	2.54	6.90 3.70 - 8.80	1.882 0.800 - 3.202	8.73	8.35	98
15+20+25+42	1.01	1.35	1.69	2.84 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+25+50	0.94	1.25	1.57	3.14 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+25+60	0.86	1.15	1.44	3.45	6.90 3.70 - 8.80	1.679 0.800 - 3.179	7.79	7.45	98
15+20+35+35	0.99	1.31	2.30	2.30	6.90 3.70 - 8.80	1.702 0.800 - 3.202	7.89	7.55	98
15+20+35+42	0.92	1.23	2.16	2.59 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+35+50	0.86	1.15	2.01	2.88 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+42+42	0.87	1.16	2.44 *	2.44 *	6.90 3.70 - 8.80	1.690 0.800 - 3.190	7.84	7.50	98
15+22+22+22	1.23	1.81	1.81	1.81	6.65 3.70 - 8.60	2.025 0.800 - 3.195	9.39	8.98	98
15+22+22+25	1.21	1.78	1.78	2.02	6.80 3.70 - 8.70	2.075 0.800 - 3.195	9.63	9.21	98
15+22+22+35	1.10	1.61	1.61	2.57	6.90 3.70 - 8.80	1.915 0.800 - 3.195	8.89	8.50	98
15+22+22+42	1.02	1.50	1.50	2.87 *	6.90 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+22+50	0.95	1.39	1.39	3.17 *	6.90 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+22+60	0.87	1.28	1.28	3.48	6.90 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+22+25+25	1.20	1.76	2.00	2.00	6.95 3.70 - 8.80	2.125 0.800 - 3.195	9.86	9.43	98
15+22+25+35	1.07	1.58	1.79	2.51	6.95 3.70 - 8.80	1.805 0.800 - 3.195	8.37	8.01	98
15+22+25+42	1.00	1.47	1.67	2.81 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+25+50	0.93	1.37	1.55	3.10 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+25+60	0.85	1.25	1.42	3.42	6.95 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+22+35+35	0.97	1.43	2.27	2.27	6.95 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+22+35+42	0.91	1.34	2.13	2.56 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+35+50	0.85	1.25	1.99	2.85 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+42+42	0.86	1.26	2.41 *	2.41 *	6.95 3.70 - 8.80	1.683 0.800 - 3.183	7.81	7.47	98
15+25+25+25	1.17	1.94	1.94	1.94	7.00 3.70 - 8.80	2.065 0.800 - 3.195	9.58	9.16	98
15+25+25+35	1.05	1.75	1.75	2.45	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+25+25+42	0.98	1.64	1.64	2.75 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+25+50	0.91	1.52	1.52	3.04 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+25+60	0.84	1.40	1.40	3.36	7.00 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+25+35+35	0.95	1.59	2.23	2.23	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+25+35+42	0.90	1.50	2.09	2.51 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+35+50	0.84	1.40	1.96	2.80 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+42+42	0.85	1.41	2.37 *	2.37 *	7.00 3.70 - 8.80	1.683 0.800 - 3.183	7.81	7.47	98
15+35+35+35	0.88	2.04	2.04	2.04	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
20+20+20+20	1.63	1.63	1.63	1.63	6.50 3.70 - 8.60	2.034 0.800 - 3.204	9.43	9.02	98
20+20+20+22	1.62	1.62	1.62	1.78	6.65 3.70 - 8.60	2.057 0.800 - 3.207	9.55	9.13	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+20+20+25	1.58	1.58	1.58	1.97	6.70 3.70 - 8.70	2.107 0.800 - 3.207	9.78	9.35	98
20+20+20+35	1.43	1.43	1.43	2.51	6.80 3.70 - 8.80	1.887 0.800 - 3.207	8.75	8.37	98
20+20+20+42	1.33	1.33	1.33	2.80 *	6.80 3.70 - 8.80	1.701 0.800 - 3.201	7.89	7.55	98
20+20+20+50	1.24	1.24	1.24	3.09 *	6.80 3.70 - 8.80	1.701 0.800 - 3.201	7.89	7.55	98
20+20+20+60	1.13	1.13	1.13	3.40	6.80 3.70 - 8.80	1.684 0.800 - 3.184	7.81	7.47	98
20+20+22+22	1.60	1.60	1.75	1.75	6.70 3.70 - 8.70	2.080 0.800 - 3.200	9.65	9.23	98
20+20+22+25	1.57	1.57	1.73	1.97	6.85 3.70 - 8.80	2.130 0.800 - 3.200	9.88	9.45	98
20+20+22+35	1.41	1.41	1.55	2.47	6.85 3.70 - 8.80	1.810 0.800 - 3.200	8.40	8.03	98
20+20+22+42	1.32	1.32	1.45	2.77 *	6.85 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+22+50	1.22	1.22	1.35	3.06 *	6.85 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+22+60	1.12	1.12	1.24	3.37	6.85 3.70 - 8.80	1.677 0.800 - 3.177	7.78	7.44	98
20+20+25+25	1.53	1.53	1.92	1.92	6.90 3.70 - 8.80	2.070 0.800 - 3.200	9.60	9.18	98
20+20+25+35	1.38	1.38	1.73	2.42	6.90 3.70 - 8.80	1.700 0.800 - 3.200	7.88	7.54	98
20+20+25+42	1.29	1.29	1.61	2.71 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+25+50	1.20	1.20	1.50	3.00 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+25+60	1.10	1.10	1.38	3.31	6.90 3.70 - 8.80	1.677 0.800 - 3.177	7.78	7.44	98
20+20+35+35	1.25	1.25	2.20	2.20	6.90 3.70 - 8.80	1.700 0.800 - 3.200	7.88	7.54	98
20+20+35+42	1.18	1.18	2.06	2.48 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+35+50	1.10	1.10	1.93	2.76 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+42+42	1.11	1.11	2.34 *	2.34 *	6.90 3.70 - 8.80	1.688 0.800 - 3.188	7.83	7.49	98
20+22+22+22	1.59	1.75	1.75	1.75	6.85 3.70 - 8.70	2.103 0.800 - 3.193	9.75	9.33	98
20+22+22+25	1.55	1.71	1.71	1.94	6.90 3.70 - 8.80	2.103 0.800 - 3.193	9.75	9.33	98
20+22+22+35	1.39	1.53	1.53	2.44	6.90 3.70 - 8.80	1.733 0.800 - 3.193	8.04	7.69	98
20+22+22+42	1.30	1.43	1.43	2.73 *	6.90 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+22+50	1.21	1.33	1.33	3.03 *	6.90 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+22+60	1.11	1.22	1.22	3.34	6.90 3.70 - 8.80	1.670 0.800 - 3.170	7.75	7.41	98
20+22+25+25	1.51	1.66	1.89	1.89	6.95 3.70 - 8.80	1.983 0.800 - 3.193	9.20	8.80	98
20+22+25+35	1.36	1.50	1.70	2.38	6.95 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+22+25+42	1.28	1.40	1.59	2.68 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+25+50	1.19	1.31	1.49	2.97 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+35+35	1.24	1.37	2.17	2.17	6.95 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+22+35+42	1.17	1.28	2.04	2.45 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+25+25	1.47	1.84	1.84	1.84	7.00 3.70 - 8.80	1.873 0.800 - 3.193	8.69	8.31	98
20+25+25+35	1.33	1.67	1.67	2.33	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+25+25+42	1.25	1.56	1.56	2.63 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+25+50	1.17	1.46	1.46	2.92 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+35+35	1.22	1.52	2.13	2.13	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+25+35+42	1.15	1.43	2.01	2.41 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+35+35+35	1.12	1.96	1.96	1.96	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
22+22+22+22	1.73	1.73	1.73	1.73	6.90 3.70 - 8.80	2.126 0.800 - 3.186	9.86	9.43	98
22+22+22+25	1.68	1.68	1.68	1.91	6.95 3.70 - 8.80	2.016 0.800 - 3.186	9.35	8.94	98
22+22+22+35	1.51	1.51	1.51	2.41	6.95 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+22+42	1.42	1.42	1.42	2.70 *	6.95 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
22+22+22+50	1.32	1.32	1.32	3.00 *	6.95 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+25+25	1.64	1.64	1.86	1.86	7.00 3.70 - 8.80	1.906 0.800 - 3.186	8.84	8.46	98
22+22+25+35	1.48	1.48	1.68	2.36	7.00 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+25+42	1.39	1.39	1.58	2.65 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+25+50	1.29	1.29	1.47	2.94 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+35+35	1.35	1.35	2.15	2.15	7.00 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+35+42	1.27	1.27	2.02	2.43 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+25+25	1.60	1.82	1.82	1.82	7.05 3.70 - 8.80	1.796 0.800 - 3.186	8.33	7.97	98
22+25+25+35	1.45	1.65	1.65	2.31	7.05 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+25+25+42	1.36	1.55	1.55	2.60 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+25+50	1.27	1.44	1.44	2.89 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+35+35	1.33	1.51	2.11	2.11	7.05 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+25+35+42	1.25	1.42	1.99	2.39 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+25+25	1.78	1.78	1.78	1.78	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
25+25+25+35	1.61	1.61	1.61	2.26	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
25+25+25+42	1.52	1.52	1.52	2.55 *	7.10 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+25+50	1.42	1.42	1.42	2.84 *	7.10 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+35+35	1.48	1.48	2.07	2.07	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 1.93kW
- MSZ-AP25VGD : Rated capacity is 1.93kW
- MSZ-AP42VGD : Rated capacity is 2.92kW (=3.24*0.9)

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	
15	1.70	-	-	-	1.70 - 1.70 0.502 - 0.502	2.33	2.23	98
20	2.20	-	-	-	2.20 - 2.20 0.590 - 0.590	2.93	2.80	98
22	3.30	-	-	-	3.30 - 3.30 0.480 - 0.480	3.62	3.46	98
25	3.60	-	-	-	3.60 - 3.60 0.460 - 0.460	3.85	3.68	98
35	4.00	-	-	-	4.00 - 4.00 0.460 - 0.460	4.45	4.26	98
42	5.40	-	-	-	5.40 - 5.40 0.460 - 0.460	6.99	6.69	98
50	5.80	-	-	-	5.80 - 5.80 0.460 - 0.460	7.52	7.19	98
60	7.90	-	-	-	7.90 - 7.90 0.440 - 0.440	12.88	12.32	98
15+15	1.70	1.70	-	-	3.40 - 3.40 0.670 - 0.670	3.62	3.46	98
15+22	1.66	2.44	-	-	4.10 - 4.10 0.640 - 0.640	4.68	4.48	98
15+25	1.65	2.75	-	-	4.40 - 4.40 0.630 - 0.630	5.14	4.92	98
15+35	2.16	5.04	-	-	7.20 - 7.20 0.410 - 0.410	7.65	7.32	98
15+42	1.97	5.53	-	-	7.50 - 7.50 0.410 - 0.410	8.17	7.81	98
15+50	1.80	6.00	-	-	7.80 - 7.80 0.410 - 0.410	8.77	8.39	98
15+60	1.64	6.56	-	-	8.20 - 8.20 0.410 - 0.410	9.23	8.83	98
20+20	2.20	2.20	-	-	4.40 - 4.40 0.630 - 0.630	5.14	4.92	98
20+22	2.62	2.88	-	-	5.50 - 5.50 0.520 - 0.520	5.98	5.72	98
20+25	2.98	3.72	-	-	6.70 - 6.70 0.410 - 0.410	6.95	6.65	98
20+35	2.69	4.71	-	-	7.40 - 7.40 0.410 - 0.410	8.03	7.68	98
20+42	2.48	5.22	-	-	7.70 - 7.70 0.410 - 0.410	8.53	8.16	98
20+50	2.29	5.71	-	-	8.00 - 8.00 0.410 - 0.410	9.14	8.74	98
20+60	2.10	6.30	-	-	8.40 - 8.40 0.400 - 0.400	9.33	8.92	98
22+22	3.30	3.30	-	-	6.60 - 6.60 0.410 - 0.410	6.82	6.52	98
22+25	3.23	3.67	-	-	6.90 - 6.90 0.410 - 0.410	7.23	6.92	98
22+35	2.89	4.61	-	-	7.50 - 7.50 0.410 - 0.410	8.17	7.81	98
22+42	2.68	5.12	-	-	7.80 - 7.80 0.410 - 0.410	8.68	8.30	98
22+50	2.48	5.63	-	-	8.10 - 8.10 0.410 - 0.410	9.18	8.78	98
22+60	2.28	6.22	-	-	8.50 - 8.50 0.400 - 0.400	9.37	8.96	98
25+25	3.60	3.60	-	-	7.20 - 7.20 0.410 - 0.410	7.65	7.32	98
25+35	3.17	4.43	-	-	7.60 - 7.60 0.410 - 0.410	8.40	8.03	98
25+42	2.95	4.95	-	-	7.90 - 7.90 0.410 - 0.410	8.91	8.52	98
25+50	2.73	5.47	-	-	8.20 - 8.20 0.410 - 0.410	9.23	8.83	98
25+60	2.53	6.07	-	-	8.60 - 8.60 0.400 - 0.400	9.33	8.92	98
35+35	4.00	4.00	-	-	8.00 - 8.00 0.410 - 0.410	9.14	8.74	98
35+42	3.77	4.53	-	-	8.30 - 8.30 0.410 - 0.410	9.27	8.87	98
35+50	3.54	5.06	-	-	8.60 - 8.60 0.400 - 0.400	9.33	8.92	98
35+60	3.17	5.43	-	-	8.60 - 8.60 0.370 - 0.370	8.49	8.12	98
42+42	4.30	4.30	-	-	8.60 - 8.60 0.400 - 0.400	9.42	9.01	98
42+50	3.93	4.67	-	-	8.60 - 8.60 0.380 - 0.380	8.77	8.39	98
42+60	3.54	5.06	-	-	8.60 - 8.60 0.360 - 0.360	8.07	7.72	98
50+50	4.30	4.30	-	-	8.60 - 8.60 0.360 - 0.360	8.07	7.72	98
50+60	3.91	4.69	-	-	8.60 - 8.60 0.360 - 0.360	7.98	7.63	98
60+60	4.30	4.30	-	-	8.60 - 8.60 0.360 - 0.360	7.94	7.59	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.110 0.890 - 2.430	5.14	4.92	98
15+15+22	1.67	1.67	2.45	-	5.80 2.60 - 9.20	1.300 0.890 - 2.730	6.03	5.77	98
15+15+25	1.66	1.66	2.77	-	6.10 2.60 - 9.50	1.380 0.890 - 2.870	6.40	6.12	98
15+15+35	1.80	1.80	4.20	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
15+15+42	1.67	1.67	4.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+15+50	1.50	1.50	5.00	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+15+60	1.33	1.33	5.33	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+20+20	1.66	2.22	2.22	-	6.10 2.60 - 9.50	1.380 0.890 - 2.870	6.40	6.12	98
15+20+22	1.66	2.21	2.43	-	6.30 2.60 - 9.70	1.440 0.890 - 2.950	6.68	6.39	98
15+20+25	1.65	2.20	2.75	-	6.60 2.60 - 10.00	1.520 0.890 - 3.090	7.05	6.74	98
15+20+35	1.71	2.29	4.00	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+20+42	1.56	2.08	4.36	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+20+50	1.41	1.88	4.71	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+20+60	1.26	1.68	5.05	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
15+22+22	1.65	2.42	2.42	-	6.50 2.60 - 9.90	1.490 0.890 - 3.040	6.91	6.61	98
15+22+25	1.72	2.52	2.86	-	7.10 2.60 - 10.20	1.710 0.770 - 3.220	7.94	7.59	98
15+22+35	1.67	2.44	3.89	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+22+42	1.52	2.23	4.25	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+22+50	1.38	2.02	4.60	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+22+60	1.24	1.81	4.95	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+25+25	1.80	3.00	3.00	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
15+25+35	1.60	2.67	3.73	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+25+42	1.46	2.44	4.10	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+25+50	1.33	2.22	4.44	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+25+60	1.20	2.00	4.80	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+35+35	1.41	3.29	3.29	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+35+42	1.30	3.04	3.65	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
15+35+50	1.20	2.80	4.00	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+35+60	1.09	2.55	4.36	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+42+42	1.21	3.39	3.39	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+42+50	1.12	3.14	3.74	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+42+60	1.03	2.87	4.10	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+50+50	1.04	3.48	3.48	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+50+60	0.96	3.20	3.84	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.520 0.890 - 3.090	7.05	6.74	98
20+20+22	2.29	2.29	2.52	-	7.10 2.60 - 10.20	1.710 0.770 - 3.220	7.94	7.59	98
20+20+25	2.40	2.40	3.00	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
20+20+35	2.13	2.13	3.73	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
20+20+42	1.95	1.95	4.10	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
20+20+50	1.78	1.78	4.44	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+20+60	1.60	1.60	4.80	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
20+22+35	2.08	2.29	3.64	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
20+22+42	1.90	2.10	4.00	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+22+50	1.74	1.91	4.35	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
20+22+60	1.57	1.73	4.71	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+25+25	2.29	2.86	2.86	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
20+25+35	2.00	2.50	3.50	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
20+25+42	1.84	2.30	3.86	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+25+50	1.68	2.11	4.21	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
20+25+60	1.52	1.90	4.57	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+35+35	1.78	3.11	3.11	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+35+42	1.65	2.89	3.46	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
20+35+50	1.52	2.67	3.81	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+35+60	1.39	2.43	4.17	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+42	1.54	3.23	3.23	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+50	1.43	3.00	3.57	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+60	1.31	2.75	3.93	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+50+50	1.33	3.33	3.33	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+22+22	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+22+25	2.55	2.55	2.90	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+22+35	2.23	2.23	3.54	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
22+22+42	2.05	2.05	3.91	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
22+22+50	1.87	1.87	4.26	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
22+22+60	1.69	1.69	4.62	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+25+25	2.44	2.78	2.78	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+25+35	2.15	2.44	3.41	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
22+25+42	1.98	2.25	3.78	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
22+25+50	1.81	2.06	4.12	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
22+25+60	1.64	1.87	4.49	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+35+35	1.91	3.04	3.04	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
22+35+42	1.78	2.83	3.39	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
22+35+50	1.64	2.62	3.74	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+35+60	1.50	2.39	4.10	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+42+60	1.42	2.71	3.87	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+50+50	1.44	3.28	3.28	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+25+25	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
25+25+35	2.35	2.35	3.29	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
25+25+42	2.17	2.17	3.65	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
25+25+50	2.00	2.00	4.00	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
25+25+60	1.82	1.82	4.36	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+35	2.11	2.95	2.95	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
25+35+42	1.96	2.75	3.29	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+50	1.82	2.55	3.64	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+60	1.67	2.33	4.00	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+42+42	1.83	3.08	3.08	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+42+50	1.71	2.87	3.42	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
25+50+50	1.60	3.20	3.20	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+35	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+42	2.50	2.50	3.00	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+50	2.33	2.33	3.33	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+42+42	2.35	2.82	2.82	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.590 - 2.472	6.79	6.49	98
15+15+15+20	1.59	1.59	1.59	2.12	6.90 3.40 - 9.70	1.560 0.590 - 2.560	7.23	6.92	98
15+15+15+22	1.58	1.58	1.58	2.31	7.05 3.40 - 9.80	1.593 0.590 - 2.593	7.39	7.07	98
15+15+15+25	1.54	1.54	1.54	2.57	7.20 3.40 - 9.90	1.653 0.590 - 2.653	7.66	7.33	98
15+15+15+35	1.41	1.41	1.41	3.28	7.50 3.40 - 10.40	1.853 0.600 - 2.843	8.59	8.22	98
15+15+15+42	1.33	1.33	1.33	3.72	7.70 3.40 - 10.70	1.977 0.600 - 2.967	9.17	8.77	98
15+15+15+50	1.22	1.22	1.22	4.05	7.70 3.40 - 10.70	1.757 0.600 - 2.987	8.15	7.80	98
15+15+15+60	1.10	1.10	1.10	4.40	7.70 3.40 - 10.70	1.570 0.600 - 2.970	7.29	6.97	98
15+15+20+20	1.52	1.52	2.03	2.03	7.10 3.40 - 9.90	1.658 0.590 - 2.658	7.69	7.36	98
15+15+20+22	1.49	1.49	1.99	2.18	7.15 3.40 - 10.00	1.691 0.590 - 2.691	7.84	7.50	98
15+15+20+25	1.46	1.46	1.95	2.43	7.30 3.40 - 10.10	1.751 0.600 - 2.751	8.12	7.77	98
15+15+20+35	1.34	1.34	1.79	3.13	7.60 3.40 - 10.60	1.941 0.600 - 2.941	9.00	8.61	98
15+15+20+42	1.26	1.26	1.67	3.52	7.70 3.40 - 10.70	1.865 0.600 - 2.985	8.65	8.27	98
15+15+20+50	1.16	1.16	1.54	3.85	7.70 3.40 - 10.70	1.585 0.600 - 2.985	7.35	7.03	98
15+15+20+60	1.05	1.05	1.40	4.20	7.70 3.40 - 10.70	1.568 0.600 - 2.968	7.28	6.96	98
15+15+22+22	1.48	1.48	2.17	2.17	7.30 3.40 - 10.10	1.724 0.600 - 2.724	8.00	7.65	98
15+15+22+25	1.45	1.45	2.13	2.42	7.45 3.40 - 10.20	1.784 0.600 - 2.774	8.27	7.91	98
15+15+22+35	1.34	1.34	1.96	3.12	7.75 3.40 - 10.70	1.974 0.600 - 2.964	9.16	8.76	98
15+15+22+42	1.24	1.24	1.81	3.46	7.75 3.40 - 10.70	1.788 0.600 - 2.978	8.29	7.93	98
15+15+22+50	1.14	1.14	1.67	3.80	7.75 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+22+60	1.04	1.04	1.52	4.15	7.75 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+25+25	1.43	1.43	2.38	2.38	7.60 3.40 - 10.40	1.844 0.600 - 2.834	8.55	8.18	98
15+15+25+35	1.30	1.30	2.17	3.03	7.80 3.40 - 10.70	1.934 0.600 - 2.984	8.97	8.58	98
15+15+25+42	1.21	1.21	2.01	3.38	7.80 3.40 - 10.70	1.678 0.600 - 2.978	7.78	7.44	98
15+15+25+50	1.11	1.11	1.86	3.71	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+25+60	1.02	1.02	1.70	4.07	7.80 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+35+35	1.17	1.17	2.73	2.73	7.80 3.40 - 10.70	1.584 0.600 - 2.984	7.35	7.03	98
15+15+35+42	1.09	1.09	2.55	3.06	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+35+50	1.02	1.02	2.37	3.39	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+35+60	0.94	0.94	2.18	3.74	7.80 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+42+42	1.03	1.03	2.87	2.87	7.80 3.40 - 10.70	1.572 0.600 - 2.972	7.29	6.97	98
15+15+42+50	0.96	0.96	2.69	3.20	7.80 3.40 - 10.70	1.572 0.600 - 2.972	7.29	6.97	98
15+20+20+20	1.44	1.92	1.92	1.92	7.20 3.40 - 10.10	1.756 0.600 - 2.756	8.14	7.79	98
15+20+20+22	1.43	1.91	1.91	2.10	7.35 3.40 - 10.20	1.789 0.600 - 2.779	8.30	7.94	98
15+20+20+25	1.41	1.88	1.88	2.34	7.50 3.40 - 10.40	1.849 0.600 - 2.839	8.57	8.20	98
15+20+20+35	1.28	1.71	1.71	2.99	7.70 3.40 - 10.70	1.939 0.600 - 2.989	8.99	8.60	98
15+20+20+42	1.19	1.59	1.59	3.33	7.70 3.40 - 10.70	1.683 0.600 - 2.983	7.81	7.47	98
15+20+20+50	1.10	1.47	1.47	3.67	7.70 3.40 - 10.70	1.583 0.600 - 2.983	7.34	7.02	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+20+20+60	1.00	1.34	1.34	4.02	7.70 3.40 - 10.70	1.566 0.600 - 2.966	7.27	6.95	98
15+20+22+22	1.41	1.87	2.06	2.06	7.40 3.40 - 10.30	1.822 0.600 - 2.812	8.45	8.08	98
15+20+22+25	1.38	1.84	2.03	2.30	7.55 3.40 - 10.40	1.882 0.600 - 2.872	8.73	8.35	98
15+20+22+35	1.26	1.68	1.85	2.95	7.75 3.40 - 10.70	1.862 0.600 - 2.982	8.64	8.26	98
15+20+22+42	1.17	1.57	1.72	3.29	7.75 3.40 - 10.70	1.606 0.600 - 2.976	7.45	7.13	98
15+20+22+50	1.09	1.45	1.59	3.62	7.75 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+22+60	0.99	1.32	1.46	3.97	7.75 3.40 - 10.70	1.559 0.600 - 2.959	7.23	6.92	98
15+20+25+25	1.36	1.81	2.26	2.26	7.70 3.40 - 10.60	1.932 0.600 - 2.932	8.96	8.57	98
15+20+25+35	1.23	1.64	2.05	2.87	7.80 3.40 - 10.70	1.752 0.600 - 2.982	8.12	7.77	98
15+20+25+42	1.15	1.53	1.91	3.21	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+25+50	1.06	1.42	1.77	3.55	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+25+60	0.98	1.30	1.63	3.90	7.80 3.40 - 10.70	1.559 0.600 - 2.959	7.23	6.92	98
15+20+35+35	1.11	1.49	2.60	2.60	7.80 3.40 - 10.70	1.582 0.600 - 2.982	7.34	7.02	98
15+20+35+42	1.04	1.39	2.44	2.93	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+35+50	0.98	1.30	2.28	3.25	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+42+42	0.98	1.31	2.75	2.75	7.80 3.40 - 10.70	1.570 0.600 - 2.970	7.29	6.97	98
15+22+22+22	1.40	2.05	2.05	2.05	7.55 3.40 - 10.40	1.855 0.600 - 2.845	8.60	8.23	98
15+22+22+25	1.38	2.02	2.02	2.29	7.70 3.40 - 10.50	1.905 0.600 - 2.905	8.83	8.45	98
15+22+22+35	1.24	1.83	1.83	2.90	7.80 3.40 - 10.70	1.785 0.600 - 2.975	8.28	7.92	98
15+22+22+42	1.16	1.70	1.70	3.24	7.80 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+22+50	1.07	1.57	1.57	3.58	7.80 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+22+60	0.98	1.44	1.44	3.93	7.80 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+22+25+25	1.35	1.99	2.26	2.26	7.85 3.40 - 10.70	1.965 0.600 - 2.955	9.12	8.72	98
15+22+25+35	1.21	1.78	2.02	2.83	7.85 3.40 - 10.70	1.675 0.600 - 2.975	7.77	7.43	98
15+22+25+42	1.13	1.66	1.89	3.17	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+25+50	1.05	1.54	1.75	3.50	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+25+60	0.97	1.42	1.61	3.86	7.85 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+22+35+35	1.10	1.61	2.57	2.57	7.85 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+22+35+42	1.03	1.51	2.41	2.89	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+35+50	0.97	1.42	2.25	3.22	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+42+42	0.97	1.43	2.72	2.72	7.85 3.40 - 10.70	1.563 0.600 - 2.963	7.25	6.93	98
15+25+25+25	1.32	2.19	2.19	2.19	7.90 3.40 - 10.70	1.925 0.600 - 2.975	8.93	8.54	98
15+25+25+35	1.19	1.98	1.98	2.77	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+25+25+42	1.11	1.85	1.85	3.10	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+25+50	1.03	1.72	1.72	3.43	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+25+60	0.95	1.58	1.58	3.79	7.90 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+25+35+35	1.08	1.80	2.51	2.51	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+25+35+42	1.01	1.69	2.36	2.84	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+35+50	0.95	1.58	2.21	3.16	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+42+42	0.96	1.59	2.68	2.68	7.90 3.40 - 10.70	1.563 0.600 - 2.963	7.25	6.93	98
15+35+35+35	0.99	2.30	2.30	2.30	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
20+20+20+20	1.85	1.85	1.85	1.85	7.40 3.40 - 10.40	1.854 0.600 - 2.844	8.60	8.23	98
20+20+20+22	1.82	1.82	1.82	2.00	7.45 3.40 - 10.40	1.887 0.600 - 2.877	8.75	8.37	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+20+20+25	1.79	1.79	1.79	2.24	7.60 3.40 - 10.60	1.937 0.600 - 2.937	8.98	8.59	98
20+20+20+35	1.62	1.62	1.62	2.84	7.70 3.40 - 10.70	1.757 0.600 - 2.987	8.15	7.80	98
20+20+20+42	1.51	1.51	1.51	3.17	7.70 3.40 - 10.70	1.581 0.600 - 2.981	7.33	7.01	98
20+20+20+50	1.40	1.40	1.40	3.50	7.70 3.40 - 10.70	1.581 0.600 - 2.981	7.33	7.01	98
20+20+20+60	1.28	1.28	1.28	3.85	7.70 3.40 - 10.70	1.564 0.600 - 2.964	7.26	6.94	98
20+20+22+22	1.81	1.81	1.99	1.99	7.60 3.40 - 10.50	1.910 0.600 - 2.910	8.86	8.47	98
20+20+22+25	1.78	1.78	1.96	2.23	7.75 3.40 - 10.70	1.970 0.600 - 2.960	9.14	8.74	98
20+20+22+35	1.60	1.60	1.76	2.80	7.75 3.40 - 10.70	1.680 0.600 - 2.980	7.79	7.45	98
20+20+22+42	1.49	1.49	1.64	3.13	7.75 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+22+50	1.38	1.38	1.52	3.46	7.75 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+22+60	1.27	1.27	1.40	3.81	7.75 3.40 - 10.70	1.557 0.600 - 2.957	7.22	6.91	98
20+20+25+25	1.73	1.73	2.17	2.17	7.80 3.40 - 10.70	1.930 0.600 - 2.980	8.95	8.56	98
20+20+25+35	1.56	1.56	1.95	2.73	7.80 3.40 - 10.70	1.580 0.600 - 2.980	7.33	7.01	98
20+20+25+42	1.46	1.46	1.82	3.06	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+25+50	1.36	1.36	1.70	3.39	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+25+60	1.25	1.25	1.56	3.74	7.80 3.40 - 10.70	1.557 0.600 - 2.957	7.22	6.91	98
20+20+35+35	1.42	1.42	2.48	2.48	7.80 3.40 - 10.70	1.580 0.600 - 2.980	7.33	7.01	98
20+20+35+42	1.33	1.33	2.33	2.80	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+35+50	1.25	1.25	2.18	3.12	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+42+42	1.26	1.26	2.64	2.64	7.80 3.40 - 10.70	1.568 0.600 - 2.968	7.28	6.96	98
20+22+22+22	1.78	1.96	1.96	1.96	7.65 3.40 - 10.60	1.943 0.600 - 2.943	9.01	8.62	98
20+22+22+25	1.75	1.93	1.93	2.19	7.80 3.40 - 10.70	1.953 0.600 - 2.973	9.05	8.66	98
20+22+22+35	1.58	1.73	1.73	2.76	7.80 3.40 - 10.70	1.603 0.600 - 2.973	7.43	7.11	98
20+22+22+42	1.47	1.62	1.62	3.09	7.80 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+22+50	1.37	1.51	1.51	3.42	7.80 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+22+60	1.26	1.38	1.38	3.77	7.80 3.40 - 10.70	1.550 0.600 - 2.950	7.19	6.88	98
20+22+25+25	1.71	1.88	2.13	2.13	7.85 3.40 - 10.70	1.853 0.600 - 2.973	8.59	8.22	98
20+22+25+35	1.54	1.69	1.92	2.69	7.85 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+22+25+42	1.44	1.58	1.80	3.02	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+25+50	1.34	1.48	1.68	3.35	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+35+35	1.40	1.54	2.45	2.45	7.85 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+22+35+42	1.32	1.45	2.31	2.77	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+25+25	1.66	2.08	2.08	2.08	7.90 3.40 - 10.70	1.743 0.600 - 2.973	8.08	7.73	98
20+25+25+35	1.50	1.88	1.88	2.63	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+25+25+42	1.41	1.76	1.76	2.96	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+25+50	1.32	1.65	1.65	3.29	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+35+35	1.37	1.72	2.40	2.40	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+25+35+42	1.30	1.62	2.27	2.72	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+35+35+35	1.26	2.21	2.21	2.21	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
22+22+22+22	1.95	1.95	1.95	1.95	7.80 3.40 - 10.70	1.976 0.600 - 2.966	9.17	8.77	98
22+22+22+25	1.90	1.90	1.90	2.16	7.85 3.40 - 10.70	1.876 0.600 - 2.966	8.70	8.32	98
22+22+22+35	1.71	1.71	1.71	2.72	7.85 3.40 - 10.70	1.566 0.600 - 2.966	7.27	6.95	98
22+22+22+42	1.60	1.60	1.60	3.05	7.85 3.40 - 10.70	1.560 0.600 - 2.960	7.23	6.92	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
22+22+22+50	1.49	1.49	1.49	3.38	7.85 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+25+25	1.85	1.85	2.10	2.10	7.90 3.40 - 10.70	1.776 - 2.966	8.24	7.88	98
22+22+25+35	1.67	1.67	1.90	2.66	7.90 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+22+25+42	1.57	1.57	1.78	2.99	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+25+50	1.46	1.46	1.66	3.32	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+35+35	1.52	1.52	2.43	2.43	7.90 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+22+35+42	1.44	1.44	2.29	2.74	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+25+25	1.80	2.05	2.05	2.05	7.95 3.40 - 10.70	1.666 - 2.966	7.73	7.39	98
22+25+25+35	1.63	1.86	1.86	2.60	7.95 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+25+25+42	1.53	1.74	1.74	2.93	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+25+50	1.43	1.63	1.63	3.26	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+35+35	1.49	1.70	2.38	2.38	7.95 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+25+35+42	1.41	1.60	2.24	2.69	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
25+25+25+42	1.71	1.71	1.71	2.87	8.00 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+25+50	1.60	1.60	1.60	3.20	8.00 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98