

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15	1.50	-	-	-	1.50 1.50 - 2.20	0.570 0.570 - 0.870	2.61	2.50	99
20	2.00	-	-	-	2.00 1.50 - 2.40	0.580 0.570 - 0.870	2.67	2.55	99
22	2.20	-	-	-	2.20 1.50 - 4.20	0.610 0.580 - 1.060	2.80	2.68	99
25	2.50	-	-	-	2.50 1.50 - 4.20	0.630 0.580 - 1.060	2.90	2.77	99
35	3.50	-	-	-	3.50 1.50 - 4.30	0.790 0.580 - 1.120	3.63	3.47	99
42	4.20	-	-	-	4.20 1.50 - 5.00	0.960 0.580 - 1.740	4.41	4.22	99
50	5.00	-	-	-	5.00 1.50 - 5.50	1.270 0.620 - 1.780	5.83	5.58	99
60	6.00	-	-	-	6.00 1.50 - 6.40	1.780 0.620 - 1.950	8.18	7.82	99
71	7.10	-	-	-	7.10 1.50 - 7.40	2.480 0.650 - 2.930	11.39	10.89	99
15+15	1.50	1.50	-	-	3.00 2.00 - 4.40	0.606 0.600 - 1.486	2.78	2.66	99
15+20	1.50	2.00	-	-	3.50 2.00 - 5.00	0.754 0.600 - 1.484	3.46	3.31	99
15+22	1.50	2.20	-	-	3.70 2.00 - 5.20	0.797 0.600 - 1.477	3.66	3.50	99
15+25	1.50	2.50	-	-	4.00 2.00 - 5.60	0.887 0.600 - 1.477	4.08	3.90	99
15+35	1.50	3.50	-	-	5.00 2.00 - 6.20	1.197 0.590 - 1.807	5.50	5.26	99
15+42	1.50	4.20	-	-	5.70 2.00 - 6.70	1.481 0.590 - 2.151	6.80	6.50	99
15+50	1.50	5.00	-	-	6.50 2.00 - 7.30	1.811 0.580 - 2.541	8.31	7.95	99
15+60	1.46	5.84	-	-	7.30 2.00 - 8.10	2.234 0.580 - 2.854	10.26	9.81	99
15+71	1.36	6.44	-	-	7.80 2.00 - 8.80	2.678 0.580 - 3.028	12.29	11.76	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.60	0.892 0.600 - 1.482	4.10	3.92	99
20+22	2.00	2.20	-	-	4.20 2.00 - 5.60	0.935 0.600 - 1.475	4.30	4.11	99
20+25	2.00	2.50	-	-	4.50 2.00 - 5.70	1.015 0.600 - 1.535	4.66	4.46	99
20+35	2.00	3.50	-	-	5.50 2.00 - 6.60	1.405 0.590 - 2.055	6.45	6.17	99
20+42	2.00	4.20	-	-	6.20 2.00 - 7.10	1.689 0.580 - 2.389	7.76	7.42	99
20+50	2.00	5.00	-	-	7.00 2.00 - 7.70	2.019 0.580 - 2.789	9.27	8.87	99
20+60	1.90	5.70	-	-	7.60 2.00 - 8.50	2.462 0.580 - 2.932	11.30	10.81	99
20+71	1.74	6.16	-	-	7.90 2.00 - 8.90	2.736 0.580 - 3.106	12.57	12.02	99
22+22	2.20	2.20	-	-	4.40 2.00 - 5.60	0.968 0.600 - 1.468	4.44	4.25	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.90	1.078 0.600 - 1.638	4.95	4.73	99
22+35	2.20	3.50	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.79	6.49	99
22+42	2.20	4.20	-	-	6.40 2.00 - 7.30	1.762 0.580 - 2.482	8.09	7.74	99
22+50	2.17	4.93	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	9.65	9.23	99
22+60	2.07	5.63	-	-	7.70 2.00 - 8.60	2.545 0.580 - 2.955	11.69	11.18	99
22+71	1.87	6.03	-	-	7.90 2.10 - 9.00	2.749 0.580 - 3.129	12.62	12.07	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.188 0.590 - 1.798	5.46	5.22	99
25+35	2.50	3.50	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	7.38	7.06	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.50	1.892 0.580 - 2.632	8.69	8.31	99
25+50	2.43	4.87	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	10.30	9.85	99
25+60	2.29	5.51	-	-	7.80 2.00 - 8.80	2.645 0.580 - 3.005	12.15	11.62	99
25+71	2.08	5.92	-	-	8.00 2.10 - 9.00	2.789 0.580 - 3.179	12.81	12.25	99
35+35	3.50	3.50	-	-	7.00 2.00 - 7.70	2.018 0.580 - 2.788	9.26	8.86	99
35+42	3.36	4.04	-	-	7.40 2.00 - 8.30	2.332 0.580 - 2.892	10.71	10.24	99
35+50	3.21	4.59	-	-	7.80 2.00 - 8.80	2.662 0.580 - 3.022	12.22	11.69	99
35+60	2.91	4.99	-	-	7.90 2.10 - 9.00	2.775 0.580 - 3.155	12.74	12.19	99
35+71	2.64	5.36	-	-	8.00 2.10 - 9.10	2.839 0.570 - 3.269	13.04	12.47	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.646 0.580 - 2.996	12.15	11.62	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
42+50	3.61	4.29	-	-	7.90 2.10 - 9.00	2.746 0.580 - 3.126	12.61	12.06	99
42+60	3.29	4.71	-	-	8.00 2.10 - 9.10	2.829 0.580 - 3.239	12.98	12.42	99
42+71	2.97	5.03	-	-	8.00 2.10 - 9.20	2.833 0.560 - 3.303	13.01	12.44	99
50+50	4.00	4.00	-	-	8.00 2.10 - 9.10	2.846 0.580 - 3.246	13.07	12.50	99
50+60	3.64	4.36	-	-	8.00 2.10 - 9.20	2.829 0.570 - 3.289	12.98	12.42	99
50+71	3.31	4.69	-	-	8.00 2.10 - 9.20	2.833 0.550 - 3.353	13.01	12.44	99
60+60	4.00	4.00	-	-	8.00 2.10 - 9.20	2.812 0.550 - 3.322	12.91	12.35	99
60+71	3.66	4.34	-	-	8.00 2.10 - 9.20	2.816 0.550 - 3.416	12.93	12.37	99
71+71	4.00	4.00	-	-	8.00 2.10 - 9.20	2.820 0.550 - 3.510	12.94	12.38	99
35+71	2.64	5.36	-	-	8.00 2.10 - 9.10	2.839 0.570 - 3.269	13.04	12.47	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.646 0.580 - 2.996	12.15	11.62	99
42+50	3.61	4.29	-	-	7.90 2.10 - 9.00	2.746 0.580 - 3.126	12.61	12.06	99
42+71	2.97	5.03	-	-	8.00 2.10 - 9.20	2.833 0.560 - 3.303	13.01	12.44	99
50+50	4.00	4.00	-	-	8.00 2.10 - 9.10	2.846 0.580 - 3.246	13.07	12.50	99
50+60	3.64	4.36	-	-	8.00 2.10 - 9.20	2.829 0.570 - 3.289	12.98	12.42	99
50+71	3.31	4.69	-	-	8.00 2.10 - 9.20	2.833 0.550 - 3.353	13.01	12.44	99
60+60	4.00	4.00	-	-	8.00 2.10 - 9.20	2.812 0.550 - 3.322	12.91	12.35	99
60+71	3.66	4.34	-	-	8.00 2.10 - 9.20	2.816 0.550 - 3.416	12.93	12.37	99
71+71	4.00	4.00	-	-	8.00 2.10 - 9.20	2.820 0.550 - 3.510	12.94	12.38	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.30	1.009 0.690 - 2.359	4.63	4.43	99
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 6.90	1.127 0.690 - 2.357	5.18	4.95	99
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.10	1.160 0.690 - 2.350	5.32	5.09	99
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 7.50	1.230 0.690 - 2.350	5.65	5.40	99
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.480 0.690 - 2.350	6.80	6.50	99
15+15+42	1.50	1.50	4.20 *	-	7.20 2.90 - 8.70	1.654 0.690 - 2.614	7.59	7.26	99
15+15+50	1.43	1.43	4.75 *	-	7.60 2.90 - 9.00	1.864 0.690 - 2.774	8.56	8.19	99
15+15+60	1.30	1.30	5.20	-	7.80 2.90 - 9.10	2.117 0.690 - 2.787	9.72	9.30	99
15+15+71	1.17	1.17	5.55	-	7.90 2.90 - 9.20	2.411 0.690 - 2.821	11.07	10.59	99
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 7.50	1.235 0.690 - 2.355	5.67	5.42	99
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 7.70	1.278 0.690 - 2.348	5.87	5.61	99
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.348 0.690 - 2.348	6.19	5.92	99
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.50	1.608 0.690 - 2.528	7.38	7.06	99
15+20+42	1.46	1.95	4.09 *	-	7.50 2.90 - 9.00	1.782 0.690 - 2.762	8.19	7.83	99
15+20+50	1.36	1.81	4.53 *	-	7.70 2.90 - 9.10	2.002 0.690 - 2.782	9.19	8.79	99
15+20+60	1.23	1.64	4.93	-	7.80 2.90 - 9.10	2.245 0.690 - 2.795	10.31	9.86	99
15+20+71	1.13	1.51	5.36	-	8.00 2.90 - 9.20	2.519 0.690 - 2.829	11.56	11.06	99
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.00	1.321 0.690 - 2.341	6.06	5.80	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.391 0.690 - 2.341	6.39	6.11	99
15+22+35	1.50	2.20	3.50	-	7.20 2.90 - 8.70	1.651 0.690 - 2.611	7.58	7.25	99
15+22+42	1.44	2.12	4.04 *	-	7.60 2.90 - 9.00	1.835 0.690 - 2.755	8.43	8.06	99
15+22+50	1.33	1.95	4.43 *	-	7.70 2.90 - 9.10	2.045 0.690 - 2.785	9.39	8.98	99
15+22+60	1.22	1.79	4.89	-	7.90 2.90 - 9.10	2.298 0.690 - 2.798	10.55	10.09	99
15+22+71	1.11	1.63	5.26	-	8.00 2.90 - 9.20	2.512 0.690 - 2.832	11.53	11.03	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.471 0.690 - 2.341	6.75	6.46	99
15+25+35	1.50	2.50	3.50	-	7.50 2.90 - 9.00	1.731 0.690 - 2.751	7.95	7.60	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+25+42	1.39	2.32	3.89 *	-	7.60 2.90 - 9.00	1.915 0.690 - 2.765	8.79	8.41	99
15+25+50	1.30	2.17	4.33 *	-	7.80 2.90 - 9.10	2.125 0.690 - 2.795	9.75	9.33	99
15+25+60	1.19	1.98	4.74	-	7.90 2.90 - 9.20	2.378 0.690 - 2.808	10.91	10.44	99
15+25+71	1.08	1.80	5.12	-	8.00 2.90 - 9.20	2.512 0.690 - 2.842	11.53	11.03	99
15+35+35	1.36	3.17	3.17	-	7.70 2.90 - 9.10	2.001 0.690 - 2.781	9.19	8.79	99
15+35+42	1.27	2.97	3.56 *	-	7.80 2.90 - 9.10	2.175 0.690 - 2.795	9.98	9.55	99
15+35+50	1.19	2.77	3.95 *	-	7.90 2.90 - 9.20	2.395 0.690 - 2.825	11.00	10.52	99
15+35+60	1.09	2.55	4.36	-	8.00 2.90 - 9.20	2.508 0.690 - 2.838	11.51	11.01	99
15+35+71	0.99	2.31	4.69	-	8.00 2.90 - 9.20	2.512 0.690 - 2.882	11.53	11.03	99
15+42+42	1.20	3.35	3.35 *	-	7.90 2.90 - 9.20	2.359 0.690 - 2.809	10.83	10.36	99
15+42+50	1.12	3.14	3.74 *	-	8.00 2.90 - 9.20	2.519 0.690 - 2.839	11.56	11.06	99
15+42+60	1.03	2.87	4.10	-	8.00 2.90 - 9.20	2.502 0.690 - 2.862	11.49	10.99	99
15+42+71	0.94	2.63	4.44	-	8.00 2.90 - 9.20	2.506 0.690 - 2.906	11.51	11.01	99
15+50+50	1.04	3.48	3.48 *	-	8.00 2.90 - 9.20	2.519 0.690 - 2.869	11.56	11.06	99
15+50+60	0.96	3.20	3.84	-	8.00 2.90 - 9.20	2.502 0.690 - 2.892	11.49	10.99	99
15+50+71	0.88	2.94	4.18	-	8.00 2.90 - 9.20	2.506 0.690 - 2.966	11.51	11.01	99
15+60+60	0.89	3.56	3.56	-	8.00 2.90 - 9.20	2.485 0.690 - 2.945	11.41	10.91	99
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	99
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	99
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	99
20+20+35	2.00	2.00	3.50	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	99
20+20+42	1.85	1.85	3.89 *	-	7.60 2.90 - 9.00	1.920 0.690 - 2.770	8.81	8.43	99
20+20+50	1.73	1.73	4.33 *	-	7.80 2.90 - 9.10	2.130 0.690 - 2.800	9.78	9.35	99
20+20+60	1.58	1.58	4.74	-	7.90 2.90 - 9.20	2.383 0.690 - 2.813	10.95	10.47	99
20+20+71	1.44	1.44	5.12	-	8.00 2.90 - 9.20	2.517 0.690 - 2.847	11.55	11.05	99
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	99
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	99
20+22+35	1.95	2.14	3.41	-	7.50 2.90 - 9.00	1.779 0.690 - 2.759	8.17	7.81	99
20+22+42	1.83	2.02	3.85 *	-	7.70 2.90 - 9.10	1.963 0.690 - 2.773	9.01	8.62	99
20+22+50	1.70	1.87	4.24 *	-	7.80 2.90 - 9.10	2.173 0.690 - 2.793	9.97	9.54	99
20+22+60	1.57	1.73	4.71	-	8.00 2.90 - 9.20	2.426 0.690 - 2.806	11.13	10.65	99
20+22+71	1.42	1.56	5.03	-	8.00 2.90 - 9.20	2.510 0.690 - 2.850	11.52	11.02	99
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	99
20+25+35	1.90	2.38	3.33	-	7.60 2.90 - 9.00	1.859 0.690 - 2.769	8.53	8.16	99
20+25+42	1.77	2.21	3.72 *	-	7.70 2.90 - 9.10	2.043 0.690 - 2.783	9.38	8.97	99
20+25+50	1.64	2.05	4.11 *	-	7.80 2.90 - 9.10	2.253 0.690 - 2.803	10.34	9.89	99
20+25+60	1.52	1.90	4.57	-	8.00 2.90 - 9.20	2.506 0.690 - 2.816	11.51	11.01	99
20+25+71	1.38	1.72	4.90	-	8.00 2.90 - 9.20	2.510 0.690 - 2.860	11.52	11.02	99
20+35+35	1.73	3.03	3.03	-	7.80 2.90 - 9.10	2.129 0.690 - 2.799	9.78	9.35	99
20+35+42	1.63	2.85	3.42 *	-	7.90 2.90 - 9.10	2.313 0.690 - 2.813	10.62	10.16	99
20+35+50	1.52	2.67	3.81 *	-	8.00 2.90 - 9.20	2.523 0.690 - 2.833	11.58	11.08	99
20+35+60	1.39	2.43	4.17	-	8.00 2.90 - 9.20	2.506 0.690 - 2.856	11.51	11.01	99
20+35+71	1.27	2.22	4.51	-	8.00 2.90 - 9.20	2.510 0.690 - 2.900	11.52	11.02	99
20+42+42	1.54	3.23	3.23 *	-	8.00 2.90 - 9.20	2.487 0.690 - 2.827	11.42	10.92	99
20+42+50	1.43	3.00	3.57 *	-	8.00 2.90 - 9.20	2.517 0.690 - 2.857	11.55	11.05	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+42+60	1.31	2.75	3.93	-	8.00 2.90 - 9.20	2.500 0.690 - 2.870	11.48	10.98	99
20+42+71	1.20	2.53	4.27	-	8.00 2.90 - 9.20	2.504 0.690 - 2.944	11.50	11.00	99
20+50+50	1.33	3.33	3.33 *	-	8.00 2.90 - 9.20	2.517 0.690 - 2.887	11.55	11.05	99
20+50+60	1.23	3.08	3.69	-	8.00 2.90 - 9.20	2.500 0.690 - 2.920	11.48	10.98	99
20+50+71	1.13	2.84	4.03	-	8.00 2.90 - 9.20	2.504 0.690 - 3.004	11.50	11.00	99
20+60+60	1.14	3.43	3.43	-	8.00 2.90 - 9.20	2.483 0.690 - 2.973	11.40	10.90	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	99
22+22+35	2.12	2.12	3.37	-	7.60 2.90 - 9.00	1.832 0.690 - 2.752	8.42	8.05	99
22+22+42	1.97	1.97	3.76 *	-	7.70 2.90 - 9.10	2.006 0.690 - 2.766	9.21	8.81	99
22+22+50	1.83	1.83	4.15 *	-	7.80 2.90 - 9.10	2.226 0.690 - 2.796	10.22	9.78	99
22+22+60	1.69	1.69	4.62	-	8.00 2.90 - 9.20	2.469 0.690 - 2.809	11.33	10.84	99
22+22+71	1.53	1.53	4.94	-	8.00 2.90 - 9.20	2.503 0.690 - 2.853	11.49	10.99	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	99
22+25+35	2.04	2.32	3.24	-	7.60 2.90 - 9.00	1.912 0.690 - 2.762	8.78	8.40	99
22+25+42	1.90	2.16	3.63 *	-	7.70 2.90 - 9.10	2.086 0.690 - 2.776	9.58	9.16	99
22+25+50	1.79	2.04	4.07 *	-	7.90 2.90 - 9.10	2.306 0.690 - 2.806	10.59	10.13	99
22+25+60	1.64	1.87	4.49	-	8.00 2.90 - 9.20	2.499 0.690 - 2.819	11.47	10.97	99
22+25+71	1.49	1.69	4.81	-	8.00 2.90 - 9.20	2.503 0.690 - 2.863	11.49	10.99	99
22+35+35	1.87	2.97	2.97	-	7.80 2.90 - 9.10	2.172 0.690 - 2.792	9.97	9.54	99
22+35+42	1.76	2.79	3.35 *	-	7.90 2.90 - 9.20	2.356 0.690 - 2.806	10.82	10.35	99
22+35+50	1.64	2.62	3.74 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.836	11.55	11.05	99
22+35+60	1.50	2.39	4.10	-	8.00 2.90 - 9.20	2.499 0.690 - 2.859	11.47	10.97	99
22+35+71	1.38	2.19	4.44	-	8.00 2.90 - 9.20	2.503 0.690 - 2.903	11.49	10.99	99
22+42+42	1.66	3.17	3.17 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.820	11.52	11.02	99
22+42+50	1.54	2.95	3.51 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.850	11.52	11.02	99
22+42+60	1.42	2.71	3.87	-	8.00 2.90 - 9.20	2.493 0.690 - 2.873	11.45	10.95	99
22+42+71	1.30	2.49	4.21	-	8.00 2.90 - 9.20	2.497 0.690 - 2.957	11.47	10.97	99
22+50+50	1.44	3.28	3.28 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.880	11.52	11.02	99
22+50+60	1.33	3.03	3.64	-	8.00 2.90 - 9.20	2.493 0.690 - 2.923	11.45	10.95	99
22+50+71	1.23	2.80	3.97	-	8.00 2.90 - 9.20	2.497 0.690 - 3.017	11.47	10.97	99
22+60+60	1.24	3.38	3.38	-	8.00 2.90 - 9.20	2.476 0.690 - 2.986	11.36	10.87	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	99
25+25+35	2.26	2.26	3.17	-	7.70 2.90 - 9.10	1.992 0.690 - 2.772	9.15	8.75	99
25+25+42	2.12	2.12	3.56 *	-	7.80 2.90 - 9.10	2.166 0.690 - 2.786	9.94	9.51	99
25+25+50	1.98	1.98	3.95 *	-	7.90 2.90 - 9.20	2.386 0.690 - 2.816	10.96	10.48	99
25+25+60	1.82	1.82	4.36	-	8.00 2.90 - 9.20	2.499 0.690 - 2.829	11.47	10.97	99
25+25+71	1.65	1.65	4.69	-	8.00 2.90 - 9.20	2.503 0.690 - 2.873	11.49	10.99	99
25+35+35	2.05	2.87	2.87	-	7.80 2.90 - 9.10	2.252 0.690 - 2.802	10.34	9.89	99
25+35+42	1.96	2.75	3.29 *	-	8.00 2.90 - 9.20	2.436 0.690 - 2.816	11.19	10.70	99
25+35+50	1.82	2.55	3.64 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.846	11.55	11.05	99
25+35+60	1.67	2.33	4.00	-	8.00 2.90 - 9.20	2.499 0.690 - 2.869	11.47	10.97	99
25+35+71	1.53	2.14	4.34	-	8.00 2.90 - 9.20	2.503 0.690 - 2.933	11.49	10.99	99
25+42+42	1.83	3.08	3.08 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.840	11.52	11.02	99
25+42+50	1.71	2.87	3.42 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.870	11.52	11.02	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
25+42+60	1.57	2.65	3.78	-	8.00 2.90 - 9.20	2.493 0.690 - 2.893	11.45	10.95	99
25+42+71	1.45	2.43	4.12	-	8.00 2.90 - 9.20	2.497 0.690 - 2.977	11.47	10.97	99
25+50+50	1.60	3.20	3.20 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.900	11.52	11.02	99
25+50+60	1.48	2.96	3.56	-	8.00 2.90 - 9.20	2.493 0.690 - 2.953	11.45	10.95	99
25+60+60	1.38	3.31	3.31	-	8.00 2.90 - 9.20	2.476 0.690 - 3.006	11.36	10.87	99
35+35+35	2.67	2.67	2.67	-	8.00 2.90 - 9.20	2.522 0.690 - 2.832	11.58	11.08	99
35+35+42	2.50	2.50	3.00 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.856	11.55	11.05	99
35+35+50	2.33	2.33	3.33 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.886	11.55	11.05	99
35+35+60	2.15	2.15	3.69	-	8.00 2.90 - 9.20	2.499 0.690 - 2.919	11.47	10.97	99
35+35+71	1.99	1.99	4.03	-	8.00 2.90 - 9.20	2.503 0.690 - 3.003	11.49	10.99	99
35+42+42	2.35	2.82	2.82 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.870	11.52	11.02	99
35+42+50	2.20	2.65	3.15 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.910	11.52	11.02	99
35+42+60	2.04	2.45	3.50	-	8.00 2.90 - 9.20	2.493 0.690 - 2.963	11.45	10.95	99
35+50+50	2.07	2.96	2.96 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.970	11.52	11.02	99
35+50+60	1.93	2.76	3.31	-	8.00 2.90 - 9.20	2.493 0.690 - 3.023	11.45	10.95	99
42+42+42	2.67	2.67	2.67 *	-	8.00 2.90 - 9.20	2.504 0.690 - 2.894	11.50	11.00	99
42+42+50	2.51	2.51	2.99 *	-	8.00 2.90 - 9.20	2.504 0.690 - 2.954	11.50	11.00	99
42+42+60	2.33	2.33	3.33	-	8.00 2.90 - 9.20	2.487 0.690 - 3.007	11.42	10.92	99
42+50+50	2.37	2.82	2.82 *	-	8.00 2.90 - 9.20	2.504 0.690 - 3.014	11.50	11.00	99
15+15+15+15	1.40	1.40	1.40	1.40	5.60 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	99
15+15+15+20	1.38	1.38	1.38	1.85	6.00 3.70 - 7.60	1.450 0.660 - 3.160	6.66	6.37	99
15+15+15+22	1.38	1.38	1.38	2.02	6.15 3.70 - 7.70	1.483 0.660 - 3.233	6.81	6.51	99
15+15+15+25	1.37	1.37	1.37	2.29	6.40 3.70 - 7.90	1.543 0.660 - 3.353	7.09	6.78	99
15+15+15+35	1.33	1.33	1.33	3.11	7.10 3.70 - 8.60	1.743 0.660 - 3.733	8.00	7.65	99
15+15+15+42	1.31	1.31	1.31	3.67 *	7.60 3.70 - 9.10	1.877 0.660 - 3.997	8.61	8.24	99
15+15+15+50	1.22	1.22	1.22	4.05 *	7.70 3.70 - 9.20	1.897 0.660 - 4.037	8.71	8.33	99
15+15+15+60	1.10	1.10	1.10	4.40	7.70 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	99
15+15+15+71	1.00	1.00	1.00	4.71	7.70 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	99
15+15+20+20	1.35	1.35	1.80	1.80	6.30 3.70 - 7.90	1.548 0.660 - 3.358	7.11	6.80	99
15+15+20+22	1.36	1.36	1.82	2.00	6.55 3.70 - 8.10	1.581 0.660 - 3.421	7.26	6.94	99
15+15+20+25	1.36	1.36	1.81	2.27	6.80 3.70 - 8.30	1.641 0.660 - 3.541	7.54	7.21	99
15+15+20+35	1.32	1.32	1.76	3.09	7.50 3.70 - 9.00	1.841 0.660 - 3.921	8.46	8.09	99
15+15+20+42	1.26	1.26	1.67	3.52 *	7.70 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	99
15+15+20+50	1.16	1.16	1.54	3.85 *	7.70 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	99
15+15+20+60	1.05	1.05	1.40	4.20	7.70 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	99
15+15+20+71	0.95	0.95	1.27	4.52	7.70 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	99
15+15+22+22	1.36	1.36	1.99	1.99	6.70 3.70 - 8.20	1.614 0.660 - 3.494	7.41	7.09	99
15+15+22+25	1.35	1.35	1.99	2.26	6.95 3.70 - 8.40	1.674 0.660 - 3.614	7.68	7.35	99
15+15+22+35	1.32	1.32	1.93	3.08	7.65 3.70 - 9.10	1.874 0.660 - 3.994	8.60	8.23	99
15+15+22+42	1.24	1.24	1.81	3.46 *	7.75 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	99
15+15+22+50	1.14	1.14	1.67	3.80 *	7.75 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	99
15+15+22+60	1.04	1.04	1.52	4.15	7.75 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	99
15+15+22+71	0.95	0.95	1.39	4.47	7.75 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	99
15+15+25+25	1.35	1.35	2.25	2.25	7.20 3.70 - 8.60	1.734 0.660 - 3.724	7.97	7.62	99
15+15+25+35	1.30	1.30	2.17	3.03	7.80 3.70 - 9.20	1.894 0.660 - 4.034	8.70	8.32	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)		
	Unit A	Unit B	Unit C	Unit D		220	230			
15+15+25+42	1.21	1.21	2.01	3.38 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+25+50	1.11	1.11	1.86	3.71 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+25+60	1.02	1.02	1.70	4.07	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
15+15+25+71	0.93	0.93	1.55	4.40	7.80 3.70 - 9.20	1.875 - 4.015	0.660	8.60	8.23	99
15+15+35+35	1.17	1.17	2.73	2.73	7.80 3.70 - 9.20	1.894 - 4.034	0.660	8.70	8.32	99
15+15+35+42	1.09	1.09	2.55	3.06 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+35+50	1.02	1.02	2.37	3.39 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+35+60	0.94	0.94	2.18	3.74	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
15+15+35+71	0.86	0.86	2.01	4.07	7.80 3.70 - 9.20	1.875 - 4.015	0.660	8.60	8.23	99
15+15+42+42	1.03	1.03	2.87 *	2.87 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+42+50	0.96	0.96	2.69 *	3.20 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+42+60	0.89	0.89	2.48 *	3.55	7.80 3.70 - 9.20	1.865 - 4.005	0.660	8.56	8.19	99
15+15+42+71	0.82	0.82	2.29 *	3.87	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+15+50+50	0.90	0.90	3.00 *	3.00 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+50+60	0.84	0.84	2.79 *	3.34	7.80 3.70 - 9.20	1.865 - 4.005	0.660	8.56	8.19	99
15+20+20+20	1.34	1.79	1.79	1.79	6.70 3.70 - 8.30	1.646 - 3.546	0.660	7.56	7.23	99
15+20+20+22	1.33	1.78	1.78	1.96	6.85 3.70 - 8.40	1.679 - 3.619	0.660	7.71	7.37	99
15+20+20+25	1.33	1.78	1.78	2.22	7.10 3.70 - 8.60	1.739 - 3.729	0.660	7.99	7.64	99
15+20+20+35	1.28	1.71	1.71	2.99	7.70 3.70 - 9.20	1.899 - 4.039	0.660	8.72	8.34	99
15+20+20+42	1.19	1.59	1.59	3.33 *	7.70 3.70 - 9.20	1.893 - 4.033	0.660	8.69	8.31	99
15+20+20+50	1.10	1.47	1.47	3.67 *	7.70 3.70 - 9.20	1.893 - 4.033	0.660	8.69	8.31	99
15+20+20+60	1.00	1.34	1.34	4.02	7.70 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
15+20+20+71	0.92	1.22	1.22	4.34	7.70 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+22+22	1.35	1.80	1.98	1.98	7.10 3.70 - 8.60	1.712 - 3.682	0.660	7.86	7.52	99
15+20+22+25	1.34	1.79	1.97	2.24	7.35 3.70 - 8.80	1.772 - 3.802	0.660	8.13	7.78	99
15+20+22+35	1.26	1.68	1.85	2.95	7.75 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+22+42	1.17	1.57	1.72	3.29 *	7.75 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+22+50	1.09	1.45	1.59	3.62 *	7.75 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+22+60	0.99	1.32	1.46	3.97	7.75 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+22+71	0.91	1.21	1.33	4.30	7.75 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+25+25	1.34	1.79	2.24	2.24	7.60 3.70 - 9.00	1.832 - 3.912	0.660	8.42	8.05	99
15+20+25+35	1.23	1.64	2.05	2.87	7.80 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+25+42	1.15	1.53	1.91	3.21 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+25+50	1.06	1.42	1.77	3.55 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+25+60	0.98	1.30	1.63	3.90	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+25+71	0.89	1.19	1.49	4.23	7.80 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+35+35	1.11	1.49	2.60	2.60	7.80 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+35+42	1.04	1.39	2.44	2.93 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+35+50	0.98	1.30	2.28	3.25 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+35+60	0.90	1.20	2.10	3.60	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+35+71	0.83	1.11	1.94	3.93	7.80 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+42+42	0.98	1.31	2.75 *	2.75 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+42+50	0.92	1.23	2.58 *	3.07 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+42+60	0.85	1.14	2.39 *	3.42	7.80 3.70 - 9.20	1.863 - 4.003	0.660	8.55	8.18	99
15+20+50+50	0.87	1.16	2.89 *	2.89 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
15+20+50+60	0.81	1.08	2.69 *	3.23	7.80 3.70 - 9.20	1.863 - 4.003	0.660	8.55	8.18	99
15+22+22+22	1.34	1.97	1.97	1.97	7.25 3.70 - 8.70	1.745 - 3.755	0.660	8.01	7.66	99
15+22+22+25	1.34	1.96	1.96	2.23	7.50 3.70 - 8.90	1.805 - 3.875	0.660	8.29	7.93	99
15+22+22+35	1.24	1.83	1.83	2.90	7.80 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+22+42	1.16	1.70	1.70	3.24 *	7.80 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+22+50	1.07	1.57	1.57	3.58 *	7.80 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+22+60	0.98	1.44	1.44	3.93	7.80 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+22+71	0.90	1.32	1.32	4.26	7.80 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+25+25	1.34	1.96	2.23	2.23	7.75 3.70 - 9.10	1.865 - 3.985	0.660	8.56	8.19	99
15+22+25+35	1.21	1.78	2.02	2.83	7.85 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+25+42	1.13	1.66	1.89	3.17 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+25+50	1.05	1.54	1.75	3.50 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+25+60	0.97	1.42	1.61	3.86	7.85 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+25+71	0.89	1.30	1.48	4.19	7.85 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+35+35	1.10	1.61	2.57	2.57	7.85 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+35+42	1.03	1.51	2.41	2.89 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+35+50	0.97	1.42	2.25	3.22 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+35+60	0.89	1.31	2.08	3.57	7.85 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+35+71	0.82	1.21	1.92	3.90	7.85 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+42+42	0.97	1.43	2.72 *	2.72 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+22+42+50	0.91	1.34	2.56 *	3.04 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+22+42+60	0.85	1.24	2.37 *	3.39	7.85 3.70 - 9.20	1.856 - 3.996	0.660	8.52	8.15	99
15+22+50+50	0.86	1.26	2.86 *	2.86 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+25+25	1.32	2.19	2.19	2.19	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+25+35	1.19	1.98	1.98	2.77	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+25+42	1.11	1.85	1.85	3.10 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+25+50	1.03	1.72	1.72	3.43 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+25+60	0.95	1.58	1.58	3.79	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+25+25+71	0.87	1.45	1.45	4.12	7.90 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+25+35+35	1.08	1.80	2.51	2.51	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+35+42	1.01	1.69	2.36	2.84 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+35+50	0.95	1.58	2.21	3.16 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+35+60	0.88	1.46	2.05	3.51	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+25+42+42	0.96	1.59	2.68 *	2.68 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+42+50	0.90	1.50	2.51 *	2.99 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+42+60	0.83	1.39	2.34 *	3.34	7.90 3.70 - 9.20	1.856 - 3.996	0.660	8.52	8.15	99
15+25+50+50	0.85	1.41	2.82 *	2.82 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+35+35+35	0.99	2.30	2.30	2.30	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+35+35+42	0.93	2.18	2.18	2.61 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+35+35+50	0.88	2.05	2.05	2.93 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+35+35+60	0.82	1.91	1.91	3.27	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+35+42+42	0.88	2.06	2.48 *	2.48 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+35+42+50	0.83	1.95	2.34 *	2.78 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+42+42+42	0.84	2.35	2.35 *	2.35 *	7.90 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+20+20	1.75	1.75	1.75	1.75	7.00 3.70 - 8.60	1.744 - 3.734	0.660	8.01	7.66	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+20+20+22	1.77	1.77	1.77	1.95	7.25 3.70 - 8.80	1.777 - 3.807	0.660	8.15	7.80	99
20+20+20+25	1.76	1.76	1.76	2.21	7.50 3.70 - 9.00	1.837 - 3.917	0.660	8.44	8.07	99
20+20+20+35	1.62	1.62	1.62	2.84	7.70 3.70 - 9.20	1.897 - 4.037	0.660	8.71	8.33	99
20+20+20+42	1.51	1.51	1.51	3.17 *	7.70 3.70 - 9.20	1.891 - 4.031	0.660	8.68	8.30	99
20+20+20+50	1.40	1.40	1.40	3.50 *	7.70 3.70 - 9.20	1.891 - 4.031	0.660	8.68	8.30	99
20+20+20+60	1.28	1.28	1.28	3.85	7.70 3.70 - 9.20	1.874 - 4.014	0.660	8.60	8.23	99
20+20+20+71	1.18	1.18	1.18	4.17	7.70 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+22+22	1.76	1.76	1.94	1.94	7.40 3.70 - 8.90	1.810 - 3.880	0.660	8.31	7.95	99
20+20+22+25	1.76	1.76	1.93	2.20	7.65 3.70 - 9.10	1.870 - 3.990	0.660	8.58	8.21	99
20+20+22+35	1.60	1.60	1.76	2.80	7.75 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+22+42	1.49	1.49	1.64	3.13 *	7.75 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+22+50	1.38	1.38	1.52	3.46 *	7.75 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+22+60	1.27	1.27	1.40	3.81	7.75 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+22+71	1.17	1.17	1.28	4.14	7.75 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+20+25+25	1.73	1.73	2.17	2.17	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+25+35	1.56	1.56	1.95	2.73	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+25+42	1.46	1.46	1.82	3.06 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+25+50	1.36	1.36	1.70	3.39 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+25+60	1.25	1.25	1.56	3.74	7.80 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+25+71	1.15	1.15	1.43	4.07	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+20+35+35	1.42	1.42	2.48	2.48	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+35+42	1.33	1.33	2.33	2.80 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+35+50	1.25	1.25	2.18	3.12 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+35+60	1.16	1.16	2.02	3.47	7.80 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+42+42	1.26	1.26	2.64 *	2.64 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+42+50	1.18	1.18	2.48 *	2.95 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+42+60	1.10	1.10	2.31 *	3.30	7.80 3.70 - 9.20	1.861 - 4.001	0.660	8.54	8.17	99
20+20+50+50	1.11	1.11	2.79 *	2.79 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+22+22+22	1.78	1.96	1.96	1.96	7.65 3.70 - 9.10	1.843 - 3.943	0.660	8.46	8.09	99
20+22+22+25	1.75	1.93	1.93	2.19	7.80 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+22+35	1.58	1.73	1.73	2.76	7.80 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+22+42	1.47	1.62	1.62	3.09 *	7.80 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+22+50	1.37	1.51	1.51	3.42 *	7.80 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+22+60	1.26	1.38	1.38	3.77	7.80 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+22+22+71	1.16	1.27	1.27	4.10	7.80 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+22+25+25	1.71	1.88	2.13	2.13	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+25+35	1.54	1.69	1.92	2.69	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+25+42	1.44	1.58	1.80	3.02 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+25+50	1.34	1.48	1.68	3.35 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+25+60	1.24	1.36	1.55	3.71	7.85 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+22+25+71	1.14	1.25	1.42	4.04	7.85 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+22+35+35	1.40	1.54	2.45	2.45	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+35+42	1.32	1.45	2.31	2.77 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+35+50	1.24	1.36	2.16	3.09 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+35+60	1.15	1.26	2.01	3.44	7.85 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+22+42+42	1.25	1.37	2.62 *	2.62 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+22+42+50	1.17	1.29	2.46 *	2.93 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+22+42+60	1.09	1.20	2.29 *	3.27	7.85 3.70 - 9.20	1.854 - 3.994	0.660	8.51	8.14	99
20+22+50+50	1.11	1.22	2.76 *	2.76 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+25+25	1.66	2.08	2.08	2.08	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+25+35	1.50	1.88	1.88	2.63	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+25+42	1.41	1.76	1.76	2.96 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+25+50	1.32	1.65	1.65	3.29 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+25+60	1.22	1.52	1.52	3.65	7.90 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+25+25+71	1.12	1.40	1.40	3.98	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+25+35+35	1.37	1.72	2.40	2.40	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+35+42	1.30	1.62	2.27	2.72 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+35+50	1.22	1.52	2.13	3.04 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+35+60	1.13	1.41	1.98	3.39	7.90 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+25+42+42	1.22	1.53	2.57 *	2.57 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+42+50	1.15	1.44	2.42 *	2.88 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+50+50	1.09	1.36	2.72 *	2.72 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+35+35+35	1.26	2.21	2.21	2.21	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+35+35+42	1.20	2.09	2.09	2.51 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+35+35+50	1.13	1.98	1.98	2.82 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+35+42+42	1.14	1.99	2.39 *	2.39 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
22+22+22+22	1.95	1.95	1.95	1.95	7.80 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+25	1.90	1.90	1.90	2.16	7.85 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+35	1.71	1.71	1.71	2.72	7.85 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+42	1.60	1.60	1.60	3.05 *	7.85 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+22+50	1.49	1.49	1.49	3.38 *	7.85 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+22+60	1.37	1.37	1.37	3.74	7.85 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+22+71	1.26	1.26	1.26	4.07	7.85 3.70 - 9.20	1.857 - 3.997	0.660	8.53	8.16	99
22+22+25+25	1.85	1.85	2.10	2.10	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+25+35	1.67	1.67	1.90	2.66	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+25+42	1.57	1.57	1.78	2.99 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+25+50	1.46	1.46	1.66	3.32 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+25+60	1.35	1.35	1.53	3.67	7.90 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+25+71	1.24	1.24	1.41	4.01	7.90 3.70 - 9.20	1.857 - 3.997	0.660	8.53	8.16	99
22+22+35+35	1.52	1.52	2.43	2.43	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+35+42	1.44	1.44	2.29	2.74 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+35+50	1.35	1.35	2.14	3.06 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+35+60	1.25	1.25	1.99	3.41	7.90 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+42+42	1.36	1.36	2.59 *	2.59 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+22+42+50	1.28	1.28	2.44 *	2.90 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+22+50+50	1.21	1.21	2.74 *	2.74 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+25+25+25	1.80	2.05	2.05	2.05	7.95 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+25+25+35	1.63	1.86	1.86	2.60	7.95 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+25+25+42	1.53	1.74	1.74	2.93 *	7.95 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+25+25+50	1.43	1.63	1.63	3.26 *	7.95 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
22+25+25+60	1.33	1.51	1.51	3.61	7.95 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
22+25+25+71	1.22	1.39	1.39	3.95	7.95 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	99
22+25+35+35	1.49	1.70	2.38	2.38	7.95 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
22+25+35+42	1.41	1.60	2.24	2.69 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+25+35+50	1.33	1.51	2.11	3.01 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+25+35+60	1.23	1.40	1.96	3.36	7.95 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
22+25+42+42	1.34	1.52	2.55 *	2.55 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
22+25+42+50	1.26	1.43	2.40 *	2.86 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
22+35+35+35	1.38	2.19	2.19	2.19	7.95 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
22+35+35+42	1.31	2.08	2.08	2.49 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+35+35+50	1.23	1.96	1.96	2.80 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+35+42+42	1.24	1.97	2.37 *	2.37 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+25+42	1.71	1.71	1.71	2.87 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+25+50	1.60	1.60	1.60	3.20 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+25+60	1.48	1.48	1.48	3.56	8.00 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+35+42	1.57	1.57	2.20	2.65 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+35+50	1.48	1.48	2.07	2.96 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+35+60	1.38	1.38	1.93	3.31	8.00 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
25+25+42+42	1.49	1.49	2.51 *	2.51 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+25+42+50	1.41	1.41	2.37 *	2.82 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+35+35+35	1.54	2.15	2.15	2.15	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+35+35+42	1.46	2.04	2.04	2.45 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+35+35+50	1.38	1.93	1.93	2.76 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+35+42+42	1.39	1.94	2.33 *	2.33 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
35+35+35+35	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 2.12kW
- MSZ-AP25VGD : Rated capacity is 2.12kW
- MSZ-AP42VGD : Rated capacity is 3.20kW (=3.56*0.9)

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15	1.70	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.71	2.59	99
20	2.20	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.84	2.72	99
22	3.30	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.44	3.29	99
25	3.60	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.67	3.51	99
35	4.00	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	4.09	3.91	99
42	5.40	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.74	5.49	99
50	7.20	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.87	8.48	99
60	7.90	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	10.10	9.66	99
71	8.60	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	11.75	11.24	99
15+15	1.70	1.70	-	-	3.40 3.00 - 5.00	0.786 - 2.466	3.61	3.45	99
15+20	1.67	2.23	-	-	3.90 3.00 - 5.80	0.854 - 2.554	3.92	3.75	99
15+22	1.66	2.44	-	-	4.10 3.00 - 6.10	0.877 - 2.587	4.03	3.85	99
15+25	1.65	2.75	-	-	4.40 3.00 - 6.60	0.917 - 2.637	4.21	4.03	99
15+35	2.16	5.04	-	-	7.20 3.00 - 8.80	1.547 - 2.787	7.10	6.79	99
15+42	1.97	5.53	-	-	7.50 3.00 - 9.20	1.651 - 2.841	7.58	7.25	99
15+50	1.80	6.00	-	-	7.80 3.00 - 9.60	1.771 - 2.921	8.13	7.78	99
15+60	1.66	6.64	-	-	8.30 3.00 - 10.20	1.984 - 3.024	9.11	8.71	99
15+71	1.53	7.27	-	-	8.80 3.00 - 11.00	2.258 - 3.158	10.37	9.92	99
20+20	2.20	2.20	-	-	4.40 3.00 - 6.60	0.922 - 2.642	4.23	4.05	99
20+22	2.62	2.88	-	-	5.50 3.00 - 6.90	1.145 - 2.635	5.26	5.03	99
20+25	2.98	3.72	-	-	6.70 3.00 - 7.50	1.405 - 2.665	6.45	6.17	99
20+35	2.69	4.71	-	-	7.40 3.00 - 9.10	1.625 - 2.835	7.46	7.14	99
20+42	2.48	5.22	-	-	7.70 3.00 - 9.40	1.729 - 2.889	7.94	7.59	99
20+50	2.29	5.71	-	-	8.00 3.00 - 9.80	1.849 - 2.959	8.49	8.12	99
20+60	2.15	6.45	-	-	8.60 3.00 - 10.70	2.132 - 3.092	9.79	9.36	99
20+71	1.93	6.87	-	-	8.80 3.00 - 11.00	2.256 - 3.156	10.36	9.91	99
22+22	3.30	3.30	-	-	6.60 3.00 - 7.20	1.368 - 2.628	6.28	6.01	99
22+25	3.23	3.67	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.69	6.40	99
22+35	2.89	4.61	-	-	7.50 3.00 - 9.20	1.648 - 2.838	7.57	7.24	99
22+42	2.68	5.12	-	-	7.80 3.00 - 9.50	1.752 - 2.902	8.04	7.69	99
22+50	2.48	5.63	-	-	8.10 3.00 - 10.00	1.902 - 2.982	8.73	8.35	99
22+60	2.33	6.37	-	-	8.70 3.00 - 10.80	2.185 - 3.115	10.04	9.60	99
22+71	2.08	6.72	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
25+25	3.60	3.60	-	-	7.20 3.00 - 8.80	1.538 - 2.778	7.06	6.75	99
25+35	3.17	4.43	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.80	7.46	99
25+42	2.95	4.95	-	-	7.90 3.00 - 9.70	1.792 - 2.922	8.23	7.87	99
25+50	2.77	5.53	-	-	8.30 3.00 - 10.20	1.992 - 3.032	9.15	8.75	99
25+60	2.59	6.21	-	-	8.80 3.00 - 11.00	2.245 - 3.145	10.31	9.86	99
25+71	2.29	6.51	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
35+35	4.00	4.00	-	-	8.00 3.00 - 9.80	1.848 - 2.958	8.49	8.12	99
35+42	3.82	4.58	-	-	8.40 3.00 - 10.40	2.052 - 3.062	9.42	9.01	99
35+50	3.62	5.18	-	-	8.80 3.00 - 11.00	2.262 - 3.162	10.38	9.93	99
35+60	3.24	5.56	-	-	8.80 3.00 - 11.00	2.245 - 3.145	10.31	9.86	99
35+71	2.91	5.89	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
42+42	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 - 3.156	10.36	9.91	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
42+50	4.02	4.78	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+60	3.62	5.18	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
42+71	3.27	5.53	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
50+50	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
50+60	4.00	4.80	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
50+71	3.64	5.16	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
60+60	4.40	4.40	-	-	8.80 3.00 - 11.00	2.222 0.690 - 3.122	10.20	9.76	99
60+71	4.03	4.77	-	-	8.80 3.00 - 11.00	2.226 0.690 - 3.126	10.22	9.78	99
71+71	4.40	4.40	-	-	8.80 3.00 - 11.00	2.230 0.690 - 3.130	10.24	9.79	99
35+71	2.91	5.89	-	-	8.80 3.00 - 11.00	2.249 0.690 - 3.149	10.33	9.88	99
42+42	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+50	4.02	4.78	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+71	3.27	5.53	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
50+50	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
50+60	4.00	4.80	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
50+71	3.64	5.16	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
60+60	4.40	4.40	-	-	8.80 3.00 - 11.00	2.222 0.690 - 3.122	10.20	9.76	99
60+71	4.03	4.77	-	-	8.80 3.00 - 11.00	2.226 0.690 - 3.126	10.22	9.78	99
71+71	4.40	4.40	-	-	8.80 3.00 - 11.00	2.230 0.690 - 3.130	10.24	9.79	99
15+15+15	1.70	1.70	1.70	-	5.10 3.20 - 8.50	0.909 - 3.879	4.17	3.99	99
15+15+20	1.68	1.68	2.24	-	5.60 3.20 - 8.90	1.067 - 3.877	4.90	4.69	99
15+15+22	1.67	1.67	2.45	-	5.80 3.20 - 9.10	1.120 - 3.870	5.14	4.92	99
15+15+25	1.66	1.66	2.77	-	6.10 3.20 - 9.30	1.220 - 3.870	5.60	5.36	99
15+15+35	1.94	1.94	4.52	-	8.40 3.20 - 10.50	1.660 - 3.870	7.62	7.29	99
15+15+42	1.83	1.83	5.13	-	8.80 3.20 - 11.30	1.794 - 3.864	8.24	7.88	99
15+15+50	1.65	1.65	5.50	-	8.80 3.20 - 11.60	1.834 - 3.864	8.42	8.05	99
15+15+60	1.47	1.47	5.87	-	8.80 3.20 - 11.60	1.817 - 3.847	8.34	7.98	99
15+15+71	1.31	1.31	6.19	-	8.80 3.20 - 11.60	1.821 - 3.851	8.36	8.00	99
15+20+20	1.66	2.22	2.22	-	6.10 3.20 - 9.30	1.225 - 3.875	5.62	5.38	99
15+20+22	1.66	2.21	2.43	-	6.30 3.20 - 9.50	1.278 - 3.868	5.87	5.61	99
15+20+25	1.65	2.20	2.75	-	6.60 3.20 - 9.70	1.378 - 3.868	6.33	6.05	99
15+20+35	1.86	2.49	4.35	-	8.70 3.20 - 11.00	1.768 - 3.868	8.11	7.76	99
15+20+42	1.71	2.29	4.80	-	8.80 3.20 - 11.60	1.832 - 3.862	8.42	8.05	99
15+20+50	1.55	2.07	5.18	-	8.80 3.20 - 11.60	1.832 - 3.862	8.42	8.05	99
15+20+60	1.39	1.85	5.56	-	8.80 3.20 - 11.60	1.815 - 3.845	8.33	7.97	99
15+20+71	1.25	1.66	5.89	-	8.80 3.20 - 11.60	1.819 - 3.849	8.35	7.99	99
15+22+22	1.65	2.42	2.42	-	6.50 3.20 - 9.60	1.341 - 3.861	6.16	5.89	99
15+22+25	1.77	2.59	2.94	-	7.30 3.20 - 10.00	1.481 - 3.861	6.80	6.50	99
15+22+35	1.83	2.69	4.28	-	8.80 3.20 - 11.30	1.791 - 3.861	8.23	7.87	99
15+22+42	1.67	2.45	4.68	-	8.80 3.20 - 11.60	1.825 - 3.855	8.37	8.01	99
15+22+50	1.52	2.23	5.06	-	8.80 3.20 - 11.60	1.825 - 3.855	8.37	8.01	99
15+22+60	1.36	2.00	5.44	-	8.80 3.20 - 11.60	1.808 - 3.838	8.30	7.94	99
15+22+71	1.22	1.79	5.79	-	8.80 3.20 - 11.60	1.812 - 3.842	8.32	7.96	99
15+25+25	1.94	3.23	3.23	-	8.40 3.20 - 10.50	1.651 - 3.861	7.58	7.25	99
15+25+35	1.76	2.93	4.11	-	8.80 3.20 - 11.60	1.831 - 3.861	8.41	8.04	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+25+42	1.61	2.68	4.51	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+25+50	1.47	2.44	4.89	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+25+60	1.32	2.20	5.28	-	8.80 3.20 - 11.60	1.808 0.530 - 3.838	8.30	7.94	99
15+25+71	1.19	1.98	5.63	-	8.80 3.20 - 11.60	1.812 0.530 - 3.842	8.32	7.96	99
15+35+35	1.55	3.62	3.62	-	8.80 3.20 - 11.60	1.831 0.530 - 3.861	8.41	8.04	99
15+35+42	1.43	3.35	4.02	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+35+50	1.32	3.08	4.40	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+35+60	1.20	2.80	4.80	-	8.80 3.20 - 11.60	1.808 0.530 - 3.838	8.30	7.94	99
15+35+71	1.09	2.55	5.16	-	8.80 3.20 - 11.60	1.812 0.530 - 3.842	8.32	7.96	99
15+42+42	1.33	3.73	3.73	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+42+50	1.23	3.45	4.11	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+42+60	1.13	3.16	4.51	-	8.80 3.20 - 11.60	1.802 0.530 - 3.832	8.27	7.91	99
15+42+71	1.03	2.89	4.88	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
15+50+50	1.15	3.83	3.83	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+50+60	1.06	3.52	4.22	-	8.80 3.20 - 11.60	1.802 0.530 - 3.832	8.27	7.91	99
15+50+71	0.97	3.24	4.59	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
15+60+60	0.98	3.91	3.91	-	8.80 3.20 - 11.60	1.785 0.530 - 3.815	8.20	7.84	99
20+20+20	2.20	2.20	2.20	-	6.60 3.20 - 9.70	1.383 0.530 - 3.873	6.35	6.07	99
20+20+22	2.35	2.35	2.59	-	7.30 3.20 - 10.00	1.486 0.530 - 3.866	6.83	6.53	99
20+20+25	2.58	2.58	3.23	-	8.40 3.20 - 10.50	1.656 0.530 - 3.866	7.60	7.27	99
20+20+35	2.35	2.35	4.11	-	8.80 3.20 - 11.60	1.836 0.530 - 3.866	8.43	8.06	99
20+20+42	2.15	2.15	4.51	-	8.80 3.20 - 11.60	1.830 0.530 - 3.860	8.41	8.04	99
20+20+50	1.96	1.96	4.89	-	8.80 3.20 - 11.60	1.830 0.530 - 3.860	8.41	8.04	99
20+20+60	1.76	1.76	5.28	-	8.80 3.20 - 11.60	1.813 0.530 - 3.843	8.32	7.96	99
20+20+71	1.59	1.59	5.63	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+22+22	2.50	2.75	2.75	-	8.00 3.20 - 10.30	1.589 0.530 - 3.859	7.30	6.98	99
20+22+25	2.60	2.86	3.25	-	8.70 3.20 - 10.70	1.709 0.530 - 3.859	7.85	7.51	99
20+22+35	2.29	2.51	4.00	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+22+42	2.10	2.30	4.40	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+22+50	1.91	2.10	4.78	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+22+60	1.73	1.90	5.18	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+22+71	1.56	1.71	5.53	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+25+25	2.49	3.11	3.11	-	8.70 3.20 - 11.00	1.759 0.530 - 3.859	8.08	7.73	99
20+25+35	2.20	2.75	3.85	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+25+42	2.02	2.53	4.25	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+25+50	1.85	2.32	4.63	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+25+60	1.68	2.10	5.03	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+25+71	1.52	1.90	5.39	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+35+35	1.96	3.42	3.42	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+35+42	1.81	3.18	3.81	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+35+50	1.68	2.93	4.19	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+35+60	1.53	2.68	4.59	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+35+71	1.40	2.44	4.96	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+42+42	1.69	3.55	3.55	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+42+50	1.57	3.30	3.93	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+42+60	1.44	3.03	4.33	-	8.80 3.20 - 11.60	1.800 0.530 - 3.830	8.27	7.91	99
20+42+71	1.32	2.78	4.70	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
20+50+50	1.47	3.67	3.67	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+50+60	1.35	3.38	4.06	-	8.80 3.20 - 11.60	1.800 0.530 - 3.830	8.27	7.91	99
20+50+71	1.25	3.12	4.43	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
20+60+60	1.26	3.77	3.77	-	8.80 3.20 - 11.60	1.783 0.530 - 3.813	8.19	7.83	99
22+22+22	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	99
22+22+25	2.77	2.77	3.15	-	8.70 3.20 - 10.90	1.732 0.530 - 3.852	7.96	7.61	99
22+22+35	2.45	2.45	3.90	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+22+42	2.25	2.25	4.30	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+22+50	2.06	2.06	4.68	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+22+60	1.86	1.86	5.08	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+22+71	1.68	1.68	5.43	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+25+25	2.69	3.06	3.06	-	8.80 3.20 - 11.30	1.782 0.530 - 3.852	8.19	7.83	99
22+25+35	2.36	2.68	3.76	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+25+42	2.18	2.47	4.15	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+25+50	2.00	2.27	4.54	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+25+60	1.81	2.06	4.93	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+25+71	1.64	1.86	5.29	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+35+35	2.10	3.35	3.35	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+35+42	1.96	3.11	3.73	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+35+50	1.81	2.88	4.11	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+35+60	1.65	2.63	4.51	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+35+71	1.51	2.41	4.88	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+42+42	1.83	3.49	3.49	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+42+50	1.70	3.24	3.86	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+42+60	1.56	2.98	4.26	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
22+42+71	1.43	2.74	4.63	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
22+50+50	1.59	3.61	3.61	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+50+60	1.47	3.33	4.00	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
22+50+71	1.35	3.08	4.37	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
22+60+60	1.36	3.72	3.72	-	8.80 3.20 - 11.60	1.776 0.530 - 3.806	8.15	7.80	99
25+25+25	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+25+35	2.59	2.59	3.62	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+25+42	2.39	2.39	4.02	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+25+50	2.20	2.20	4.40	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+25+60	2.00	2.00	4.80	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
25+25+71	1.82	1.82	5.16	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
25+35+35	2.32	3.24	3.24	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+35+42	2.16	3.02	3.62	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+35+50	2.00	2.80	4.00	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+35+60	1.83	2.57	4.40	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
25+35+71	1.68	2.35	4.77	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
25+42+42	2.02	3.39	3.39	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
25+42+50	1.88	3.16	3.76	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
25+42+60	1.73	2.91	4.16	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
25+42+71	1.59	2.68	4.53	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
25+50+50	1.76	3.52	3.52	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
25+50+60	1.63	3.26	3.91	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
25+60+60	1.52	3.64	3.64	-	8.80 3.20 - 11.60	1.776 0.530 - 3.806	8.15	7.80	99
35+35+35	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
35+35+42	2.75	2.75	3.30	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
35+35+50	2.57	2.57	3.67	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
35+35+60	2.37	2.37	4.06	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
35+35+71	2.18	2.18	4.43	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
35+42+42	2.59	3.11	3.11	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+42+50	2.43	2.91	3.46	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+42+60	2.25	2.70	3.85	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
35+50+50	2.28	3.26	3.26	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+50+60	2.12	3.03	3.64	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
42+42+42	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
42+42+50	2.76	2.76	3.28	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
42+42+60	2.57	2.57	3.67	-	8.80 3.20 - 11.60	1.787 0.530 - 3.817	8.21	7.85	99
42+50+50	2.60	3.10	3.10	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
15+15+15+15	2.10	2.10	2.10	2.10	8.40 3.40 - 11.60	1.652 0.590 - 3.862	7.59	7.26	99
15+15+15+20	1.94	1.94	1.94	2.58	8.40 3.40 - 11.60	1.680 0.590 - 3.860	7.72	7.38	99
15+15+15+22	1.89	1.89	1.89	2.77	8.45 3.40 - 11.60	1.683 0.590 - 3.853	7.73	7.39	99
15+15+15+25	1.82	1.82	1.82	3.04	8.50 3.40 - 11.60	1.703 0.590 - 3.853	7.82	7.48	99
15+15+15+35	1.59	1.59	1.59	3.72	8.50 3.40 - 11.60	1.763 0.590 - 3.853	8.09	7.74	99
15+15+15+42	1.47	1.47	1.47	4.10	8.50 3.40 - 11.60	1.797 0.590 - 3.847	8.25	7.89	99
15+15+15+50	1.34	1.34	1.34	4.47	8.50 3.40 - 11.60	1.687 0.590 - 3.847	7.75	7.41	99
15+15+15+60	1.21	1.21	1.21	4.86	8.50 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+15+15+71	1.10	1.10	1.10	5.20	8.50 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
15+15+20+20	1.80	1.80	2.40	2.40	8.40 3.40 - 11.60	1.708 0.590 - 3.858	7.84	7.50	99
15+15+20+22	1.76	1.76	2.35	2.58	8.45 3.40 - 11.60	1.711 0.590 - 3.851	7.85	7.51	99
15+15+20+25	1.70	1.70	2.27	2.83	8.50 3.40 - 11.60	1.731 0.590 - 3.851	7.95	7.60	99
15+15+20+35	1.50	1.50	2.00	3.50	8.50 3.40 - 11.60	1.791 0.590 - 3.851	8.23	7.87	99
15+15+20+42	1.39	1.39	1.85	3.88	8.50 3.40 - 11.60	1.735 0.590 - 3.845	7.97	7.62	99
15+15+20+50	1.28	1.28	1.70	4.25	8.50 3.40 - 11.60	1.595 0.590 - 3.845	7.32	7.00	99
15+15+20+60	1.16	1.16	1.55	4.64	8.50 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
15+15+20+71	1.05	1.05	1.40	4.99	8.50 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+22+22	1.72	1.72	2.53	2.53	8.50 3.40 - 11.60	1.724 0.590 - 3.844	7.91	7.57	99
15+15+22+25	1.67	1.67	2.44	2.78	8.55 3.40 - 11.60	1.734 0.590 - 3.844	7.97	7.62	99
15+15+22+35	1.47	1.47	2.16	3.44	8.55 3.40 - 11.60	1.794 0.590 - 3.844	8.24	7.88	99
15+15+22+42	1.36	1.36	2.00	3.82	8.55 3.40 - 11.60	1.698 0.590 - 3.838	7.80	7.46	99
15+15+22+50	1.26	1.26	1.84	4.19	8.55 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+22+60	1.15	1.15	1.68	4.58	8.55 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+22+71	1.04	1.04	1.53	4.94	8.55 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+25+25	1.61	1.61	2.69	2.69	8.60 3.40 - 11.60	1.754 0.590 - 3.844	8.05	7.70	99
15+15+25+35	1.43	1.43	2.39	3.34	8.60 3.40 - 11.60	1.774 0.590 - 3.844	8.14	7.79	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15+15+25+42	1.33	1.33	2.22	3.72	8.60 3.40 - 11.60	1.638 0.590 - 3.838	7.52	7.19	99
15+15+25+50	1.23	1.23	2.05	4.10	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+25+60	1.12	1.12	1.87	4.49	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+25+71	1.02	1.02	1.71	4.85	8.60 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+35+35	1.29	1.29	3.01	3.01	8.60 3.40 - 11.60	1.594 0.590 - 3.844	7.32	7.00	99
15+15+35+42	1.21	1.21	2.81	3.38	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+35+50	1.12	1.12	2.62	3.74	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+35+60	1.03	1.03	2.41	4.13	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+35+71	0.95	0.95	2.21	4.49	8.60 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+42+42	1.13	1.13	3.17	3.17	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+42+50	1.06	1.06	2.96	3.52	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+42+60	0.98	0.98	2.74	3.91	8.60 3.40 - 11.60	1.565 0.590 - 3.815	7.18	6.87	99
15+15+42+71	0.90	0.90	2.53	4.27	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+15+50+50	0.99	0.99	3.31	3.31	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+50+60	0.92	0.92	3.07	3.69	8.60 3.40 - 11.60	1.565 0.590 - 3.815	7.18	6.87	99
15+20+20+20	1.68	2.24	2.24	2.24	8.40 3.40 - 11.60	1.736 0.590 - 3.856	7.97	7.62	99
15+20+20+22	1.65	2.19	2.19	2.41	8.45 3.40 - 11.60	1.739 0.590 - 3.849	7.99	7.64	99
15+20+20+25	1.59	2.13	2.13	2.66	8.50 3.40 - 11.60	1.759 0.590 - 3.849	8.08	7.73	99
15+20+20+35	1.42	1.89	1.89	3.31	8.50 3.40 - 11.60	1.779 0.590 - 3.849	8.17	7.81	99
15+20+20+42	1.31	1.75	1.75	3.68	8.50 3.40 - 11.60	1.643 0.590 - 3.843	7.55	7.22	99
15+20+20+50	1.21	1.62	1.62	4.05	8.50 3.40 - 11.60	1.593 0.590 - 3.843	7.32	7.00	99
15+20+20+60	1.11	1.48	1.48	4.43	8.50 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
15+20+20+71	1.01	1.35	1.35	4.79	8.50 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+22+22	1.61	2.15	2.37	2.37	8.50 3.40 - 11.60	1.752 0.590 - 3.842	8.04	7.69	99
15+20+22+25	1.56	2.09	2.29	2.61	8.55 3.40 - 11.60	1.762 0.590 - 3.842	8.09	7.74	99
15+20+22+35	1.39	1.86	2.04	3.25	8.55 3.40 - 11.60	1.732 0.590 - 3.842	7.96	7.61	99
15+20+22+42	1.30	1.73	1.90	3.63	8.55 3.40 - 11.60	1.606 0.590 - 3.836	7.37	7.05	99
15+20+22+50	1.20	1.60	1.76	4.00	8.55 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+22+60	1.10	1.46	1.61	4.38	8.55 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+22+71	1.00	1.34	1.47	4.74	8.55 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+25+25	1.52	2.02	2.53	2.53	8.60 3.40 - 11.60	1.782 0.590 - 3.842	8.19	7.83	99
15+20+25+35	1.36	1.81	2.26	3.17	8.60 3.40 - 11.60	1.682 0.590 - 3.842	7.73	7.39	99
15+20+25+42	1.26	1.69	2.11	3.54	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+25+50	1.17	1.56	1.95	3.91	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+25+60	1.08	1.43	1.79	4.30	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+25+71	0.98	1.31	1.64	4.66	8.60 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+35+35	1.23	1.64	2.87	2.87	8.60 3.40 - 11.60	1.592 0.590 - 3.842	7.31	6.99	99
15+20+35+42	1.15	1.54	2.69	3.23	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+35+50	1.08	1.43	2.51	3.58	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+35+60	0.99	1.32	2.32	3.97	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+35+71	0.91	1.22	2.13	4.33	8.60 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+42+42	1.08	1.45	3.04	3.04	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+42+50	1.02	1.35	2.84	3.39	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+42+60	0.94	1.26	2.64	3.77	8.60 3.40 - 11.60	1.563 0.590 - 3.813	7.17	6.86	99
15+20+50+50	0.96	1.27	3.19	3.19	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+20+50+60	0.89	1.19	2.97	3.56	8.60 3.40 - 11.60	1.563 0.590 - 3.813	7.17	6.86	99
15+22+22+22	1.58	2.32	2.32	2.32	8.55 3.40 - 11.60	1.755 0.590 - 3.835	8.06	7.71	99
15+22+22+25	1.54	2.25	2.25	2.56	8.60 3.40 - 11.60	1.775 0.590 - 3.835	8.15	7.80	99
15+22+22+35	1.37	2.01	2.01	3.20	8.60 3.40 - 11.60	1.695 0.590 - 3.835	7.78	7.44	99
15+22+22+42	1.28	1.87	1.87	3.58	8.60 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+22+50	1.18	1.74	1.74	3.94	8.60 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+22+60	1.08	1.59	1.59	4.34	8.60 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+22+71	0.99	1.46	1.46	4.70	8.60 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+25+25	1.49	2.19	2.49	2.49	8.65 3.40 - 11.60	1.785 0.590 - 3.835	8.20	7.84	99
15+22+25+35	1.34	1.96	2.23	3.12	8.65 3.40 - 11.60	1.635 0.590 - 3.835	7.51	7.18	99
15+22+25+42	1.25	1.83	2.08	3.49	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+25+50	1.16	1.70	1.93	3.86	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+25+60	1.06	1.56	1.77	4.25	8.65 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+25+71	0.98	1.43	1.63	4.62	8.65 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+35+35	1.21	1.78	2.83	2.83	8.65 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+22+35+42	1.14	1.67	2.66	3.19	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+35+50	1.06	1.56	2.48	3.55	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+35+60	0.98	1.44	2.29	3.93	8.65 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+35+71	0.91	1.33	2.12	4.29	8.65 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+42+42	1.07	1.57	3.00	3.00	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+22+42+50	1.01	1.48	2.82	3.35	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+22+42+60	0.93	1.37	2.61	3.73	8.65 3.40 - 11.60	1.556 0.590 - 3.806	7.14	6.83	99
15+22+50+50	0.95	1.39	3.16	3.16	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+25+25	1.45	2.42	2.42	2.42	8.70 3.40 - 11.60	1.765 0.590 - 3.835	8.10	7.75	99
15+25+25+35	1.31	2.18	2.18	3.05	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+25+25+42	1.22	2.03	2.03	3.41	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+25+50	1.13	1.89	1.89	3.78	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+25+60	1.04	1.74	1.74	4.18	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+25+25+71	0.96	1.60	1.60	4.54	8.70 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+25+35+35	1.19	1.98	2.77	2.77	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+25+35+42	1.12	1.86	2.60	3.12	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+35+50	1.04	1.74	2.44	3.48	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+35+60	0.97	1.61	2.26	3.87	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+25+42+42	1.05	1.75	2.95	2.95	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+42+50	0.99	1.65	2.77	3.30	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+42+60	0.92	1.53	2.57	3.68	8.70 3.40 - 11.60	1.556 0.590 - 3.806	7.14	6.83	99
15+25+50+50	0.93	1.55	3.11	3.11	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+35+35+35	1.09	2.54	2.54	2.54	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+35+35+42	1.03	2.40	2.40	2.88	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+35+35+50	0.97	2.26	2.26	3.22	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+35+35+60	0.90	2.10	2.10	3.60	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+35+42+42	0.97	2.27	2.73	2.73	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+35+42+50	0.92	2.14	2.57	3.06	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+42+42+42	0.93	2.59	2.59	2.59	8.70 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+20+20	2.10	2.10	2.10	2.10	8.40 3.40 - 11.60	1.764 0.590 - 3.854	8.10	7.75	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+20+20+22	2.06	2.06	2.06	2.27	8.45 3.40 - 11.60	1.767 0.590 - 3.847	8.11	7.76	99
20+20+20+25	2.00	2.00	2.00	2.50	8.50 3.40 - 11.60	1.787 0.590 - 3.847	8.21	7.85	99
20+20+20+35	1.79	1.79	1.79	3.13	8.50 3.40 - 11.60	1.687 0.590 - 3.847	7.75	7.41	99
20+20+20+42	1.67	1.67	1.67	3.50	8.50 3.40 - 11.60	1.591 0.590 - 3.841	7.31	6.99	99
20+20+20+50	1.55	1.55	1.55	3.86	8.50 3.40 - 11.60	1.591 0.590 - 3.841	7.31	6.99	99
20+20+20+60	1.42	1.42	1.42	4.25	8.50 3.40 - 11.60	1.574 0.590 - 3.824	7.22	6.91	99
20+20+20+71	1.30	1.30	1.30	4.61	8.50 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+22+22	2.02	2.02	2.23	2.23	8.50 3.40 - 11.60	1.780 0.590 - 3.840	8.18	7.82	99
20+20+22+25	1.97	1.97	2.16	2.46	8.55 3.40 - 11.60	1.790 0.590 - 3.840	8.22	7.86	99
20+20+22+35	1.76	1.76	1.94	3.09	8.55 3.40 - 11.60	1.640 0.590 - 3.840	7.53	7.20	99
20+20+22+42	1.64	1.64	1.81	3.45	8.55 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+22+50	1.53	1.53	1.68	3.82	8.55 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+22+60	1.40	1.40	1.54	4.20	8.55 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+22+71	1.29	1.29	1.41	4.56	8.55 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
20+20+25+25	1.91	1.91	2.39	2.39	8.60 3.40 - 11.60	1.770 0.590 - 3.840	8.12	7.77	99
20+20+25+35	1.72	1.72	2.15	3.01	8.60 3.40 - 11.60	1.590 0.590 - 3.840	7.30	6.98	99
20+20+25+42	1.61	1.61	2.01	3.38	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+25+50	1.50	1.50	1.87	3.74	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+25+60	1.38	1.38	1.72	4.13	8.60 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+25+71	1.26	1.26	1.58	4.49	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
20+20+35+35	1.56	1.56	2.74	2.74	8.60 3.40 - 11.60	1.590 0.590 - 3.840	7.30	6.98	99
20+20+35+42	1.47	1.47	2.57	3.09	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+35+50	1.38	1.38	2.41	3.44	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+35+60	1.27	1.27	2.23	3.82	8.60 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+42+42	1.39	1.39	2.91	2.91	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+42+50	1.30	1.30	2.74	3.26	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+42+60	1.21	1.21	2.54	3.63	8.60 3.40 - 11.60	1.561 0.590 - 3.811	7.17	6.86	99
20+20+50+50	1.23	1.23	3.07	3.07	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+22+22+22	1.99	2.19	2.19	2.19	8.55 3.40 - 11.60	1.783 0.590 - 3.833	8.19	7.83	99
20+22+22+25	1.93	2.13	2.13	2.42	8.60 3.40 - 11.60	1.773 0.590 - 3.833	8.14	7.79	99
20+22+22+35	1.74	1.91	1.91	3.04	8.60 3.40 - 11.60	1.603 0.590 - 3.833	7.36	7.04	99
20+22+22+42	1.62	1.78	1.78	3.41	8.60 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+22+50	1.51	1.66	1.66	3.77	8.60 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+22+60	1.39	1.53	1.53	4.16	8.60 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99
20+22+22+71	1.27	1.40	1.40	4.52	8.60 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
20+22+25+25	1.88	2.07	2.35	2.35	8.65 3.40 - 11.60	1.723 0.590 - 3.833	7.91	7.57	99
20+22+25+35	1.70	1.87	2.12	2.97	8.65 3.40 - 11.60	1.583 0.590 - 3.833	7.27	6.95	99
20+22+25+42	1.59	1.75	1.98	3.33	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+25+50	1.48	1.63	1.85	3.70	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+25+60	1.36	1.50	1.70	4.09	8.65 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99
20+22+25+71	1.25	1.38	1.57	4.45	8.65 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
20+22+35+35	1.54	1.70	2.70	2.70	8.65 3.40 - 11.60	1.583 0.590 - 3.833	7.27	6.95	99
20+22+35+42	1.45	1.60	2.54	3.05	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+35+50	1.36	1.50	2.38	3.41	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+35+60	1.26	1.39	2.21	3.79	8.65 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+22+42+42	1.37	1.51	2.88	2.88	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+22+42+50	1.29	1.42	2.71	3.23	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+22+42+60	1.20	1.32	2.52	3.60	8.65 3.40 - 11.60	1.554 - 3.804	0.590	7.13	6.82	99
20+22+50+50	1.22	1.34	3.05	3.05	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+25+25	1.83	2.29	2.29	2.29	8.70 3.40 - 11.60	1.673 - 3.833	0.590	7.68	7.35	99
20+25+25+35	1.66	2.07	2.07	2.90	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+25+25+42	1.55	1.94	1.94	3.26	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+25+50	1.45	1.81	1.81	3.63	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+25+60	1.34	1.67	1.67	4.02	8.70 3.40 - 11.60	1.560 - 3.810	0.590	7.16	6.85	99
20+25+25+71	1.23	1.54	1.54	4.38	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
20+25+35+35	1.51	1.89	2.65	2.65	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+25+35+42	1.43	1.78	2.50	3.00	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+35+50	1.34	1.67	2.34	3.35	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+35+60	1.24	1.55	2.18	3.73	8.70 3.40 - 11.60	1.560 - 3.810	0.590	7.16	6.85	99
20+25+42+42	1.35	1.69	2.83	2.83	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+42+50	1.27	1.59	2.67	3.18	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+50+50	1.20	1.50	3.00	3.00	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+35+35+35	1.39	2.44	2.44	2.44	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+35+35+42	1.32	2.31	2.31	2.77	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+35+35+50	1.24	2.18	2.18	3.11	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+35+42+42	1.25	2.19	2.63	2.63	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 11.60	1.786 - 3.826	0.590	8.20	7.84	99
22+22+22+25	2.09	2.09	2.09	2.38	8.65 3.40 - 11.60	1.736 - 3.826	0.590	7.97	7.62	99
22+22+22+35	1.88	1.88	1.88	3.00	8.65 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+22+42	1.76	1.76	1.76	3.36	8.65 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+22+50	1.64	1.64	1.64	3.73	8.65 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+22+60	1.51	1.51	1.51	4.12	8.65 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+22+71	1.39	1.39	1.39	4.48	8.65 3.40 - 11.60	1.557 - 3.807	0.590	7.15	6.84	99
22+22+25+25	2.04	2.04	2.31	2.31	8.70 3.40 - 11.60	1.686 - 3.826	0.590	7.74	7.40	99
22+22+25+35	1.84	1.84	2.09	2.93	8.70 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+25+42	1.72	1.72	1.96	3.29	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+25+50	1.61	1.61	1.83	3.66	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+25+60	1.48	1.48	1.69	4.05	8.70 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+25+71	1.37	1.37	1.55	4.41	8.70 3.40 - 11.60	1.557 - 3.807	0.590	7.15	6.84	99
22+22+35+35	1.68	1.68	2.67	2.67	8.70 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+35+42	1.58	1.58	2.52	3.02	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+35+50	1.48	1.48	2.36	3.37	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+35+60	1.38	1.38	2.19	3.76	8.70 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+42+42	1.50	1.50	2.85	2.85	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+22+42+50	1.41	1.41	2.69	3.20	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+22+50+50	1.33	1.33	3.02	3.02	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+25+25+25	1.98	2.26	2.26	2.26	8.75 3.40 - 11.60	1.626 - 3.826	0.590	7.46	7.14	99
22+25+25+35	1.80	2.04	2.04	2.86	8.75 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+25+25+42	1.69	1.92	1.92	3.22	8.75 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+25+25+50	1.58	1.79	1.79	3.59	8.75 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
22+25+25+60	1.46	1.66	1.66	3.98	8.75 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
22+25+25+71	1.35	1.53	1.53	4.34	8.75 3.40 - 11.60	1.557 0.590 - 3.807	7.15	6.84	99
22+25+35+35	1.65	1.87	2.62	2.62	8.75 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
22+25+35+42	1.55	1.76	2.47	2.96	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+25+35+50	1.46	1.66	2.32	3.31	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+25+35+60	1.36	1.54	2.16	3.70	8.75 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
22+25+42+42	1.47	1.67	2.81	2.81	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
22+25+42+50	1.38	1.57	2.64	3.15	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
22+35+35+35	1.52	2.41	2.41	2.41	8.75 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
22+35+35+42	1.44	2.29	2.29	2.74	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+35+35+50	1.36	2.16	2.16	3.08	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+35+42+42	1.37	2.17	2.61	2.61	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+25+25+25	2.20	2.20	2.20	2.20	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+25+35	2.00	2.00	2.00	2.80	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+25+42	1.88	1.88	1.88	3.16	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+25+50	1.76	1.76	1.76	3.52	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+25+60	1.63	1.63	1.63	3.91	8.80 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
25+25+35+35	1.83	1.83	2.57	2.57	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+35+42	1.73	1.73	2.43	2.91	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+35+50	1.63	1.63	2.28	3.26	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+35+60	1.52	1.52	2.12	3.64	8.80 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
25+25+42+42	1.64	1.64	2.76	2.76	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+25+42+50	1.55	1.55	2.60	3.10	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+35+35+35	1.69	2.37	2.37	2.37	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+35+35+42	1.61	2.25	2.25	2.70	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+35+35+50	1.52	2.12	2.12	3.03	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+35+42+42	1.53	2.14	2.57	2.57	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
35+35+35+35	2.20	2.20	2.20	2.20	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99