

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	
15	1.50	-	-	-	-	1.50 0.570	2.61	2.50	99
20	2.00	-	-	-	-	2.00 0.570	2.67	2.55	99
22	2.20	-	-	-	-	2.20 0.580	2.80	2.68	99
25	2.50	-	-	-	-	2.50 0.580	2.90	2.77	99
35	3.50	-	-	-	-	3.50 0.580	3.63	3.47	99
42	4.20	-	-	-	-	4.20 0.580	4.41	4.22	99
50	5.00	-	-	-	-	5.00 0.620	5.83	5.58	99
60	6.00	-	-	-	-	6.00 0.620	8.18	7.82	99
71	7.10	-	-	-	-	7.10 0.650	11.39	10.89	99
15+15	1.50	1.50	-	-	-	3.00 0.600	2.78	2.66	99
15+20	1.50	2.00	-	-	-	3.50 0.600	3.46	3.31	99
15+22	1.50	2.20	-	-	-	3.70 0.600	3.66	3.50	99
15+25	1.50	2.50	-	-	-	4.00 0.600	4.08	3.90	99
15+35	1.50	3.50	-	-	-	5.00 0.590	5.50	5.26	99
15+42	1.50	4.20	-	-	-	5.70 0.590	6.80	6.50	99
15+50	1.50	5.00	-	-	-	6.50 0.580	8.31	7.95	99
15+60	1.46	5.84	-	-	-	7.30 0.580	10.26	9.81	99
15+71	1.38	6.52	-	-	-	7.90 0.580	12.35	11.81	99
20+20	2.00	2.00	-	-	-	4.00 0.600	4.10	3.92	99
20+22	2.00	2.20	-	-	-	4.20 0.600	4.30	4.11	99
20+25	2.00	2.50	-	-	-	4.50 0.600	4.66	4.46	99
20+35	2.00	3.50	-	-	-	5.50 0.590	6.45	6.17	99
20+42	2.00	4.20	-	-	-	6.20 0.580	7.76	7.42	99
20+50	2.00	5.00	-	-	-	7.00 0.580	9.27	8.87	99
20+60	1.90	5.70	-	-	-	7.60 0.580	11.30	10.81	99
20+71	1.76	6.24	-	-	-	8.00 0.580	12.80	12.24	99
22+22	2.20	2.20	-	-	-	4.40 0.600	4.44	4.25	99
22+25	2.20	2.50	-	-	-	4.70 0.600	4.95	4.73	99
22+35	2.20	3.50	-	-	-	5.70 0.590	6.79	6.49	99
22+42	2.20	4.20	-	-	-	6.40 0.580	8.09	7.74	99
22+50	2.17	4.93	-	-	-	7.10 0.580	9.65	9.23	99
22+60	2.07	5.63	-	-	-	7.70 0.580	11.69	11.18	99
22+71	1.92	6.18	-	-	-	8.10 0.580	12.90	12.34	99
25+25	2.50	2.50	-	-	-	5.00 0.590	5.46	5.22	99
25+35	2.50	3.50	-	-	-	6.00 0.590	7.38	7.06	99
25+42	2.50	4.20	-	-	-	6.70 0.580	8.69	8.31	99
25+50	2.43	4.87	-	-	-	7.30 0.580	10.30	9.85	99
25+60	2.29	5.51	-	-	-	7.80 0.580	12.19	11.66	99
25+71	2.14	6.06	-	-	-	8.20 0.580	13.17	12.60	99
35+35	3.50	3.50	-	-	-	7.00 0.580	9.26	8.86	99
35+42	3.36	4.04	-	-	-	7.40 0.580	10.71	10.24	99
35+50	3.21	4.59	-	-	-	7.80 0.580	12.26	11.73	99
35+60	2.98	5.12	-	-	-	8.10 0.580	13.06	12.49	99
35+71	2.81	5.69	-	-	-	8.50 0.570	13.96	13.35	99
42+42	3.90	3.90	-	-	-	7.80 0.580	12.15	11.62	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230		
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 - 3.126	0.580	12.88	12.32	99
42+60	3.46	4.94	-	-	-	8.40 2.10 - 9.10	2.969 - 3.239	0.580	13.63	13.04	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.133 - 3.303	0.560	14.39	13.76	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.956 - 3.246	0.580	13.57	12.98	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.089 - 3.289	0.570	14.19	13.57	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.243 - 3.353	0.550	14.89	14.24	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.212 - 3.322	0.550	14.75	14.11	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.346 - 3.416	0.550	15.36	14.69	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.470 - 3.510	0.550	15.93	15.24	99
35+71	2.81	5.69	-	-	-	8.50 2.10 - 9.10	3.039 - 3.269	0.570	13.96	13.35	99
42+42	3.90	3.90	-	-	-	7.80 2.00 - 8.80	2.646 - 2.996	0.580	12.15	11.62	99
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 - 3.126	0.580	12.88	12.32	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.133 - 3.303	0.560	14.39	13.76	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.956 - 3.246	0.580	13.57	12.98	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.089 - 3.289	0.570	14.19	13.57	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.243 - 3.353	0.550	14.89	14.24	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.212 - 3.322	0.550	14.75	14.11	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.346 - 3.416	0.550	15.36	14.69	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.470 - 3.510	0.550	15.93	15.24	99
15+15+15	1.50	1.50	1.50	-	-	4.50 2.90 - 6.30	1.009 - 2.359	0.690	4.63	4.43	99
15+15+20	1.50	1.50	2.00	-	-	5.00 2.90 - 6.90	1.127 - 2.357	0.690	5.18	4.95	99
15+15+22	1.50	1.50	2.20	-	-	5.20 2.90 - 7.10	1.160 - 2.350	0.690	5.32	5.09	99
15+15+25	1.50	1.50	2.50	-	-	5.50 2.90 - 7.50	1.230 - 2.350	0.690	5.65	5.40	99
15+15+35	1.50	1.50	3.50	-	-	6.50 2.90 - 8.10	1.480 - 2.350	0.690	6.80	6.50	99
15+15+42	1.50	1.50	4.20 *	-	-	7.20 2.90 - 8.70	1.654 - 2.614	0.690	7.59	7.26	99
15+15+50	1.44	1.44	4.81 *	-	-	7.70 2.90 - 9.00	1.884 - 2.774	0.690	8.65	8.27	99
15+15+60	1.35	1.35	5.40	-	-	8.10 2.90 - 9.10	2.177 - 2.787	0.690	9.99	9.56	99
15+15+71	1.26	1.26	5.98	-	-	8.50 2.90 - 9.20	2.521 - 2.821	0.690	11.57	11.07	99
15+20+20	1.50	2.00	2.00	-	-	5.50 2.90 - 7.50	1.235 - 2.355	0.690	5.67	5.42	99
15+20+22	1.50	2.00	2.20	-	-	5.70 2.90 - 7.70	1.278 - 2.348	0.690	5.87	5.61	99
15+20+25	1.50	2.00	2.50	-	-	6.00 2.90 - 8.10	1.348 - 2.348	0.690	6.19	5.92	99
15+20+35	1.50	2.00	3.50	-	-	7.00 2.90 - 8.50	1.608 - 2.528	0.690	7.38	7.06	99
15+20+42	1.48	1.97	4.15 *	-	-	7.60 2.90 - 9.00	1.792 - 2.762	0.690	8.23	7.87	99
15+20+50	1.39	1.86	4.65 *	-	-	7.90 2.90 - 9.10	2.042 - 2.782	0.690	9.38	8.97	99
15+20+60	1.29	1.73	5.18	-	-	8.20 2.90 - 9.10	2.325 - 2.795	0.690	10.67	10.21	99
15+20+71	1.22	1.62	5.76	-	-	8.60 2.90 - 9.20	2.649 - 2.829	0.690	12.16	11.63	99
15+22+22	1.50	2.20	2.20	-	-	5.90 2.90 - 8.00	1.321 - 2.341	0.690	6.06	5.80	99
15+22+25	1.50	2.20	2.50	-	-	6.20 2.90 - 8.10	1.391 - 2.341	0.690	6.39	6.11	99
15+22+35	1.50	2.20	3.50	-	-	7.20 2.90 - 8.70	1.651 - 2.611	0.690	7.58	7.25	99
15+22+42	1.44	2.12	4.04 *	-	-	7.60 2.90 - 9.00	1.845 - 2.755	0.690	8.47	8.10	99
15+22+50	1.36	2.00	4.54 *	-	-	7.90 2.90 - 9.10	2.095 - 2.785	0.690	9.62	9.20	99
15+22+60	1.28	1.88	5.13	-	-	8.30 2.90 - 9.10	2.378 - 2.798	0.690	10.91	10.44	99
15+22+71	1.21	1.77	5.72	-	-	8.70 2.90 - 9.20	2.652 - 2.832	0.690	12.18	11.65	99
15+25+25	1.50	2.50	2.50	-	-	6.50 2.90 - 8.10	1.471 - 2.341	0.690	6.75	6.46	99
15+25+35	1.50	2.50	3.50	-	-	7.50 2.90 - 9.00	1.731 - 2.751	0.690	7.95	7.60	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+25+42	1.43	2.38	4.00 *	-	-	7.80 2.90 - 9.00	1.935 0.690 - 2.765	8.89	8.50	99
15+25+50	1.35	2.25	4.50 *	-	-	8.10 2.90 - 9.10	2.185 0.690 - 2.795	10.04	9.60	99
15+25+60	1.26	2.10	5.04	-	-	8.40 2.90 - 9.20	2.478 0.690 - 2.808	11.37	10.88	99
15+25+71	1.18	1.96	5.56	-	-	8.70 2.90 - 9.20	2.672 0.690 - 2.842	12.26	11.73	99
15+35+35	1.39	3.25	3.25	-	-	7.90 2.90 - 9.10	2.041 0.690 - 2.781	9.37	8.96	99
15+35+42	1.32	3.08	3.70 *	-	-	8.10 2.90 - 9.10	2.245 0.690 - 2.795	10.31	9.86	99
15+35+50	1.26	2.94	4.20 *	-	-	8.40 2.90 - 9.20	2.495 0.690 - 2.825	11.46	10.96	99
15+35+60	1.19	2.77	4.75	-	-	8.70 2.90 - 9.20	2.668 0.690 - 2.838	12.25	11.72	99
15+35+71	1.10	2.57	5.22	-	-	8.90 2.90 - 9.20	2.742 0.690 - 2.882	12.59	12.04	99
15+42+42	1.27	3.56	3.56 *	-	-	8.40 2.90 - 9.20	2.459 0.690 - 2.809	11.29	10.80	99
15+42+50	1.21	3.38	4.02 *	-	-	8.60 2.90 - 9.20	2.649 0.690 - 2.839	12.16	11.63	99
15+42+60	1.13	3.16	4.51	-	-	8.80 2.90 - 9.20	2.712 0.690 - 2.862	12.45	11.91	99
15+42+71	1.05	2.95	4.99	-	-	9.00 2.90 - 9.20	2.796 0.690 - 2.906	12.84	12.28	99
15+50+50	1.15	3.83	3.83 *	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.869	12.44	11.90	99
15+50+60	1.08	3.60	4.32	-	-	9.00 2.90 - 9.20	2.762 0.690 - 2.892	12.68	12.13	99
15+50+71	0.99	3.31	4.70	-	-	9.00 2.90 - 9.20	2.876 0.690 - 2.966	13.20	12.63	99
15+60+60	1.00	4.00	4.00	-	-	9.00 2.90 - 9.20	2.845 0.690 - 2.945	13.06	12.49	99
15+60+71	0.93	3.74	4.43	-	-	9.10 2.90 - 9.30	2.979 0.690 - 3.049	13.67	13.08	99
15+71+71	0.90	4.25	4.25	-	-	9.40 2.90 - 9.60	3.093 0.690 - 3.163	14.20	13.58	99
20+20+20	2.00	2.00	2.00	-	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	99
20+20+22	2.00	2.00	2.20	-	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	99
20+20+25	2.00	2.00	2.50	-	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	99
20+20+35	2.00	2.00	3.50	-	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	99
20+20+42	1.90	1.90	4.00 *	-	-	7.80 2.90 - 9.00	1.940 0.690 - 2.770	8.91	8.52	99
20+20+50	1.80	1.80	4.50 *	-	-	8.10 2.90 - 9.10	2.190 0.690 - 2.800	10.06	9.62	99
20+20+60	1.68	1.68	5.04	-	-	8.40 2.90 - 9.20	2.483 0.690 - 2.813	11.40	10.90	99
20+20+71	1.57	1.57	5.56	-	-	8.70 2.90 - 9.20	2.677 0.690 - 2.847	12.29	11.76	99
20+22+22	2.00	2.20	2.20	-	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	99
20+22+25	2.00	2.20	2.50	-	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	99
20+22+35	1.97	2.17	3.45	-	-	7.60 2.90 - 9.00	1.789 0.690 - 2.759	8.22	7.86	99
20+22+42	1.86	2.04	3.90 *	-	-	7.80 2.90 - 9.10	2.003 0.690 - 2.773	9.20	8.80	99
20+22+50	1.76	1.94	4.40 *	-	-	8.10 2.90 - 9.10	2.243 0.690 - 2.793	10.30	9.85	99
20+22+60	1.67	1.83	5.00	-	-	8.50 2.90 - 9.20	2.536 0.690 - 2.806	11.65	11.14	99
20+22+71	1.56	1.71	5.53	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	99
20+25+25	2.00	2.50	2.50	-	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	99
20+25+35	1.93	2.41	3.37	-	-	7.70 2.90 - 9.00	1.879 0.690 - 2.769	8.63	8.25	99
20+25+42	1.82	2.27	3.81 *	-	-	7.90 2.90 - 9.10	2.093 0.690 - 2.783	9.61	9.19	99
20+25+50	1.73	2.16	4.32 *	-	-	8.20 2.90 - 9.10	2.333 0.690 - 2.803	10.72	10.25	99
20+25+60	1.64	2.05	4.91	-	-	8.60 2.90 - 9.20	2.626 0.690 - 2.816	12.05	11.53	99
20+25+71	1.52	1.90	5.39	-	-	8.80 2.90 - 9.20	2.710 0.690 - 2.860	12.44	11.90	99
20+35+35	1.80	3.15	3.15	-	-	8.10 2.90 - 9.10	2.189 0.690 - 2.799	10.05	9.61	99
20+35+42	1.71	2.99	3.59 *	-	-	8.30 2.90 - 9.10	2.393 0.690 - 2.813	10.99	10.51	99
20+35+50	1.64	2.87	4.10 *	-	-	8.60 2.90 - 9.20	2.643 0.690 - 2.833	12.14	11.61	99
20+35+60	1.53	2.68	4.59	-	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	12.38	11.84	99
20+35+71	1.43	2.50	5.07	-	-	9.00 2.90 - 9.20	2.780 0.690 - 2.900	12.77	12.21	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+42+42	1.65	3.47	3.47 *	-	-	8.60 2.90 - 9.20	2.607 0.690 - 2.827	11.97	11.45	99
20+42+50	1.55	3.26	3.88 *	-	-	8.70 2.90 - 9.20	2.687 0.690 - 2.857	12.34	11.80	99
20+42+60	1.46	3.06	4.38	-	-	8.90 2.90 - 9.20	2.740 0.690 - 2.870	12.58	12.03	99
20+42+71	1.35	2.84	4.80	-	-	9.00 2.90 - 9.20	2.844 0.690 - 2.944	13.06	12.49	99
20+50+50	1.48	3.71	3.71 *	-	-	8.90 2.90 - 9.20	2.747 0.690 - 2.887	12.61	12.06	99
20+50+60	1.38	3.46	4.15	-	-	9.00 2.90 - 9.20	2.810 0.690 - 2.920	12.90	12.34	99
20+50+71	1.28	3.19	4.53	-	-	9.00 2.90 - 9.20	2.924 0.690 - 3.004	13.42	12.84	99
20+60+60	1.29	3.86	3.86	-	-	9.00 2.90 - 9.20	2.893 0.690 - 2.973	13.29	12.71	99
20+60+71	1.25	3.74	4.42	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
20+71+71	1.16	4.12	4.12	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
22+22+22	2.20	2.20	2.20	-	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	99
22+22+25	2.20	2.20	2.50	-	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	99
22+22+35	2.12	2.12	3.37	-	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	8.46	8.09	99
22+22+42	2.02	2.02	3.86 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	9.44	9.03	99
22+22+50	1.92	1.92	4.36 *	-	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	10.54	10.08	99
22+22+60	1.82	1.82	4.96	-	-	8.60 2.90 - 9.20	2.589 0.690 - 2.809	11.89	11.37	99
22+22+71	1.68	1.68	5.43	-	-	8.80 2.90 - 9.20	2.693 0.690 - 2.853	12.37	11.83	99
22+25+25	2.20	2.50	2.50	-	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	99
22+25+35	2.09	2.38	3.33	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.87	8.48	99
22+25+42	1.98	2.25	3.78 *	-	-	8.00 2.90 - 9.10	2.146 0.690 - 2.776	9.85	9.42	99
22+25+50	1.88	2.14	4.28 *	-	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.96	10.48	99
22+25+60	1.77	2.01	4.82	-	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	12.08	11.55	99
22+25+71	1.64	1.86	5.29	-	-	8.80 2.90 - 9.20	2.713 0.690 - 2.863	12.45	11.91	99
22+35+35	1.94	3.08	3.08	-	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	10.30	9.85	99
22+35+42	1.87	2.97	3.56 *	-	-	8.40 2.90 - 9.20	2.456 0.690 - 2.806	11.28	10.79	99
22+35+50	1.77	2.81	4.02 *	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	12.15	11.62	99
22+35+60	1.65	2.63	4.51	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	12.44	11.90	99
22+35+71	1.55	2.46	4.99	-	-	9.00 2.90 - 9.20	2.793 0.690 - 2.903	12.83	12.27	99
22+42+42	1.78	3.41	3.41 *	-	-	8.60 2.90 - 9.20	2.640 0.690 - 2.820	12.12	11.59	99
22+42+50	1.70	3.24	3.86 *	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	99
22+42+60	1.60	3.05	4.35	-	-	9.00 2.90 - 9.20	2.753 0.690 - 2.873	12.64	12.09	99
22+42+71	1.47	2.80	4.73	-	-	9.00 2.90 - 9.20	2.857 0.690 - 2.957	13.12	12.55	99
22+50+50	1.60	3.65	3.65 *	-	-	8.90 2.90 - 9.20	2.750 0.690 - 2.880	12.63	12.08	99
22+50+60	1.50	3.41	4.09	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.923	12.96	12.40	99
22+50+71	1.38	3.15	4.47	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.017	13.49	12.90	99
22+60+60	1.39	3.80	3.80	-	-	9.00 2.90 - 9.20	2.906 0.690 - 2.986	13.34	12.76	99
22+60+71	1.35	3.69	4.36	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
22+71+71	1.26	4.07	4.07	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	99
25+25+25	2.50	2.50	2.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	99
25+25+35	2.32	2.32	3.25	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	9.33	8.92	99
25+25+42	2.20	2.20	3.70 *	-	-	8.10 2.90 - 9.10	2.236 0.690 - 2.786	10.27	9.82	99
25+25+50	2.10	2.10	4.20 *	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	11.42	10.92	99
25+25+60	1.98	1.98	4.75	-	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	12.21	11.68	99
25+25+71	1.84	1.84	5.22	-	-	8.90 2.90 - 9.20	2.733 0.690 - 2.873	12.55	12.00	99
25+35+35	2.16	3.02	3.02	-	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	10.71	10.24	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
25+35+42	2.08	2.92	3.50 *	-	-	8.50 2.90 - 9.20	2.546 0.690 - 2.816	11.69	11.18	99
25+35+50	1.98	2.77	3.95 *	-	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	12.28	11.75	99
25+35+60	1.85	2.60	4.45	-	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	12.54	11.99	99
25+35+71	1.72	2.40	4.88	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.933	12.96	12.40	99
25+42+42	2.00	3.35	3.35 *	-	-	8.70 2.90 - 9.20	2.660 0.690 - 2.840	12.21	11.68	99
25+42+50	1.88	3.16	3.76 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	12.49	11.95	99
25+42+60	1.77	2.98	4.25	-	-	9.00 2.90 - 9.20	2.773 0.690 - 2.893	12.73	12.18	99
25+42+71	1.63	2.74	4.63	-	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	13.26	12.68	99
25+50+50	1.80	3.60	3.60 *	-	-	9.00 2.90 - 9.20	2.770 0.690 - 2.900	12.72	12.17	99
25+50+60	1.67	3.33	4.00	-	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	13.10	12.53	99
25+50+71	1.56	3.12	4.43	-	-	9.10 2.90 - 9.30	2.987 0.690 - 3.057	13.72	13.12	99
25+60+60	1.55	3.72	3.72	-	-	9.00 2.90 - 9.20	2.936 0.690 - 3.006	13.48	12.89	99
25+60+71	1.51	3.62	4.28	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
25+71+71	1.41	4.00	4.00	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	99
35+35+35	2.87	2.87	2.87	-	-	8.60 2.90 - 9.20	2.642 0.690 - 2.832	12.13	11.60	99
35+35+42	2.72	2.72	3.26 *	-	-	8.70 2.90 - 9.20	2.686 0.690 - 2.856	12.34	11.80	99
35+35+50	2.60	2.60	3.71 *	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	12.61	12.06	99
35+35+60	2.42	2.42	4.15	-	-	9.00 2.90 - 9.20	2.809 0.690 - 2.919	12.90	12.34	99
35+35+71	2.23	2.23	4.53	-	-	9.00 2.90 - 9.20	2.923 0.690 - 3.003	13.42	12.84	99
35+42+42	2.62	3.14	3.14 *	-	-	8.90 2.90 - 9.20	2.730 0.690 - 2.870	12.54	11.99	99
35+42+50	2.48	2.98	3.54 *	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	12.81	12.25	99
35+42+60	2.30	2.76	3.94	-	-	9.00 2.90 - 9.20	2.873 0.690 - 2.963	13.19	12.62	99
35+42+71	2.18	2.61	4.41	-	-	9.20 2.90 - 9.40	3.037 0.690 - 3.107	13.95	13.34	99
35+50+50	2.33	3.33	3.33 *	-	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	13.17	12.60	99
35+50+60	2.17	3.10	3.72	-	-	9.00 2.90 - 9.20	2.953 0.690 - 3.023	13.56	12.97	99
35+50+71	2.11	3.01	4.28	-	-	9.40 2.90 - 9.60	3.097 0.690 - 3.167	14.22	13.60	99
35+60+60	2.12	3.64	3.64	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	14.12	13.51	99
35+60+71	1.98	3.40	4.02	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
42+42+42	3.00	3.00	3.00 *	-	-	9.00 2.90 - 9.20	2.774 0.690 - 2.894	12.73	12.18	99
42+42+50	2.82	2.82	3.36 *	-	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	13.10	12.53	99
42+42+60	2.63	2.63	3.75	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.007	13.49	12.90	99
42+42+71	2.55	2.55	4.31	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
42+50+50	2.66	3.17	3.17 *	-	-	9.00 2.90 - 9.20	2.934 0.690 - 3.014	13.48	12.89	99
42+50+60	2.60	3.09	3.71	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
42+50+71	2.42	2.88	4.09	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
42+60+60	2.44	3.48	3.48	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	99
50+50+50	3.13	3.13	3.13 *	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	14.25	13.63	99
50+50+60	2.94	2.94	3.53	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
50+50+71	2.75	2.75	3.90	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
50+60+60	2.76	3.32	3.32	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	99
15+15+15+15	1.50	1.50	1.50	1.50	-	6.00 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	99
15+15+15+20	1.48	1.48	1.48	1.97	-	6.40 3.70 - 7.60	1.470 0.660 - 3.160	6.75	6.46	99
15+15+15+22	1.46	1.46	1.46	2.13	-	6.50 3.70 - 7.70	1.513 0.660 - 3.233	6.94	6.64	99
15+15+15+25	1.44	1.44	1.44	2.39 *	-	6.70 3.70 - 7.90	1.583 0.660 - 3.353	7.27	6.95	99
15+15+15+35	1.39	1.39	1.39	3.24 *	-	7.40 3.70 - 8.60	1.823 0.660 - 3.733	8.37	8.01	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+15+15+42	1.36	1.36	1.36	3.81	-	7.90 3.70 - 9.10	1.987 0.660 - 3.997	9.13	8.73	99
15+15+15+50	1.33	1.33	1.33	4.42	-	8.40 3.70 - 9.60	1.597 0.660 - 3.417	7.33	7.01	99
15+15+15+60	1.24	1.24	1.24	4.97	-	8.70 3.70 - 9.90	2.050 0.660 - 4.020	9.41	9.00	99
15+15+15+71	1.14	1.14	1.14	5.39	-	8.80 3.70 - 10.00	2.294 0.660 - 4.024	10.53	10.07	99
15+15+20+20	1.44	1.44	1.91	1.91	-	6.70 3.70 - 7.90	1.588 0.660 - 3.358	7.29	6.97	99
15+15+20+22	1.44	1.44	1.92	2.11	*	6.90 3.70 - 8.10	1.631 0.660 - 3.421	7.49	7.16	99
15+15+20+25	1.42	1.42	1.89	2.37	*	7.10 3.70 - 8.30	1.701 0.660 - 3.541	7.81	7.47	99
15+15+20+35	1.38	1.38	1.84	3.21	-	7.80 3.70 - 9.00	1.941 0.660 - 3.921	8.91	8.52	99
15+15+20+42	1.34	1.34	1.78	3.74	-	8.20 3.70 - 9.40	1.605 0.660 - 3.415	7.37	7.05	99
15+15+20+50	1.29	1.29	1.72	4.30	-	8.60 3.70 - 9.90	1.955 0.660 - 4.035	8.98	8.59	99
15+15+20+60	1.19	1.19	1.58	4.75	-	8.70 3.70 - 10.00	2.158 0.660 - 4.018	9.91	9.48	99
15+15+20+71	1.09	1.09	1.45	5.16	-	8.80 3.70 - 10.10	2.402 0.660 - 4.022	11.03	10.55	99
15+15+22+22	1.42	1.42	2.08	2.08	-	7.00 3.70 - 8.20	1.674 0.660 - 3.494	7.68	7.35	99
15+15+22+25	1.40	1.40	2.06	2.34	-	7.20 3.70 - 8.40	1.744 0.660 - 3.614	8.01	7.66	99
15+15+22+35	1.36	1.36	2.00	3.18	-	7.90 3.70 - 9.10	1.984 0.660 - 3.994	9.11	8.71	99
15+15+22+42	1.32	1.32	1.94	3.71	-	8.30 3.70 - 9.60	1.598 0.660 - 3.408	7.34	7.02	99
15+15+22+50	1.26	1.26	1.85	4.22	*	8.60 3.70 - 9.90	1.988 0.660 - 4.028	9.13	8.73	99
15+15+22+60	1.17	1.17	1.71	4.66	-	8.70 3.70 - 10.00	2.191 0.660 - 4.011	10.06	9.62	99
15+15+22+71	1.07	1.07	1.57	5.08	-	8.80 3.70 - 10.10	2.435 0.660 - 4.015	11.18	10.69	99
15+15+25+25	1.39	1.39	2.31	2.31	-	7.40 3.70 - 8.60	1.814 0.660 - 3.724	8.33	7.97	99
15+15+25+35	1.35	1.35	2.25	3.15	-	8.10 3.70 - 9.30	1.614 0.660 - 3.414	7.41	7.09	99
15+15+25+42	1.31	1.31	2.19	3.68	*	8.50 3.70 - 9.70	1.578 0.660 - 3.408	7.25	6.93	99
15+15+25+50	1.24	1.24	2.07	4.14	*	8.70 3.70 - 9.90	2.058 0.660 - 4.028	9.45	9.04	99
15+15+25+60	1.15	1.15	1.91	4.59	-	8.80 3.70 - 10.00	2.261 0.660 - 4.011	10.38	9.93	99
15+15+25+71	1.06	1.06	1.77	5.02	-	8.90 3.70 - 10.10	2.505 0.660 - 4.015	11.50	11.00	99
15+15+35+35	1.29	1.29	3.01	3.01	-	8.60 3.70 - 9.90	1.954 0.660 - 4.034	8.97	8.58	99
15+15+35+42	1.22	1.22	2.85	3.41	-	8.70 3.70 - 10.00	2.098 0.660 - 4.028	9.63	9.21	99
15+15+35+50	1.15	1.15	2.68	3.83	-	8.80 3.70 - 10.00	2.278 0.660 - 4.028	10.45	10.00	99
15+15+35+60	1.07	1.07	2.49	4.27	-	8.90 3.70 - 10.10	2.471 0.660 - 4.011	11.34	10.85	99
15+15+35+71	0.99	0.99	2.32	4.70	-	9.00 3.70 - 10.20	2.715 0.660 - 4.015	12.46	11.92	99
15+15+42+42	1.14	1.14	3.21	3.21	*	8.70 3.70 - 10.00	2.242 0.660 - 4.022	10.30	9.85	99
15+15+42+50	1.08	1.08	3.03	3.61	*	8.80 3.70 - 10.10	2.422 0.660 - 4.022	11.12	10.64	99
15+15+42+60	1.01	1.01	2.83	4.05	-	8.90 3.70 - 10.10	2.625 0.660 - 4.005	12.05	11.53	99
15+15+42+71	0.94	0.94	2.64	4.47	-	9.00 3.70 - 10.20	2.799 0.660 - 4.009	12.85	12.29	99
15+15+50+50	1.03	1.03	3.42	3.42	*	8.90 3.70 - 10.10	2.592 0.660 - 4.022	11.90	11.38	99
15+15+50+60	0.96	0.96	3.21	3.86	-	9.00 3.70 - 10.20	2.795 0.660 - 4.005	12.83	12.27	99
15+15+50+71	0.90	0.90	3.01	4.28	-	9.10 3.70 - 10.20	2.879 0.660 - 4.009	13.21	12.64	99
15+15+60+60	0.91	0.91	3.64	3.64	-	9.10 3.70 - 10.20	2.838 0.660 - 3.988	13.03	12.46	99
15+15+60+71	0.87	0.87	3.47	4.10	-	9.30 3.70 - 10.20	2.982 0.660 - 3.992	13.70	13.10	99
15+15+71+71	0.82	0.82	3.88	3.88	-	9.40 3.70 - 10.20	3.076 0.660 - 3.996	14.12	13.51	99
15+20+20+20	1.42	1.89	1.89	1.89	-	7.10 3.70 - 8.30	1.706 0.660 - 3.546	7.83	7.49	99
15+20+20+22	1.40	1.87	1.87	2.06	-	7.20 3.70 - 8.40	1.749 0.660 - 3.619	8.03	7.68	99
15+20+20+25	1.39	1.85	1.85	2.31	-	7.40 3.70 - 8.60	1.819 0.660 - 3.729	8.35	7.99	99
15+20+20+35	1.35	1.80	1.80	3.15	-	8.10 3.70 - 9.30	1.619 0.660 - 3.419	7.43	7.11	99
15+20+20+42	1.31	1.75	1.75	3.68	*	8.50 3.70 - 9.70	1.583 0.660 - 3.413	7.27	6.95	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+20+20+50	1.24	1.66	1.66	4.14	-	8.70 3.70 - 9.90	2.063 0.660 - 4.033	9.47	9.06	99
15+20+20+60	1.15	1.53	1.53	4.59	-	8.80 3.70 - 10.00	2.266 0.660 - 4.016	10.40	9.95	99
15+20+20+71	1.06	1.41	1.41	5.02	-	8.90 3.70 - 10.10	2.510 0.660 - 4.020	11.52	11.02	99
15+20+22+22	1.41	1.87	2.06	2.06	-	7.40 3.70 - 8.60	1.782 0.660 - 3.682	8.19	7.83	99
15+20+22+25	1.39	1.85	2.04	2.32	-	7.60 3.70 - 8.80	1.862 0.660 - 3.802	8.55	8.18	99
15+20+22+35	1.34	1.78	1.96	3.12	-	8.20 3.70 - 9.40	1.602 0.660 - 3.412	7.36	7.04	99
15+20+22+42	1.30	1.74	1.91	3.65 *	-	8.60 3.70 - 9.80	1.566 0.660 - 3.406	7.19	6.88	99
15+20+22+50	1.22	1.63	1.79	4.07 *	-	8.70 3.70 - 10.00	2.096 0.660 - 4.026	9.63	9.21	99
15+20+22+60	1.13	1.50	1.65	4.51	-	8.80 3.70 - 10.00	2.299 0.660 - 4.009	10.56	10.10	99
15+20+22+71	1.04	1.39	1.53	4.94	-	8.90 3.70 - 10.10	2.543 0.660 - 4.013	11.68	11.17	99
15+20+25+25	1.38	1.84	2.29	2.29	-	7.80 3.70 - 9.00	1.932 0.660 - 3.912	8.87	8.48	99
15+20+25+35	1.33	1.77	2.21	3.09	-	8.40 3.70 - 9.60	1.592 0.660 - 3.412	7.31	6.99	99
15+20+25+42	1.26	1.69	2.11	3.54 *	-	8.60 3.70 - 9.90	1.986 0.660 - 4.026	9.12	8.72	99
15+20+25+50	1.19	1.58	1.98	3.95 *	-	8.70 3.70 - 10.00	2.166 0.660 - 4.026	9.94	9.51	99
15+20+25+60	1.10	1.47	1.83	4.40	-	8.80 3.70 - 10.10	2.369 0.660 - 4.009	10.87	10.40	99
15+20+25+71	1.02	1.36	1.70	4.82	-	8.90 3.70 - 10.10	2.603 0.660 - 4.013	11.95	11.43	99
15+20+35+35	1.24	1.66	2.90	2.90	-	8.70 3.70 - 9.90	2.062 0.660 - 4.032	9.47	9.06	99
15+20+35+42	1.17	1.55	2.72	3.26 *	-	8.70 3.70 - 10.00	2.206 0.660 - 4.026	10.13	9.69	99
15+20+35+50	1.10	1.47	2.57	3.67 *	-	8.80 3.70 - 10.10	2.386 0.660 - 4.026	10.96	10.48	99
15+20+35+60	1.03	1.37	2.40	4.11	-	8.90 3.70 - 10.10	2.579 0.660 - 4.009	11.85	11.33	99
15+20+35+71	0.96	1.28	2.23	4.53	-	9.00 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	-	8.80 3.70 - 10.00	2.350 0.660 - 4.020	10.79	10.32	99
15+20+42+50	1.05	1.40	2.94 *	3.50 *	-	8.90 3.70 - 10.10	2.530 0.660 - 4.020	11.62	11.11	99
15+20+42+60	0.99	1.31	2.76 *	3.94	-	9.00 3.70 - 10.20	2.723 0.660 - 4.003	12.50	11.96	99
15+20+42+71	0.92	1.23	2.58 *	4.37	-	9.10 3.70 - 10.20	2.837 0.660 - 4.007	13.03	12.46	99
15+20+50+50	1.00	1.33	3.33 *	3.33 *	-	9.00 3.70 - 10.20	2.700 0.660 - 4.020	12.40	11.86	99
15+20+50+60	0.93	1.24	3.10 *	3.72	-	9.00 3.70 - 10.20	2.793 0.660 - 4.003	12.83	12.27	99
15+20+50+71	0.88	1.18	2.95 *	4.19	-	9.20 3.70 - 10.20	2.937 0.660 - 4.007	13.49	12.90	99
15+20+60+60	0.89	1.19	3.56	3.56	-	9.20 3.70 - 10.20	2.906 0.660 - 3.986	13.34	12.76	99
15+20+60+71	0.85	1.13	3.40	4.02	-	9.40 3.70 - 10.20	3.040 0.660 - 3.990	13.96	13.35	99
15+22+22+22	1.39	2.04	2.04	2.04	-	7.50 3.70 - 8.70	1.825 0.660 - 3.755	8.37	8.01	99
15+22+22+25	1.38	2.02	2.02	2.29	-	7.70 3.70 - 8.90	1.895 0.660 - 3.875	8.70	8.32	99
15+22+22+35	1.32	1.94	1.94	3.09	-	8.30 3.70 - 9.60	1.595 0.660 - 3.405	7.32	7.00	99
15+22+22+42	1.28	1.87	1.87	3.58	-	8.60 3.70 - 9.90	1.959 0.660 - 4.019	8.99	8.60	99
15+22+22+50	1.20	1.76	1.76	3.99 *	-	8.70 3.70 - 10.00	2.139 0.660 - 4.019	9.82	9.39	99
15+22+22+60	1.11	1.63	1.63	4.44	-	8.80 3.70 - 10.00	2.332 0.660 - 4.002	10.71	10.24	99
15+22+22+71	1.03	1.51	1.51	4.86	-	8.90 3.70 - 10.10	2.576 0.660 - 4.006	11.82	11.31	99
15+22+25+25	1.36	2.00	2.27	2.27	-	7.90 3.70 - 9.10	1.975 0.660 - 3.985	9.06	8.67	99
15+22+25+35	1.31	1.93	2.19	3.07	-	8.50 3.70 - 9.70	1.575 0.660 - 3.405	7.23	6.92	99
15+22+25+42	1.24	1.82	2.07	3.47 *	-	8.60 3.70 - 9.90	2.029 0.660 - 4.019	9.32	8.91	99
15+22+25+50	1.17	1.71	1.94	3.88 *	-	8.70 3.70 - 10.00	2.199 0.660 - 4.019	10.10	9.66	99
15+22+25+60	1.08	1.59	1.80	4.33	-	8.80 3.70 - 10.10	2.402 0.660 - 4.002	11.03	10.55	99
15+22+25+71	1.00	1.47	1.67	4.75	-	8.90 3.70 - 10.10	2.646 0.660 - 4.006	12.15	11.62	99
15+22+35+35	1.22	1.79	2.85	2.85	-	8.70 3.70 - 10.00	2.095 0.660 - 4.025	9.62	9.20	99
15+22+35+42	1.14	1.68	2.67	3.21 *	-	8.70 3.70 - 10.00	2.239 0.660 - 4.019	10.28	9.83	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+22+35+50	1.08	1.59	2.52	3.61 *	-	8.80 3.70 - 10.10	2.419 0.660 - 4.019	11.10	10.62	99
15+22+35+60	1.01	1.48	2.36	4.05	-	8.90 3.70 - 10.10	2.622 0.660 - 4.002	12.04	11.52	99
15+22+35+71	0.94	1.38	2.20	4.47	-	9.00 3.70 - 10.20	2.796 0.660 - 4.006	12.84	12.28	99
15+22+42+42	1.09	1.60	3.05 *	3.05 *	-	8.80 3.70 - 10.10	2.393 0.660 - 4.013	10.99	10.51	99
15+22+42+50	1.03	1.52	2.90 *	3.45 *	-	8.90 3.70 - 10.10	2.563 0.660 - 4.013	11.77	11.26	99
15+22+42+60	0.97	1.42	2.72 *	3.88	-	9.00 3.70 - 10.20	2.766 0.660 - 3.996	12.70	12.15	99
15+22+42+71	0.91	1.33	2.55 *	4.31	-	9.10 3.70 - 10.20	2.850 0.660 - 4.000	13.09	12.52	99
15+22+50+50	0.99	1.45	3.28 *	3.28 *	-	9.00 3.70 - 10.20	2.733 0.660 - 4.013	12.55	12.00	99
15+22+50+60	0.92	1.35	3.06 *	3.67	-	9.00 3.70 - 10.20	2.816 0.660 - 3.996	12.93	12.37	99
15+22+50+71	0.87	1.28	2.91 *	4.13	-	9.20 3.70 - 10.20	2.950 0.660 - 4.000	13.55	12.96	99
15+22+60+60	0.88	1.29	3.52	3.52	-	9.20 3.70 - 10.20	2.919 0.660 - 3.979	13.40	12.82	99
15+22+60+71	0.84	1.23	3.36	3.97	-	9.40 3.70 - 10.20	3.063 0.660 - 3.983	14.06	13.45	99
15+25+25+25	1.35	2.25	2.25	2.25	-	8.10 3.70 - 9.30	1.605 0.660 - 3.405	7.37	7.05	99
15+25+25+35	1.29	2.15	2.15	3.01	-	8.60 3.70 - 9.90	1.945 0.660 - 4.025	8.93	8.54	99
15+25+25+42	1.22	2.03	2.03	3.41 *	-	8.70 3.70 - 10.00	2.089 0.660 - 4.019	9.59	9.17	99
15+25+25+50	1.15	1.91	1.91	3.83 *	-	8.80 3.70 - 10.00	2.269 0.660 - 4.019	10.41	9.96	99
15+25+25+60	1.07	1.78	1.78	4.27	-	8.90 3.70 - 10.10	2.462 0.660 - 4.002	11.30	10.81	99
15+25+25+71	0.99	1.65	1.65	4.70	-	9.00 3.70 - 10.20	2.706 0.660 - 4.006	12.42	11.88	99
15+25+35+35	1.19	1.98	2.77	2.77	-	8.70 3.70 - 10.00	2.165 0.660 - 4.025	9.94	9.51	99
15+25+35+42	1.13	1.88	2.63	3.16 *	-	8.80 3.70 - 10.00	2.309 0.660 - 4.019	10.60	10.14	99
15+25+35+50	1.07	1.78	2.49	3.56 *	-	8.90 3.70 - 10.10	2.479 0.660 - 4.019	11.39	10.89	99
15+25+35+60	1.00	1.67	2.33	4.00	-	9.00 3.70 - 10.20	2.682 0.660 - 4.002	12.32	11.78	99
15+25+35+71	0.92	1.54	2.16	4.38	-	9.00 3.70 - 10.20	2.806 0.660 - 4.006	12.88	12.32	99
15+25+42+42	1.06	1.77	2.98 *	2.98 *	-	8.80 3.70 - 10.10	2.453 0.660 - 4.013	11.26	10.77	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	-	8.90 3.70 - 10.10	2.633 0.660 - 4.013	12.09	11.56	99
15+25+42+60	0.95	1.58	2.66 *	3.80	-	9.00 3.70 - 10.20	2.786 0.660 - 3.996	12.80	12.24	99
15+25+42+71	0.89	1.49	2.50 *	4.22	-	9.10 3.70 - 10.20	2.890 0.660 - 4.000	13.27	12.69	99
15+25+50+50	0.96	1.61	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	99
15+25+50+60	0.91	1.52	3.03 *	3.64	-	9.10 3.70 - 10.20	2.846 0.660 - 3.996	13.07	12.50	99
15+25+50+71	0.87	1.44	2.89 *	4.10	-	9.30 3.70 - 10.20	2.990 0.660 - 4.000	13.73	13.13	99
15+25+60+60	0.87	1.45	3.49	3.49	-	9.30 3.70 - 10.20	2.959 0.660 - 3.979	13.59	13.00	99
15+25+60+71	0.82	1.37	3.30	3.90	-	9.40 3.70 - 10.20	3.063 0.660 - 3.983	14.06	13.45	99
15+35+35+35	1.10	2.57	2.57	2.57	-	8.80 3.70 - 10.10	2.385 0.660 - 4.025	10.95	10.47	99
15+35+35+42	1.05	2.45	2.45	2.94 *	-	8.90 3.70 - 10.10	2.529 0.660 - 4.019	11.62	11.11	99
15+35+35+50	1.00	2.33	2.33	3.33 *	-	9.00 3.70 - 10.20	2.699 0.660 - 4.019	12.39	11.85	99
15+35+35+60	0.93	2.17	2.17	3.72	-	9.00 3.70 - 10.20	2.792 0.660 - 4.002	12.82	12.26	99
15+35+35+71	0.88	2.06	2.06	4.19	-	9.20 3.70 - 10.20	2.936 0.660 - 4.006	13.48	12.89	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.673 0.660 - 4.013	12.27	11.74	99
15+35+42+50	0.95	2.22	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	99
15+35+42+60	0.90	2.10	2.51 *	3.59	-	9.10 3.70 - 10.20	2.876 0.660 - 3.996	13.20	12.63	99
15+35+42+71	0.86	2.00	2.40 *	4.05	-	9.30 3.70 - 10.20	3.020 0.660 - 4.000	13.86	13.26	99
15+35+50+50	0.91	2.12	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.863 0.660 - 4.013	13.14	12.57	99
15+35+50+60	0.87	2.03	2.91 *	3.49	-	9.30 3.70 - 10.20	2.976 0.660 - 3.996	13.66	13.07	99
15+35+50+71	0.82	1.92	2.75 *	3.90	-	9.40 3.70 - 10.20	3.080 0.660 - 4.000	14.15	13.53	99
15+35+60+60	0.83	1.94	3.32	3.32	-	9.40 3.70 - 10.20	3.059 0.660 - 3.979	14.04	13.43	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+42+42+42	0.96	2.68	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.797 0.660 - 4.007	12.84	12.28	99
15+42+42+50	0.92	2.57	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.847 0.660 - 4.007	13.07	12.50	99
15+42+42+60	0.87	2.43	2.43 *	3.47 *	-	9.20 3.70 - 10.20	2.960 0.660 - 3.990	13.59	13.00	99
15+42+42+71	0.83	2.32	2.32 *	3.93	-	9.40 3.70 - 10.20	3.074 0.660 - 3.994	14.11	13.50	99
15+42+50+50	0.88	2.46	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.947 0.660 - 4.007	13.53	12.94	99
15+42+50+60	0.84	2.36	2.81 *	3.38	-	9.40 3.70 - 10.20	3.060 0.660 - 3.990	14.05	13.44	99
15+50+50+50	0.85	2.82	2.82 *	2.82 *	-	9.30 3.70 - 10.20	3.047 0.660 - 4.007	13.99	13.38	99
20+20+20+20	1.85	1.85	1.85	1.85	-	7.40 3.70 - 8.60	1.824 0.660 - 3.734	8.37	8.01	99
20+20+20+22	1.85	1.85	1.85	2.04	-	7.60 3.70 - 8.80	1.867 0.660 - 3.807	8.57	8.20	99
20+20+20+25	1.84	1.84	1.84	2.29	-	7.80 3.70 - 9.00	1.937 0.660 - 3.917	8.90	8.51	99
20+20+20+35	1.77	1.77	1.77	3.09	-	8.40 3.70 - 9.60	1.597 0.660 - 3.417	7.33	7.01	99
20+20+20+42	1.69	1.69	1.69	3.54 *	-	8.60 3.70 - 9.90	1.991 0.660 - 4.031	9.14	8.74	99
20+20+20+50	1.58	1.58	1.58	3.95 *	-	8.70 3.70 - 10.00	2.171 0.660 - 4.031	9.96	9.53	99
20+20+20+60	1.47	1.47	1.47	4.40	-	8.80 3.70 - 10.10	2.374 0.660 - 4.014	10.90	10.43	99
20+20+20+71	1.36	1.36	1.36	4.82	-	8.90 3.70 - 10.10	2.608 0.660 - 4.018	11.97	11.45	99
20+20+22+22	1.83	1.83	2.02	2.02	-	7.70 3.70 - 8.90	1.900 0.660 - 3.880	8.72	8.34	99
20+20+22+25	1.82	1.82	2.00	2.27	-	7.90 3.70 - 9.10	1.980 0.660 - 3.990	9.10	8.70	99
20+20+22+35	1.75	1.75	1.93	3.07	-	8.50 3.70 - 9.70	1.580 0.660 - 3.410	7.26	6.94	99
20+20+22+42	1.65	1.65	1.82	3.47 *	-	8.60 3.70 - 9.90	2.034 0.660 - 4.024	9.34	8.93	99
20+20+22+50	1.55	1.55	1.71	3.88 *	-	8.70 3.70 - 10.00	2.204 0.660 - 4.024	10.12	9.68	99
20+20+22+60	1.44	1.44	1.59	4.33	-	8.80 3.70 - 10.10	2.407 0.660 - 4.007	11.05	10.57	99
20+20+22+71	1.34	1.34	1.47	4.75	-	8.90 3.70 - 10.10	2.651 0.660 - 4.011	12.17	11.64	99
20+20+25+25	1.80	1.80	2.25	2.25	-	8.10 3.70 - 9.30	1.610 0.660 - 3.410	7.39	7.07	99
20+20+25+35	1.72	1.72	2.15	3.01	-	8.60 3.70 - 9.90	1.950 0.660 - 4.030	8.95	8.56	99
20+20+25+42	1.63	1.63	2.03	3.41 *	-	8.70 3.70 - 10.00	2.094 0.660 - 4.024	9.62	9.20	99
20+20+25+50	1.53	1.53	1.91	3.83 *	-	8.80 3.70 - 10.00	2.274 0.660 - 4.024	10.44	9.99	99
20+20+25+60	1.42	1.42	1.78	4.27	-	8.90 3.70 - 10.10	2.467 0.660 - 4.007	11.32	10.83	99
20+20+25+71	1.32	1.32	1.65	4.70	-	9.00 3.70 - 10.20	2.711 0.660 - 4.011	12.45	11.91	99
20+20+35+35	1.58	1.58	2.77	2.77	-	8.70 3.70 - 10.00	2.170 0.660 - 4.030	9.96	9.53	99
20+20+35+42	1.50	1.50	2.63	3.16 *	-	8.80 3.70 - 10.00	2.314 0.660 - 4.024	10.62	10.16	99
20+20+35+50	1.42	1.42	2.49	3.56 *	-	8.90 3.70 - 10.10	2.484 0.660 - 4.024	11.41	10.91	99
20+20+35+60	1.33	1.33	2.33	4.00	-	9.00 3.70 - 10.20	2.687 0.660 - 4.007	12.34	11.80	99
20+20+35+71	1.23	1.23	2.16	4.38	-	9.00 3.70 - 10.20	2.811 0.660 - 4.011	12.91	12.35	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	-	8.80 3.70 - 10.10	2.458 0.660 - 4.018	11.28	10.79	99
20+20+42+50	1.35	1.35	2.83 *	3.37 *	-	8.90 3.70 - 10.10	2.638 0.660 - 4.018	12.12	11.59	99
20+20+42+60	1.27	1.27	2.66 *	3.80	-	9.00 3.70 - 10.20	2.791 0.660 - 4.001	12.82	12.26	99
20+20+42+71	1.19	1.19	2.50 *	4.22	-	9.10 3.70 - 10.20	2.895 0.660 - 4.005	13.29	12.71	99
20+20+50+50	1.29	1.29	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.808 0.660 - 4.018	12.89	12.33	99
20+20+50+60	1.21	1.21	3.03 *	3.64	-	9.10 3.70 - 10.20	2.851 0.660 - 4.001	13.09	12.52	99
20+20+50+71	1.16	1.16	2.89 *	4.10	-	9.30 3.70 - 10.20	2.995 0.660 - 4.005	13.75	13.15	99
20+20+60+60	1.16	1.16	3.49	3.49	-	9.30 3.70 - 10.20	2.964 0.660 - 3.984	13.61	13.02	99
20+20+60+71	1.10	1.10	3.30	3.90	-	9.40 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	99
20+22+22+22	1.84	2.02	2.02	2.02	-	7.90 3.70 - 9.10	1.943 0.660 - 3.943	8.92	8.53	99
20+22+22+25	1.82	2.00	2.00	2.28	-	8.10 3.70 - 9.30	1.613 0.660 - 3.403	7.40	7.08	99
20+22+22+35	1.74	1.91	1.91	3.04	-	8.60 3.70 - 9.80	1.563 0.660 - 3.403	7.17	6.86	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
20+22+22+42	1.64	1.81	1.81	3.45 *	-	8.70 3.70 - 9.90	2.067 0.660 - 4.017	9.49	9.08	99
20+22+22+50	1.53	1.68	1.68	3.82 *	-	8.70 3.70 - 10.00	2.237 0.660 - 4.017	10.27	9.82	99
20+22+22+60	1.42	1.56	1.56	4.26	-	8.80 3.70 - 10.10	2.440 0.660 - 4.000	11.21	10.72	99
20+22+22+71	1.33	1.47	1.47	4.73	-	9.00 3.70 - 10.20	2.684 0.660 - 4.004	12.33	11.79	99
20+22+25+25	1.78	1.96	2.23	2.23	-	8.20 3.70 - 9.40	1.593 0.660 - 3.403	7.32	7.00	99
20+22+25+35	1.69	1.85	2.11	2.95	-	8.60 3.70 - 9.90	1.983 0.660 - 4.023	9.11	8.71	99
20+22+25+42	1.60	1.76	2.00	3.35 *	-	8.70 3.70 - 10.00	2.137 0.660 - 4.017	9.82	9.39	99
20+22+25+50	1.50	1.65	1.88	3.76 *	-	8.80 3.70 - 10.00	2.307 0.660 - 4.017	10.59	10.13	99
20+22+25+60	1.40	1.54	1.75	4.20	-	8.90 3.70 - 10.10	2.510 0.660 - 4.000	11.52	11.02	99
20+22+25+71	1.30	1.43	1.63	4.63	-	9.00 3.70 - 10.20	2.754 0.660 - 4.004	12.64	12.09	99
20+22+35+35	1.55	1.71	2.72	2.72	-	8.70 3.70 - 10.00	2.203 0.660 - 4.023	10.12	9.68	99
20+22+35+42	1.48	1.63	2.59	3.11 *	-	8.80 3.70 - 10.00	2.347 0.660 - 4.017	10.78	10.31	99
20+22+35+50	1.40	1.54	2.45	3.50 *	-	8.90 3.70 - 10.10	2.527 0.660 - 4.017	11.60	11.10	99
20+22+35+60	1.31	1.45	2.30	3.94	-	9.00 3.70 - 10.20	2.720 0.660 - 4.000	12.49	11.95	99
20+22+35+71	1.23	1.35	2.15	4.37	-	9.10 3.70 - 10.20	2.834 0.660 - 4.004	13.02	12.45	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	-	8.90 3.70 - 10.10	2.501 0.660 - 4.011	11.48	10.98	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	-	8.90 3.70 - 10.20	2.671 0.660 - 4.011	12.26	11.73	99
20+22+42+60	1.25	1.38	2.63 *	3.75	-	9.00 3.70 - 10.20	2.784 0.660 - 3.994	12.79	12.23	99
20+22+42+71	1.19	1.31	2.49 *	4.21	-	9.20 3.70 - 10.20	2.918 0.660 - 3.998	13.40	12.82	99
20+22+50+50	1.27	1.39	3.17 *	3.17 *	-	9.00 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	99
20+22+50+60	1.20	1.32	2.99 *	3.59	-	9.10 3.70 - 10.20	2.874 0.660 - 3.994	13.19	12.62	99
20+22+50+71	1.14	1.26	2.85 *	4.05	-	9.30 3.70 - 10.20	3.018 0.660 - 3.998	13.85	13.25	99
20+22+60+60	1.15	1.26	3.44	3.44	-	9.30 3.70 - 10.20	2.977 0.660 - 3.977	13.66	13.07	99
20+25+25+25	1.77	2.21	2.21	2.21	-	8.40 3.70 - 9.60	1.583 0.660 - 3.403	7.27	6.95	99
20+25+25+35	1.66	2.07	2.07	2.90	-	8.70 3.70 - 9.90	2.053 0.660 - 4.023	9.43	9.02	99
20+25+25+42	1.55	1.94	1.94	3.26 *	-	8.70 3.70 - 10.00	2.197 0.660 - 4.017	10.09	9.65	99
20+25+25+50	1.47	1.83	1.83	3.67 *	-	8.80 3.70 - 10.10	2.377 0.660 - 4.017	10.91	10.44	99
20+25+25+60	1.37	1.71	1.71	4.11	-	8.90 3.70 - 10.10	2.570 0.660 - 4.000	11.80	11.29	99
20+25+25+71	1.28	1.60	1.60	4.53	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
20+25+35+35	1.53	1.91	2.68	2.68	-	8.80 3.70 - 10.00	2.273 0.660 - 4.023	10.43	9.98	99
20+25+35+42	1.44	1.80	2.52	3.03 *	-	8.80 3.70 - 10.10	2.417 0.660 - 4.017	11.09	10.61	99
20+25+35+50	1.37	1.71	2.40	3.42 *	-	8.90 3.70 - 10.10	2.587 0.660 - 4.017	11.88	11.36	99
20+25+35+60	1.29	1.61	2.25	3.86	-	9.00 3.70 - 10.20	2.790 0.660 - 4.000	12.81	12.25	99
20+25+35+71	1.21	1.51	2.11	4.28	-	9.10 3.70 - 10.20	2.874 0.660 - 4.004	13.19	12.62	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	-	8.90 3.70 - 10.10	2.561 0.660 - 4.011	11.76	11.25	99
20+25+42+50	1.31	1.64	2.76 *	3.28 *	-	9.00 3.70 - 10.20	2.731 0.660 - 4.011	12.54	11.99	99
20+25+42+60	1.22	1.53	2.57 *	3.67	-	9.00 3.70 - 10.20	2.814 0.660 - 3.994	12.92	12.36	99
20+25+42+71	1.16	1.46	2.45 *	4.13	-	9.20 3.70 - 10.20	2.948 0.660 - 3.998	13.54	12.95	99
20+25+50+50	1.24	1.55	3.10 *	3.10 *	-	9.00 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	99
20+25+50+60	1.19	1.48	2.97 *	3.56	-	9.20 3.70 - 10.20	2.914 0.660 - 3.994	13.38	12.80	99
20+25+50+71	1.13	1.42	2.83 *	4.02	-	9.40 3.70 - 10.20	3.048 0.660 - 3.998	14.00	13.39	99
20+25+60+60	1.13	1.41	3.38	3.38	-	9.30 3.70 - 10.20	3.017 0.660 - 3.977	13.85	13.25	99
20+35+35+35	1.42	2.49	2.49	2.49	-	8.90 3.70 - 10.10	2.483 0.660 - 4.023	11.40	10.90	99
20+35+35+42	1.35	2.36	2.36	2.83 *	-	8.90 3.70 - 10.10	2.637 0.660 - 4.017	12.11	11.58	99
20+35+35+50	1.29	2.25	2.25	3.21 *	-	9.00 3.70 - 10.20	2.807 0.660 - 4.017	12.89	12.33	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+35+35+60	1.21	2.12	2.12	3.64	-	9.10 3.70 - 10.20	2.850 0.660 - 4.000	13.09	12.52	99
20+35+35+71	1.16	2.02	2.02	4.10	-	9.30 3.70 - 10.20	2.994 0.660 - 4.004	13.75	13.15	99
20+35+42+42	1.29	2.27	2.72 *	2.72 *	-	9.00 3.70 - 10.20	2.781 0.660 - 4.011	12.77	12.21	99
20+35+42+50	1.22	2.14	2.57 *	3.06 *	-	9.00 3.70 - 10.20	2.831 0.660 - 4.011	13.00	12.43	99
20+35+42+60	1.17	2.05	2.46 *	3.52	-	9.20 3.70 - 10.20	2.934 0.660 - 3.994	13.48	12.89	99
20+35+42+71	1.12	1.96	2.35 *	3.97	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	99
20+35+50+50	1.19	2.08	2.97 *	2.97 *	-	9.20 3.70 - 10.20	2.931 0.660 - 4.011	13.46	12.87	99
20+35+50+60	1.13	1.97	2.82 *	3.38	-	9.30 3.70 - 10.20	3.034 0.660 - 3.994	13.93	13.32	99
20+42+42+42	1.23	2.59	2.59 *	2.59 *	-	9.00 3.70 - 10.20	2.805 0.660 - 4.005	12.88	12.32	99
20+42+42+50	1.19	2.51	2.51 *	2.99 *	-	9.20 3.70 - 10.20	2.905 0.660 - 4.005	13.34	12.76	99
20+42+42+60	1.13	2.38	2.38 *	3.40	-	9.30 3.70 - 10.20	3.018 0.660 - 3.988	13.85	13.25	99
20+42+50+50	1.15	2.41	2.87 *	2.87 *	-	9.30 3.70 - 10.20	3.005 0.660 - 4.005	13.80	13.20	99
20+42+50+60	1.09	2.30	2.73 *	3.28	-	9.40 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	99
20+50+50+50	1.11	2.76	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.085 0.660 - 4.005	14.17	13.55	99
22+22+22+22	2.00	2.00	2.00	2.00	-	8.00 3.70 - 9.20	1.986 0.660 - 4.016	9.12	8.72	99
22+22+22+25	1.98	1.98	1.98	2.25	-	8.20 3.70 - 9.40	1.596 0.660 - 3.396	7.33	7.01	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 3.70 - 9.90	1.956 0.660 - 4.016	8.98	8.59	99
22+22+22+42	1.77	1.77	1.77	3.38 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	9.64	9.22	99
22+22+22+50	1.67	1.67	1.67	3.79 *	-	8.80 3.70 - 10.00	2.280 0.660 - 4.010	10.47	10.01	99
22+22+22+60	1.55	1.55	1.55	4.24 *	-	8.90 3.70 - 10.10	2.483 0.660 - 3.993	11.40	10.90	99
22+22+22+71	1.45	1.45	1.45	4.66	-	9.00 3.70 - 10.20	2.717 0.660 - 3.997	12.47	11.93	99
22+22+25+25	1.94	1.94	2.21	2.21	-	8.30 3.70 - 9.60	1.586 0.660 - 3.396	7.29	6.97	99
22+22+25+35	1.82	1.82	2.07	2.89	-	8.60 3.70 - 9.90	2.026 0.660 - 4.016	9.30	8.90	99
22+22+25+42	1.72	1.72	1.96	3.29 *	-	8.70 3.70 - 10.00	2.170 0.660 - 4.010	9.96	9.53	99
22+22+25+50	1.63	1.63	1.85	3.70 *	-	8.80 3.70 - 10.00	2.340 0.660 - 4.010	10.75	10.28	99
22+22+25+60	1.52	1.52	1.72	4.14	-	8.90 3.70 - 10.10	2.543 0.660 - 3.993	11.68	11.17	99
22+22+25+71	1.41	1.41	1.61	4.56	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	99
22+22+35+35	1.68	1.68	2.67	2.67	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	10.27	9.82	99
22+22+35+42	1.60	1.60	2.55	3.05 *	-	8.80 3.70 - 10.10	2.390 0.660 - 4.010	10.98	10.50	99
22+22+35+50	1.52	1.52	2.41	3.45 *	-	8.90 3.70 - 10.10	2.560 0.660 - 4.010	11.75	11.24	99
22+22+35+60	1.42	1.42	2.27	3.88	-	9.00 3.70 - 10.20	2.763 0.660 - 3.993	12.68	12.13	99
22+22+35+71	1.33	1.33	2.12	4.31	-	9.10 3.70 - 10.20	2.847 0.660 - 3.997	13.07	12.50	99
22+22+42+42	1.53	1.53	2.92 *	2.92 *	-	8.90 3.70 - 10.10	2.534 0.660 - 4.004	11.64	11.13	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	-	9.00 3.70 - 10.20	2.704 0.660 - 4.004	12.42	11.88	99
22+22+42+60	1.36	1.36	2.59 *	3.70	-	9.00 3.70 - 10.20	2.787 0.660 - 3.987	12.80	12.24	99
22+22+42+71	1.29	1.29	2.46 *	4.16	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	13.46	12.87	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
22+22+50+60	1.31	1.31	2.99 *	3.58	-	9.20 3.70 - 10.20	2.887 0.660 - 3.987	13.26	12.68	99
22+22+50+71	1.24	1.24	2.82 *	4.00	-	9.30 3.70 - 10.20	3.031 0.660 - 3.991	13.92	13.31	99
22+22+60+60	1.25	1.25	3.40	3.40	-	9.30 3.70 - 10.20	3.000 0.660 - 3.970	13.78	13.18	99
22+25+25+25	1.93	2.19	2.19	2.19	-	8.50 3.70 - 9.70	1.566 0.660 - 3.396	7.19	6.88	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 3.70 - 10.00	2.086 0.660 - 4.016	9.58	9.16	99
22+25+25+42	1.68	1.91	1.91	3.21 *	-	8.70 3.70 - 10.00	2.230 0.660 - 4.010	10.24	9.79	99
22+25+25+50	1.59	1.80	1.80	3.61 *	-	8.80 3.70 - 10.10	2.410 0.660 - 4.010	11.06	10.58	99
22+25+25+60	1.48	1.69	1.69	4.05	-	8.90 3.70 - 10.10	2.613 0.660 - 3.993	12.00	11.48	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
22+25+25+71	1.38	1.57	1.57	4.47	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	99
22+25+35+35	1.65	1.88	2.63	2.63	-	8.80 3.70 - 10.00	2.306 0.660 - 4.016	10.59	10.13	99
22+25+35+42	1.56	1.77	2.48	2.98 *	-	8.80 3.70 - 10.10	2.450 0.660 - 4.010	11.25	10.76	99
22+25+35+50	1.48	1.69	2.36	3.37 *	-	8.90 3.70 - 10.10	2.630 0.660 - 4.010	12.08	11.55	99
22+25+35+60	1.39	1.58	2.22	3.80	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	99
22+25+35+71	1.31	1.49	2.08	4.22	-	9.10 3.70 - 10.20	2.887 0.660 - 3.997	13.26	12.68	99
22+25+42+42	1.49	1.70	2.85 *	2.85 *	-	8.90 3.70 - 10.10	2.594 0.660 - 4.004	11.91	11.39	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	-	9.00 3.70 - 10.20	2.774 0.660 - 4.004	12.73	12.18	99
22+25+42+60	1.34	1.53	2.57 *	3.66	-	9.10 3.70 - 10.20	2.827 0.660 - 3.987	12.98	12.42	99
22+25+42+71	1.28	1.45	2.44 *	4.13 *	-	9.30 3.70 - 10.20	2.971 0.660 - 3.991	13.64	13.05	99
22+25+50+50	1.35	1.53	3.06 *	3.06 *	-	9.00 3.70 - 10.20	2.824 0.660 - 4.004	12.96	12.40	99
22+25+50+60	1.29	1.46	2.93 *	3.52	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	13.43	12.85	99
22+25+50+71	1.23	1.40	2.80 *	3.97	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	99
22+25+60+60	1.24	1.41	3.38	3.38	-	9.40 3.70 - 10.20	3.040 0.660 - 3.970	13.96	13.35	99
22+35+35+35	1.54	2.45	2.45	2.45	-	8.90 3.70 - 10.10	2.526 0.660 - 4.016	11.59	11.09	99
22+35+35+42	1.46	2.32	2.32	2.79 *	-	8.90 3.70 - 10.20	2.670 0.660 - 4.010	12.26	11.73	99
22+35+35+50	1.39	2.22	2.22	3.17 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	12.86	12.30	99
22+35+35+60	1.32	2.10	2.10	3.59	-	9.10 3.70 - 10.20	2.873 0.660 - 3.993	13.19	12.62	99
22+35+35+71	1.26	2.00	2.00	4.05	-	9.30 3.70 - 10.20	3.017 0.660 - 3.997	13.85	13.25	99
22+35+42+42	1.40	2.23	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
22+35+42+50	1.34	2.14	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	13.06	12.49	99
22+35+42+60	1.27	2.03	2.43 *	3.47	-	9.20 3.70 - 10.20	2.957 0.660 - 3.987	13.58	12.99	99
22+35+42+71	1.22	1.94	2.32 *	3.93	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	99
22+35+50+50	1.29	2.05	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.944 0.660 - 4.004	13.52	12.93	99
22+35+50+60	1.24	1.97	2.81 *	3.38	-	9.40 3.70 - 10.20	3.057 0.660 - 3.987	14.04	13.43	99
22+42+42+42	1.35	2.58	2.58 *	2.58 *	-	9.10 3.70 - 10.20	2.828 0.660 - 3.998	12.98	12.42	99
22+42+42+50	1.30	2.48	2.48 *	2.95 *	-	9.20 3.70 - 10.20	2.928 0.660 - 3.998	13.44	12.86	99
22+42+42+60	1.25	2.38	2.38 *	3.40	-	9.40 3.70 - 10.20	3.031 0.660 - 3.981	13.92	13.31	99
22+42+50+50	1.25	2.38	2.84 *	2.84 *	-	9.30 3.70 - 10.20	3.028 0.660 - 3.998	13.90	13.30	99
22+50+50+50	1.20	2.73	2.73 *	2.73 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.89	8.50	99
25+25+25+35	1.98	1.98	1.98	2.77	-	8.70 3.70 - 10.00	2.156 0.660 - 4.016	9.90	9.47	99
25+25+25+42	1.88	1.88	1.88	3.16 *	-	8.80 3.70 - 10.00	2.300 0.660 - 4.010	10.56	10.10	99
25+25+25+50	1.78	1.78	1.78	3.56 *	-	8.90 3.70 - 10.10	2.470 0.660 - 4.010	11.34	10.85	99
25+25+25+60	1.67	1.67	1.67	4.00	-	9.00 3.70 - 10.20	2.673 0.660 - 3.993	12.27	11.74	99
25+25+25+71	1.54	1.54	1.54	4.38	-	9.00 3.70 - 10.20	2.797 0.660 - 3.997	12.84	12.28	99
25+25+35+35	1.83	1.83	2.57	2.57	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	10.90	10.43	99
25+25+35+42	1.75	1.75	2.45	2.94 *	-	8.90 3.70 - 10.10	2.520 0.660 - 4.010	11.57	11.07	99
25+25+35+50	1.67	1.67	2.33	3.33 *	-	9.00 3.70 - 10.20	2.690 0.660 - 4.010	12.35	11.81	99
25+25+35+60	1.55	1.55	2.17	3.72	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	99
25+25+35+71	1.47	1.47	2.06	4.19	-	9.20 3.70 - 10.20	2.927 0.660 - 3.997	13.43	12.85	99
25+25+42+42	1.66	1.66	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.664 0.660 - 4.004	12.23	11.70	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
25+25+42+60	1.50	1.50	2.51 *	3.59	-	9.10 3.70 - 10.20	2.867 0.660 - 3.987	13.16	12.59	99
25+25+42+71	1.43	1.43	2.40 *	4.05	-	9.30 3.70 - 10.20	3.011 0.660 - 3.991	13.82	13.22	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230		
25+25+50+50	1.52	1.52	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.854 - 4.004	0.660	13.10	12.53	99
25+25+50+60	1.45	1.45	2.91 *	3.49	-	9.30 3.70 - 10.20	2.967 - 3.987	0.660	13.62	13.03	99
25+25+50+71	1.37	1.37	2.75 *	3.90	-	9.40 3.70 - 10.20	3.071 - 3.991	0.660	14.10	13.49	99
25+25+60+60	1.38	1.38	3.32	3.32	-	9.40 3.70 - 10.20	3.050 - 3.970	0.660	14.00	13.39	99
25+35+35+35	1.71	2.40	2.40	2.40	-	8.90 3.70 - 10.10	2.586 - 4.016	0.660	11.88	11.36	99
25+35+35+42	1.64	2.30	2.30	2.76 *	-	9.00 3.70 - 10.20	2.730 - 4.010	0.660	12.54	11.99	99
25+35+35+50	1.55	2.17	2.17	3.10 *	-	9.00 3.70 - 10.20	2.800 - 4.010	0.660	12.86	12.30	99
25+35+35+60	1.48	2.08	2.08	3.56	-	9.20 3.70 - 10.20	2.913 - 3.993	0.660	13.37	12.79	99
25+35+35+71	1.42	1.98	1.98	4.02	-	9.40 3.70 - 10.20	3.047 - 3.997	0.660	13.99	13.38	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.794 - 4.004	0.660	12.83	12.27	99
25+35+42+50	1.50	2.10	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.884 - 4.004	0.660	13.25	12.67	99
25+35+42+60	1.44	2.01	2.41 *	3.44	-	9.30 3.70 - 10.20	2.987 - 3.987	0.660	13.72	13.12	99
25+35+50+50	1.45	2.03	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.984 - 4.004	0.660	13.70	13.10	99
25+35+50+60	1.38	1.94	2.76 *	3.32	-	9.40 3.70 - 10.20	3.067 - 3.987	0.660	14.08	13.47	99
25+42+42+42	1.51	2.53	2.53 *	2.53 *	-	9.10 3.70 - 10.20	2.868 - 3.998	0.660	13.17	12.60	99
25+42+42+50	1.45	2.43	2.43 *	2.89 *	-	9.20 3.70 - 10.20	2.968 - 3.998	0.660	13.62	13.03	99
25+42+42+60	1.39	2.34	2.34 *	3.34	-	9.40 3.70 - 10.20	3.061 - 3.981	0.660	14.05	13.44	99
25+42+50+50	1.41	2.36	2.81 *	2.81 *	-	9.40 3.70 - 10.20	3.068 - 3.998	0.660	14.08	13.47	99
35+35+35+35	2.25	2.25	2.25	2.25	-	9.00 3.70 - 10.20	2.806 - 4.016	0.660	12.88	12.32	99
35+35+35+42	2.14	2.14	2.14	2.57 *	-	9.00 3.70 - 10.20	2.830 - 4.010	0.660	13.00	12.43	99
35+35+35+50	2.08	2.08	2.08	2.97 *	-	9.20 3.70 - 10.20	2.930 - 4.010	0.660	13.46	12.87	99
35+35+35+60	1.97	1.97	1.97	3.38	-	9.30 3.70 - 10.20	3.033 - 3.993	0.660	13.93	13.32	99
35+35+42+42	2.09	2.09	2.51 *	2.51 *	-	9.20 3.70 - 10.20	2.904 - 4.004	0.660	13.33	12.75	99
35+35+42+50	2.01	2.01	2.41 *	2.87 *	- *	9.30 3.70 - 10.20	3.004 - 4.004	0.660	13.79	13.19	99
35+35+42+60	1.91	1.91	2.30 *	3.28	- *	9.40 3.70 - 10.20	3.067 - 3.987	0.660	14.08	13.47	99
35+35+50+50	1.94	1.94	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.084 - 4.004	0.660	14.16	13.54	99
35+42+42+42	2.02	2.43	2.43 *	2.43 *	-	9.30 3.70 - 10.20	2.988 - 3.998	0.660	13.72	13.12	99
35+42+42+50	1.95	2.34	2.34 *	2.78 *	-	9.40 3.70 - 10.20	3.078 - 3.998	0.660	14.13	13.52	99
42+42+42+42	2.35	2.35	2.35 *	2.35 *	-	9.40 3.70 - 10.20	3.072 - 3.992	0.660	14.10	13.49	99
15+15+15+15+15	1.40	1.40	1.40	1.40	1.40	7.00 3.90 - 8.90	1.975 - 4.035	0.640	9.06	8.67	99
15+15+15+15+22	1.35	1.35	1.35	1.35	1.99	7.40 3.90 - 9.19	2.076 - 4.046	0.640	9.53	9.12	99
15+15+15+15+25	1.34	1.34	1.34	1.34	2.24	7.60 3.90 - 9.32	2.126 - 4.056	0.640	9.76	9.34	99
15+15+15+15+35	1.28	1.28	1.28	1.28	2.98	8.10 3.90 - 9.74	2.276 - 4.086	0.640	10.45	10.00	99
15+15+15+15+42	1.24	1.24	1.24	1.24	3.48 *	8.45 3.90 - 10.03	2.380 - 4.100	0.640	10.93	10.45	99
15+15+15+15+50	1.21	1.21	1.21	1.21	4.02 *	8.85 3.90 - 10.37	2.510 - 4.130	0.640	11.52	11.02	99
15+15+15+15+60	1.17	1.17	1.17	1.17	4.68	9.35 3.90 - 10.79	2.643 - 4.143	0.640	12.14	11.61	99
15+15+15+15+71	1.10	1.10	1.10	1.10	5.20	9.60 3.90 - 11.00	2.727 - 4.157	0.640	12.52	11.98	99
15+15+15+20+20	1.32	1.32	1.32	1.76	1.76	7.50 3.90 - 9.32	2.131 - 4.061	0.640	9.79	9.36	99
15+15+15+20+22	1.32	1.32	1.32	1.76	1.93	7.65 3.90 - 9.40	2.154 - 4.064	0.640	9.89	9.46	99
15+15+15+20+25	1.31	1.31	1.31	1.74	2.18	7.85 3.90 - 9.53	2.194 - 4.074	0.640	10.08	9.64	99
15+15+15+20+35	1.25	1.25	1.25	1.67	2.92	8.35 3.90 - 9.95	2.354 - 4.104	0.640	10.81	10.34	99
15+15+15+20+42	1.22	1.22	1.22	1.63	3.41 *	8.70 3.90 - 10.24	2.458 - 4.118	0.640	11.28	10.79	99
15+15+15+20+50	1.19	1.19	1.19	1.58	3.96 *	9.10 3.90 - 10.58	2.578 - 4.138	0.640	11.83	11.32	99
15+15+15+20+60	1.15	1.15	1.15	1.54	4.61	9.60 3.90 - 11.00	2.721 - 4.151	0.640	12.49	11.95	99
15+15+15+20+71	1.06	1.06	1.06	1.41	5.01	9.60 3.90 - 11.00	2.725 - 4.155	0.640	12.51	11.97	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+15+15+22+22	1.31	1.31	1.31	1.93	1.93	7.80 3.90 - 9.49	2.177 0.640 - 4.057	9.99	9.56	99
15+15+15+22+25	1.30	1.30	1.30	1.91	2.17	8.00 3.90 - 9.61	2.227 0.640 - 4.067	10.22	9.78	99
15+15+15+22+35	1.25	1.25	1.25	1.83	2.92	8.50 3.90 - 10.03	2.377 0.640 - 4.097	10.91	10.44	99
15+15+15+22+42	1.22	1.22	1.22	1.79	3.41 *	8.85 3.90 - 10.33	2.481 0.640 - 4.111	11.40	10.90	99
15+15+15+22+50	1.19	1.19	1.19	1.74	3.95 *	9.25 3.90 - 10.66	2.611 0.640 - 4.141	11.99	11.47	99
15+15+15+22+60	1.14	1.14	1.14	1.67	4.56	9.65 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+22+71	1.05	1.05	1.05	1.54	4.96	9.65 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+25+25	1.29	1.29	1.29	2.16	2.16	8.20 3.90 - 9.74	2.267 0.640 - 4.077	10.41	9.96	99
15+15+15+25+35	1.24	1.24	1.24	2.07	2.90	8.70 3.90 - 10.16	2.427 0.640 - 4.107	11.14	10.66	99
15+15+15+25+42	1.21	1.21	1.21	2.02	3.39 *	9.05 3.90 - 10.45	2.531 0.640 - 4.121	11.63	11.12	99
15+15+15+25+50	1.18	1.18	1.18	1.97	3.94 *	9.45 3.90 - 10.79	2.651 0.640 - 4.151	12.17	11.64	99
15+15+15+25+60	1.12	1.12	1.12	1.87	4.48	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+25+71	1.03	1.03	1.03	1.72	4.88	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+35+35	1.20	1.20	1.20	2.80	2.80	9.20 3.90 - 10.58	2.577 0.640 - 4.137	11.83	11.32	99
15+15+15+35+42	1.17	1.17	1.17	2.74	3.29 *	9.55 3.90 - 10.87	2.681 0.640 - 4.151	12.31	11.77	99
15+15+15+35+50	1.12	1.12	1.12	2.61	3.73 *	9.70 3.90 - 11.00	2.731 0.640 - 4.161	12.54	11.99	99
15+15+15+35+60	1.04	1.04	1.04	2.43	4.16	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+35+71	0.96	0.96	0.96	2.25	4.56	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+42+42	1.13	1.13	1.13	3.16 *	3.16 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+42+50	1.06	1.06	1.06	2.97 *	3.54 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+42+60	0.99	0.99	0.99	2.77 *	3.96	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+15+15+42+71	0.92	0.92	0.92	2.58 *	4.36	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+15+50+50	1.00	1.00	1.00	3.34 *	3.34 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+50+60	0.94	0.94	0.94	3.13 *	3.75	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+15+15+50+71	0.88	0.88	0.88	2.92 *	4.15	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+15+60+60	0.88	0.88	0.88	3.53	3.53	9.70 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
15+15+20+20+20	1.29	1.29	1.72	1.72	1.72	7.75 3.90 - 9.53	2.199 0.640 - 4.079	10.10	9.66	99
15+15+20+20+22	1.29	1.29	1.72	1.72	1.89	7.90 3.90 - 9.61	2.232 0.640 - 4.072	10.25	9.80	99
15+15+20+20+25	1.28	1.28	1.71	1.71	2.13	8.10 3.90 - 9.74	2.272 0.640 - 4.082	10.43	9.98	99
15+15+20+20+35	1.23	1.23	1.64	1.64	2.87	8.60 3.90 - 10.16	2.432 0.640 - 4.112	11.17	10.68	99
15+15+20+20+42	1.20	1.20	1.60	1.60	3.36 *	8.95 3.90 - 10.45	2.536 0.640 - 4.126	11.65	11.14	99
15+15+20+20+50	1.17	1.17	1.56	1.56	3.90 *	9.35 3.90 - 10.79	2.656 0.640 - 4.156	12.19	11.66	99
15+15+20+20+60	1.11	1.11	1.48	1.48	4.43	9.60 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+15+20+20+71	1.02	1.02	1.36	1.36	4.83	9.60 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+22+22	1.28	1.28	1.71	1.88	1.88	8.05 3.90 - 9.70	2.255 0.640 - 4.075	10.35	9.90	99
15+15+20+22+25	1.28	1.28	1.70	1.87	2.13	8.25 3.90 - 9.82	2.295 0.640 - 4.085	10.54	10.08	99
15+15+20+22+35	1.23	1.23	1.64	1.80	2.86	8.75 3.90 - 10.24	2.455 0.640 - 4.115	11.27	10.78	99
15+15+20+22+42	1.20	1.20	1.60	1.76	3.35 *	9.10 3.90 - 10.54	2.559 0.640 - 4.129	11.75	11.24	99
15+15+20+22+50	1.17	1.17	1.56	1.71	3.89 *	9.50 3.90 - 10.87	2.679 0.640 - 4.149	12.31	11.77	99
15+15+20+22+60	1.10	1.10	1.46	1.61	4.39	9.65 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+22+71	1.01	1.01	1.35	1.48	4.79	9.65 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+25+25	1.27	1.27	1.69	2.11	2.11	8.45 3.90 - 9.95	2.345 0.640 - 4.095	10.77	10.30	99
15+15+20+25+35	1.22	1.22	1.63	2.03	2.85	8.95 3.90 - 10.37	2.505 0.640 - 4.125	11.50	11.00	99
15+15+20+25+42	1.19	1.19	1.59	1.99	3.34 *	9.30 3.90 - 10.66	2.609 0.640 - 4.139	11.98	11.46	99
15+15+20+25+50	1.16	1.16	1.55	1.94	3.88 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+15+20+25+60	1.08	1.08	1.44	1.80	4.31	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+25+71	1.00	1.00	1.33	1.66	4.72	9.70 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+35+35	1.18	1.18	1.58	2.76	2.76	9.45 3.90 - 10.79	2.655 0.640 - 4.155	12.19	11.66	99
15+15+20+35+42	1.15	1.15	1.53	2.67	3.21 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99
15+15+20+35+50	1.08	1.08	1.44	2.51	3.59 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99
15+15+20+35+60	1.00	1.00	1.34	2.34	4.01	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+35+71	0.93	0.93	1.24	2.18	4.41	9.70 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+42+42	1.09	1.09	1.45	3.04 *	3.04 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+42+50	1.02	1.02	1.37	2.87 *	3.42 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+42+60	0.96	0.96	1.28	2.68 *	3.83	9.70 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
15+15+20+42+71	0.89	0.89	1.19	2.50 *	4.23	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+20+50+50	0.97	0.97	1.29	3.23 *	3.23 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+50+60	0.91	0.91	1.21	3.03 *	3.64	9.70 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
15+15+20+50+71	0.85	0.85	1.13	2.84 *	4.03	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+20+60+60	0.86	0.86	1.14	3.42	3.42	9.70 3.90 - 11.00	2.689 0.640 - 4.119	12.35	11.81	99
15+15+22+22+22	1.28	1.28	1.88	1.88	1.88	8.20 3.90 - 9.78	2.278 0.640 - 4.068	10.45	10.00	99
15+15+22+22+25	1.27	1.27	1.87	1.87	2.12	8.40 3.90 - 9.91	2.318 0.640 - 4.078	10.64	10.18	99
15+15+22+22+35	1.22	1.22	1.80	1.80	2.86	8.90 3.90 - 10.33	2.478 0.640 - 4.108	11.37	10.88	99
15+15+22+22+42	1.20	1.20	1.75	1.75	3.35 *	9.25 3.90 - 10.62	2.582 0.640 - 4.122	11.86	11.34	99
15+15+22+22+50	1.17	1.17	1.71	1.71	3.89 *	9.65 3.90 - 10.96	2.702 0.640 - 4.152	12.41	11.87	99
15+15+22+22+60	1.09	1.09	1.59	1.59	4.34	9.70 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+22+71	1.00	1.00	1.47	1.47	4.75	9.70 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+25+25	1.26	1.26	1.85	2.11	2.11	8.60 3.90 - 10.03	2.368 0.640 - 4.088	10.87	10.40	99
15+15+22+25+35	1.22	1.22	1.79	2.03	2.84	9.10 3.90 - 10.45	2.528 0.640 - 4.118	11.60	11.10	99
15+15+22+25+42	1.19	1.19	1.75	1.99	3.34 *	9.45 3.90 - 10.75	2.632 0.640 - 4.132	12.09	11.56	99
15+15+22+25+50	1.15	1.15	1.69	1.92	3.84 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+25+60	1.07	1.07	1.57	1.78	4.27	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+25+71	0.99	0.99	1.45	1.65	4.68	9.75 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+35+35	1.18	1.18	1.73	2.75	2.75	9.60 3.90 - 10.87	2.678 0.640 - 4.148	12.29	11.76	99
15+15+22+35+42	1.13	1.13	1.66	2.65	3.17 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+35+50	1.07	1.07	1.57	2.49	3.56 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+35+60	0.99	0.99	1.46	2.32	3.98	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+35+71	0.93	0.93	1.36	2.16	4.38	9.75 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+42+42	1.08	1.08	1.58	3.01 *	3.01 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+42+50	1.02	1.02	1.49	2.84 *	3.39 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+42+60	0.95	0.95	1.39	2.66 *	3.80	9.75 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+22+42+71	0.89	0.89	1.30	2.48 *	4.20	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+15+22+50+50	0.96	0.96	1.41	3.21 *	3.21 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+50+60	0.90	0.90	1.32	3.01 *	3.61	9.75 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+22+60+60	0.85	0.85	1.25	3.40	3.40	9.75 3.90 - 11.00	2.682 0.640 - 4.112	12.32	11.78	99
15+15+25+25+25	1.26	1.26	2.10	2.10	2.10	8.80 3.90 - 10.16	2.418 0.640 - 4.098	11.10	10.62	99
15+15+25+25+35	1.21	1.21	2.02	2.02	2.83	9.30 3.90 - 10.58	2.568 0.640 - 4.128	11.79	11.28	99
15+15+25+25+42	1.19	1.19	1.98	1.98	3.32 *	9.65 3.90 - 10.87	2.672 0.640 - 4.142	12.26	11.73	99
15+15+25+25+50	1.13	1.13	1.88	1.88	3.77 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+25+60	1.05	1.05	1.75	1.75	4.20	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+25+25+71	0.97	0.97	1.62	1.62	4.61	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+25+35+35	1.18	1.18	1.96	2.74	2.74	9.80 3.90 - 11.00	2.728 0.640 - 4.158	12.52	11.98	99
15+15+25+35+42	1.11	1.11	1.86	2.60	3.12 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+35+50	1.05	1.05	1.75	2.45	3.50 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+35+60	0.98	0.98	1.63	2.29	3.92	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+25+35+71	0.91	0.91	1.52	2.13	4.32	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+25+42+42	1.06	1.06	1.76	2.96 *	2.96 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+42+50	1.00	1.00	1.67	2.80 *	3.33 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+42+60	0.94	0.94	1.56	2.62 *	3.75	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+25+42+71	0.88	0.88	1.46	2.45 *	4.14	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+15+25+50+50	0.95	0.95	1.58	3.16 *	3.16 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+50+60	0.89	0.89	1.48	2.97 *	3.56	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+35+35+35	1.09	1.09	2.54	2.54	2.54	9.80 3.90 - 11.00	2.728 0.640 - 4.158	12.52	11.98	99
15+15+35+35+42	1.04	1.04	2.42	2.42	2.90 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+35+35+50	0.98	0.98	2.29	2.29	3.27 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+35+35+60	0.92	0.92	2.14	2.14	3.68	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+35+35+71	0.86	0.86	2.01	2.01	4.07	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+35+42+42	0.99	0.99	2.30	2.76 *	2.76 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+35+42+50	0.94	0.94	2.18	2.62 *	3.12 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+35+42+60	0.88	0.88	2.05	2.46 *	3.52	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+35+50+50	0.89	0.89	2.08	2.97 *	2.97 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+42+42+42	0.94	0.94	2.64 *	2.64 *	2.64 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+42+42+50	0.90	0.90	2.51 *	2.51 *	2.99 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+42+50+50	0.85	0.85	2.39 *	2.85 *	2.85 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+20+20	1.26	1.68	1.68	1.68	1.68	8.00 3.90 - 9.74	2.277 0.640 - 4.087	10.45	10.00	99
15+20+20+20+22	1.26	1.68	1.68	1.68	1.85	8.15 3.90 - 9.82	2.300 0.640 - 4.090	10.56	10.10	99
15+20+20+20+25	1.25	1.67	1.67	1.67	2.09	8.35 3.90 - 9.95	2.350 0.640 - 4.100	10.79	10.32	99
15+20+20+20+35	1.21	1.61	1.61	1.61	2.82	8.85 3.90 - 10.37	2.510 0.640 - 4.130	11.52	11.02	99
15+20+20+20+42	1.18	1.57	1.57	1.57	3.30 *	9.20 3.90 - 10.66	2.614 0.640 - 4.144	12.00	11.48	99
15+20+20+20+50	1.15	1.54	1.54	1.54	3.84 *	9.60 3.90 - 11.00	2.734 0.640 - 4.164	12.56	12.01	99
15+20+20+20+60	1.07	1.42	1.42	1.42	4.27	9.60 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
15+20+20+20+71	0.99	1.32	1.32	1.32	4.67	9.60 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+22+22	1.26	1.68	1.68	1.84	1.84	8.30 3.90 - 9.91	2.323 0.640 - 4.083	10.66	10.20	99
15+20+20+22+25	1.25	1.67	1.67	1.83	2.08	8.50 3.90 - 10.03	2.373 0.640 - 4.093	10.89	10.42	99
15+20+20+22+35	1.21	1.61	1.61	1.77	2.81	9.00 3.90 - 10.45	2.533 0.640 - 4.123	11.63	11.12	99
15+20+20+22+42	1.18	1.57	1.57	1.73	3.30 *	9.35 3.90 - 10.75	2.637 0.640 - 4.137	12.11	11.58	99
15+20+20+22+50	1.14	1.52	1.52	1.67	3.80 *	9.65 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+22+60	1.06	1.41	1.41	1.55	4.23	9.65 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+22+71	0.98	1.30	1.30	1.43	4.63	9.65 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+20+25+25	1.24	1.66	1.66	2.07	2.07	8.70 3.90 - 10.16	2.423 0.640 - 4.103	11.12	10.64	99
15+20+20+25+35	1.20	1.60	1.60	2.00	2.80	9.20 3.90 - 10.58	2.573 0.640 - 4.133	11.81	11.30	99
15+20+20+25+42	1.17	1.57	1.57	1.96	3.29 *	9.55 3.90 - 10.87	2.677 0.640 - 4.147	12.29	11.76	99
15+20+20+25+50	1.12	1.49	1.49	1.87	3.73 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+25+60	1.04	1.39	1.39	1.73	4.16	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+25+71	0.96	1.28	1.28	1.61	4.56	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+20+35+35	1.16	1.55	1.55	2.72	2.72	9.70 3.90 - 11.00	2.733 0.640 - 4.163	12.55	12.00	99
15+20+20+35+42	1.10	1.47	1.47	2.57	3.09 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+35+50	1.04	1.39	1.39	2.43	3.46 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+35+60	0.97	1.29	1.29	2.26	3.88	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+35+71	0.90	1.20	1.20	2.11	4.28	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+20+42+42	1.05	1.40	1.40	2.93 *	2.93 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+42+50	0.99	1.32	1.32	2.77 *	3.30 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+42+60	0.93	1.24	1.24	2.59 *	3.71	9.70 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
15+20+20+42+71	0.87	1.15	1.15	2.43 *	4.10	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+20+20+50+50	0.94	1.25	1.25	3.13 *	3.13 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+50+60	0.88	1.18	1.18	2.94 *	3.53	9.70 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
15+20+22+22+22	1.25	1.67	1.84	1.84	1.84	8.45 3.90 - 9.99	2.356 0.640 - 4.086	10.82	10.35	99
15+20+22+22+25	1.25	1.66	1.83	1.83	2.08	8.65 3.90 - 10.12	2.396 0.640 - 4.096	11.00	10.52	99
15+20+22+22+35	1.20	1.61	1.77	1.77	2.81	9.15 3.90 - 10.54	2.556 0.640 - 4.126	11.74	11.23	99
15+20+22+22+42	1.18	1.57	1.73	1.73	3.30 *	9.50 3.90 - 10.83	2.660 0.640 - 4.140	12.21	11.68	99
15+20+22+22+50	1.13	1.50	1.65	1.65	3.76 *	9.70 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+22+60	1.05	1.40	1.54	1.54	4.19	9.70 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+22+71	0.97	1.29	1.42	1.42	4.59	9.70 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+25+25	1.24	1.65	1.82	2.07	2.07	8.85 3.90 - 10.24	2.446 0.640 - 4.106	11.23	10.74	99
15+20+22+25+35	1.20	1.60	1.76	2.00	2.80	9.35 3.90 - 10.66	2.606 0.640 - 4.136	11.96	11.44	99
15+20+22+25+42	1.17	1.56	1.72	1.96	3.29 *	9.70 3.90 - 10.96	2.700 0.640 - 4.150	12.40	11.86	99
15+20+22+25+50	1.11	1.48	1.63	1.85	3.69 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+25+60	1.03	1.37	1.51	1.72	4.12	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+25+71	0.96	1.27	1.40	1.59	4.52	9.75 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+35+35	1.15	1.54	1.69	2.69	2.69	9.75 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+22+35+42	1.09	1.46	1.60	2.55	3.06 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+35+50	1.03	1.37	1.51	2.40	3.43 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+35+60	0.96	1.28	1.41	2.25	3.85	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+35+71	0.90	1.20	1.32	2.09	4.25	9.75 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+42+42	1.04	1.38	1.52	2.90 *	2.90 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+42+50	0.98	1.31	1.44	2.75 *	3.27 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+42+60	0.92	1.23	1.35	2.58 *	3.68	9.75 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+22+42+71	0.86	1.15	1.26	2.41 *	4.07	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+20+22+50+50	0.93	1.24	1.37	3.11 *	3.11 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+50+60	0.88	1.17	1.28	2.92 *	3.50	9.75 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+25+25+25	1.23	1.65	2.06	2.06	2.06	9.05 3.90 - 10.37	2.496 0.640 - 4.116	11.46	10.96	99
15+20+25+25+35	1.19	1.59	1.99	1.99	2.79	9.55 3.90 - 10.79	2.646 0.640 - 4.146	12.15	11.62	99
15+20+25+25+42	1.16	1.54	1.93	1.93	3.24 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+25+50	1.09	1.45	1.81	1.81	3.63 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+25+60	1.01	1.35	1.69	1.69	4.06	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+25+25+71	0.94	1.26	1.57	1.57	4.46	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+25+35+35	1.13	1.51	1.88	2.64	2.64	9.80 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+25+35+42	1.07	1.43	1.79	2.50	3.00 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+35+50	1.01	1.35	1.69	2.37	3.38 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+35+60	0.95	1.26	1.58	2.21	3.79	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+25+35+71	0.89	1.18	1.48	2.07	4.19	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+25+42+42	1.02	1.36	1.70	2.86 *	2.86 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+42+50	0.97	1.29	1.61	2.71 *	3.22 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+42+60	0.91	1.21	1.51	2.54 *	3.63	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+25+50+50	0.92	1.23	1.53	3.06 *	3.06 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+50+60	0.86	1.15	1.44	2.88 *	3.46	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+35+35+35	1.05	1.40	2.45	2.45	2.45	9.80 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+35+35+42	1.00	1.33	2.33	2.33	2.80 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+35+35+50	0.95	1.26	2.21	2.21	3.16 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+35+35+60	0.89	1.19	2.08	2.08	3.56	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+35+42+42	0.95	1.27	2.23	2.67 *	2.67 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+35+42+50	0.91	1.21	2.12	2.54 *	3.02 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+35+42+60	0.85	1.14	1.99	2.39 *	3.42	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+35+50+50	0.86	1.15	2.02	2.88 *	2.88 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+42+42+42	0.91	1.22	2.56 *	2.56 *	2.56 *	9.80 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+20+42+42+50	0.87	1.16	2.44 *	2.44 *	2.90 *	9.80 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+22+22+22+22	1.25	1.84	1.84	1.84	1.84	8.60 3.90 - 10.08	2.379 0.640 - 4.079	10.93	10.45	99
15+22+22+22+25	1.25	1.83	1.83	1.83	2.08	8.80 3.90 - 10.20	2.419 0.640 - 4.089	11.10	10.62	99
15+22+22+22+35	1.20	1.76	1.76	1.76	2.81	9.30 3.90 - 10.62	2.579 0.640 - 4.119	11.85	11.33	99
15+22+22+22+42	1.18	1.73	1.73	1.73	3.30 *	9.65 3.90 - 10.92	2.683 0.640 - 4.133	12.32	11.78	99
15+22+22+22+50	1.12	1.64	1.64	1.64	3.72 *	9.75 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+22+60	1.04	1.52	1.52	1.52	4.15	9.75 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+22+71	0.96	1.41	1.41	1.41	4.55	9.75 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+25+25	1.24	1.82	1.82	2.06	2.06	9.00 3.90 - 10.33	2.469 0.640 - 4.099	11.33	10.84	99
15+22+22+25+35	1.20	1.76	1.76	2.00	2.79	9.50 3.90 - 10.75	2.629 0.640 - 4.129	12.08	11.55	99
15+22+22+25+42	1.17	1.71	1.71	1.94	3.27 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+25+50	1.10	1.61	1.61	1.83	3.66 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+25+60	1.02	1.50	1.50	1.70	4.08	9.80 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+25+71	0.95	1.39	1.39	1.58	4.49	9.80 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+35+35	1.14	1.67	1.67	2.66	2.66	9.80 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+22+35+42	1.08	1.59	1.59	2.52	3.03 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+35+50	1.02	1.50	1.50	2.38	3.40 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+35+60	0.95	1.40	1.40	2.23	3.82	9.80 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+35+71	0.89	1.31	1.31	2.08	4.22	9.80 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+42+42	1.03	1.51	1.51	2.88 *	2.88 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+42+50	0.97	1.43	1.43	2.73 *	3.25 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+42+60	0.91	1.34	1.34	2.56 *	3.65	9.80 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+22+42+71	0.85	1.25	1.25	2.39 *	4.05	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
15+22+22+50+50	0.92	1.36	1.36	3.08 *	3.08 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+50+60	0.87	1.28	1.28	2.90 *	3.48	9.80 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+25+25+25	1.23	1.81	2.05	2.05	2.05	9.20 3.90 - 10.45	2.519 0.640 - 4.109	11.56	11.06	99
15+22+25+25+35	1.19	1.75	1.99	1.99	2.78	9.70 3.90 - 10.87	2.669 0.640 - 4.139	12.25	11.72	99
15+22+25+25+42	1.15	1.68	1.91	1.91	3.21 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+25+50	1.08	1.58	1.80	1.80	3.59 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+25+60	1.01	1.47	1.68	1.68	4.02	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+22+25+25+71	0.94	1.37	1.56	1.56	4.43	9.85 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+25+35+35	1.12	1.64	1.87	2.61	2.61	9.85 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+25+35+42	1.06	1.56	1.77	2.48	2.98 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+35+50	1.01	1.47	1.68	2.35	3.35 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+35+60	0.94	1.38	1.57	2.20	3.76	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+25+35+71	0.88	1.29	1.47	2.05	4.16	9.85 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+25+42+42	1.01	1.48	1.69	2.83 *	2.83 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+42+50	0.96	1.41	1.60	2.69 *	3.20 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+42+60	0.90	1.32	1.50	2.52 *	3.60	9.85 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+25+50+50	0.91	1.34	1.52	3.04 *	3.04 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+50+60	0.86	1.26	1.43	2.86 *	3.44	9.85 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+35+35+35	1.04	1.53	2.43	2.43	2.43	9.85 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+35+35+42	0.99	1.45	2.31	2.31	2.78 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+35+35+50	0.94	1.38	2.20	2.20	3.14 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+35+35+60	0.88	1.30	2.06	2.06	3.54	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+35+42+42	0.95	1.39	2.21	2.65 *	2.65 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+35+42+50	0.90	1.32	2.10	2.52 *	3.00 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+35+50+50	0.86	1.26	2.00	2.86 *	2.86 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+42+42+42	0.91	1.33	2.54 *	2.54 *	2.54 *	9.85 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+22+42+42+50	0.86	1.27	2.42 *	2.42 *	2.88 *	9.85 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+25+25+25+25	1.23	2.04	2.04	2.04	2.04	9.40 3.90 - 10.58	2.559 0.640 - 4.119	11.75	11.24	99
15+25+25+25+35	1.19	1.98	1.98	1.98	2.77	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+25+25+42	1.13	1.88	1.88	1.88	3.15 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+25+50	1.06	1.77	1.77	1.77	3.54 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+25+60	0.99	1.65	1.65	1.65	3.96	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+25+25+71	0.92	1.54	1.54	1.54	4.37	9.90 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+25+25+35+35	1.10	1.83	1.83	2.57	2.57	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+25+35+42	1.05	1.74	1.74	2.44	2.93 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+35+50	0.99	1.65	1.65	2.31	3.30 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+35+60	0.93	1.55	1.55	2.17	3.71	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+25+35+71	0.87	1.45	1.45	2.03	4.11	9.90 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+25+25+42+42	1.00	1.66	1.66	2.79 *	2.79 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+25+42+50	0.95	1.58	1.58	2.65 *	3.15 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+25+42+60	0.89	1.48	1.48	2.49 *	3.56	9.90 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+25+25+50+50	0.90	1.50	1.50	3.00 *	3.00 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+35+35+35	1.02	1.71	2.39	2.39	2.39	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+35+35+42	0.98	1.63	2.28	2.28	2.74 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+35+35+50	0.93	1.55	2.17	2.17	3.09 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+35+35+60	0.87	1.46	2.04	2.04	3.49	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+35+42+42	0.93	1.56	2.18	2.62 *	2.62 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+35+42+50	0.89	1.48	2.07	2.49 *	2.96 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+42+42+42	0.89	1.49	2.50 *	2.50 *	2.50 *	9.90 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+35+35+35+35	0.96	2.24	2.24	2.24	2.24	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+35+35+35+42	0.92	2.14	2.14	2.14	2.57 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+35+35+35+50	0.87	2.04	2.04	2.04	2.91 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+35+35+42+42	0.88	2.05	2.05	2.46 *	2.46 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
20+20+20+20+20	1.65	1.65	1.65	1.65	1.65	8.25 3.90 - 9.95	2.355 0.640 - 4.105	10.81	10.34	99
20+20+20+20+22	1.65	1.65	1.65	1.65	1.81	8.40 3.90 - 10.03	2.378 0.640 - 4.098	10.91	10.44	99
20+20+20+20+25	1.64	1.64	1.64	1.64	2.05	8.60 3.90 - 10.16	2.428 0.640 - 4.108	11.14	10.66	99
20+20+20+20+35	1.58	1.58	1.58	1.58	2.77	9.10 3.90 - 10.58	2.578 0.640 - 4.138	11.83	11.32	99
20+20+20+20+42	1.55	1.55	1.55	1.55	3.25 *	9.45 3.90 - 10.87	2.682 0.640 - 4.152	12.32	11.78	99
20+20+20+20+50	1.48	1.48	1.48	1.48	3.69 *	9.60 3.90 - 11.00	2.732 0.640 - 4.162	12.55	12.00	99
20+20+20+20+60	1.37	1.37	1.37	1.37	4.11	9.60 3.90 - 11.00	2.715 0.640 - 4.145	12.46	11.92	99
20+20+20+20+71	1.27	1.27	1.27	1.27	4.51	9.60 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+22+22	1.64	1.64	1.64	1.81	1.81	8.55 3.90 - 10.12	2.401 0.640 - 4.101	11.02	10.54	99
20+20+20+22+25	1.64	1.64	1.64	1.80	2.04	8.75 3.90 - 10.24	2.451 0.640 - 4.111	11.25	10.76	99
20+20+20+22+35	1.58	1.58	1.58	1.74	2.77	9.25 3.90 - 10.66	2.611 0.640 - 4.141	11.99	11.47	99
20+20+20+22+42	1.55	1.55	1.55	1.70	3.25 *	9.60 3.90 - 10.96	2.705 0.640 - 4.155	12.42	11.88	99
20+20+20+22+50	1.46	1.46	1.46	1.61	3.66 *	9.65 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+22+60	1.36	1.36	1.36	1.50	4.08	9.65 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+22+71	1.26	1.26	1.26	1.39	4.48	9.65 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+25+25	1.63	1.63	1.63	2.03	2.03	8.95 3.90 - 10.37	2.501 0.640 - 4.121	11.48	10.98	99
20+20+20+25+35	1.58	1.58	1.58	1.97	2.76	9.45 3.90 - 10.79	2.651 0.640 - 4.151	12.17	11.64	99
20+20+20+25+42	1.53	1.53	1.53	1.91	3.21 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+25+50	1.44	1.44	1.44	1.80	3.59 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+25+60	1.34	1.34	1.34	1.67	4.01	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+25+71	1.24	1.24	1.24	1.55	4.41	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+35+35	1.49	1.49	1.49	2.61	2.61	9.70 3.90 - 11.00	2.731 0.640 - 4.161	12.54	11.99	99
20+20+20+35+42	1.42	1.42	1.42	2.48	2.97 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+35+50	1.34	1.34	1.34	2.34	3.34 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+35+60	1.25	1.25	1.25	2.19	3.75	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+35+71	1.17	1.17	1.17	2.05	4.15	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+42+42	1.35	1.35	1.35	2.83 *	2.83 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+42+50	1.28	1.28	1.28	2.68 *	3.19 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+42+60	1.20	1.20	1.20	2.51 *	3.59	9.70 3.90 - 11.00	2.702 0.640 - 4.132	12.41	11.87	99
20+20+20+50+50	1.21	1.21	1.21	3.03 *	3.03 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+50+60	1.14	1.14	1.14	2.85 *	3.42	9.70 3.90 - 11.00	2.702 0.640 - 4.132	12.41	11.87	99
20+20+22+22+22	1.64	1.64	1.81	1.81	1.81	8.70 3.90 - 10.20	2.424 0.640 - 4.094	11.13	10.65	99
20+20+22+22+25	1.63	1.63	1.80	1.80	2.04	8.90 3.90 - 10.33	2.474 0.640 - 4.104	11.36	10.87	99
20+20+22+22+35	1.58	1.58	1.74	1.74	2.76	9.40 3.90 - 10.75	2.634 0.640 - 4.134	12.10	11.57	99
20+20+22+22+42	1.54	1.54	1.69	1.69	3.23 *	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+22+50	1.45	1.45	1.59	1.59	3.62 *	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+22+60	1.35	1.35	1.48	1.48	4.04	9.70 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+22+71	1.25	1.25	1.38	1.38	4.44	9.70 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+22+25+25	1.63	1.63	1.79	2.03	2.03	9.10 3.90 - 10.45	2.524 0.640 - 4.114	11.58	11.08	99
20+20+22+25+35	1.57	1.57	1.73	1.97	2.75	9.60 3.90 - 10.87	2.674 0.640 - 4.144	12.27	11.74	99
20+20+22+25+42	1.51	1.51	1.66	1.89	3.17 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+25+50	1.42	1.42	1.57	1.78	3.56 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+25+60	1.33	1.33	1.46	1.66	3.98	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+25+71	1.23	1.23	1.36	1.54	4.38	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+22+35+35	1.48	1.48	1.63	2.59	2.59	9.75 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+22+35+42	1.40	1.40	1.54	2.46	2.95 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+35+50	1.33	1.33	1.46	2.32	3.32 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+35+60	1.24	1.24	1.37	2.17	3.73	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+35+71	1.16	1.16	1.28	2.03	4.12	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+22+42+42	1.34	1.34	1.47	2.80 *	2.80 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+42+50	1.27	1.27	1.39	2.66 *	3.17 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+42+60	1.19	1.19	1.31	2.50 *	3.57	9.75 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+22+50+50	1.20	1.20	1.32	3.01 *	3.01 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+50+60	1.13	1.13	1.25	2.83 *	3.40	9.75 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+25+25+25	1.62	1.62	2.02	2.02	2.02	9.30 3.90 - 10.58	2.564 0.640 - 4.124	11.77	11.26	99
20+20+25+25+35	1.57	1.57	1.96	1.96	2.74	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+25+25+42	1.48	1.48	1.86	1.86	3.12 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+25+50	1.40	1.40	1.75	1.75	3.50 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+25+25+60	1.31	1.31	1.63	1.63	3.92	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+25+25+71	1.22	1.22	1.52	1.52	4.32	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+25+35+35	1.45	1.45	1.81	2.54	2.54	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+25+35+42	1.38	1.38	1.73	2.42	2.90 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+35+50	1.31	1.31	1.63	2.29	3.27 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+35+60	1.23	1.23	1.53	2.14	3.68	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+25+35+71	1.15	1.15	1.43	2.01	4.07	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+25+42+42	1.32	1.32	1.64	2.76 *	2.76 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+25+42+50	1.25	1.25	1.56	2.62 *	3.12 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+25+42+60	1.17	1.17	1.47	2.46 *	3.52	9.80 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+25+50+50	1.19	1.19	1.48	2.97 *	2.97 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+35+35+35	1.35	1.35	2.37	2.37	2.37	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+35+35+42	1.29	1.29	2.26	2.26	2.71 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+35+35+50	1.23	1.23	2.14	2.14	3.06 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+35+35+60	1.15	1.15	2.02	2.02	3.46	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+35+42+42	1.23	1.23	2.16	2.59 *	2.59 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+35+42+50	1.17	1.17	2.05	2.46 *	2.93 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+42+42+42	1.18	1.18	2.48 *	2.48 *	2.48 *	9.80 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
20+22+22+22+22	1.64	1.80	1.80	1.80	1.80	8.85 3.90 - 10.29	2.447 0.640 - 4.097	11.24	10.75	99
20+22+22+22+25	1.63	1.79	1.79	1.79	2.04	9.05 3.90 - 10.41	2.497 0.640 - 4.107	11.47	10.97	99
20+22+22+22+35	1.58	1.74	1.74	1.74	2.76	9.55 3.90 - 10.83	2.657 0.640 - 4.137	12.20	11.67	99
20+22+22+22+42	1.52	1.68	1.68	1.68	3.20	9.75 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+22+50	1.43	1.58	1.58	1.58	3.58 *	9.75 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+22+60	1.34	1.47	1.47	1.47	4.01	9.75 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+22+71	1.24	1.37	1.37	1.37	4.41	9.75 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+25+25	1.62	1.79	1.79	2.03	2.03	9.25 3.90 - 10.54	2.547 0.640 - 4.117	11.70	11.19	99
20+22+22+25+35	1.57	1.73	1.73	1.97	2.75	9.75 3.90 - 10.96	2.697 0.640 - 4.147	12.38	11.84	99
20+22+22+25+42	1.50	1.65	1.65	1.87	3.14 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+25+50	1.41	1.55	1.55	1.76	3.53 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+25+60	1.32	1.45	1.45	1.64	3.95	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+25+71	1.23	1.35	1.35	1.53	4.35	9.80 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+35+35	1.46	1.61	1.61	2.56	2.56	9.80 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+22+35+42	1.39	1.53	1.53	2.43	2.92 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+35+50	1.32	1.45	1.45	2.30	3.29 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+35+60	1.23	1.36	1.36	2.16	3.70	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+35+71	1.15	1.27	1.27	2.02	4.09	9.80 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+42+42	1.32	1.46	1.46	2.78 *	2.78 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+22+42+50	1.26	1.38	1.38	2.64 *	3.14 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+22+42+60	1.18	1.30	1.30	2.48 *	3.54	9.80 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
20+22+22+50+50	1.20	1.31	1.31	2.99 *	2.99 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+25+25	1.62	1.78	2.02	2.02	2.02	9.45 3.90 - 10.66	2.597 0.640 - 4.127	11.93	11.41	99
20+22+25+25+35	1.55	1.71	1.94	1.94	2.71	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+25+25+42	1.47	1.62	1.84	1.84	3.09 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+25+50	1.39	1.53	1.73	1.73	3.47 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+25+60	1.30	1.43	1.62	1.62	3.89	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+25+25+71	1.21	1.33	1.51	1.51	4.29	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+25+35+35	1.44	1.58	1.80	2.52	2.52	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+25+35+42	1.37	1.50	1.71	2.39	2.87 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+35+50	1.30	1.43	1.62	2.27	3.24 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+35+60	1.22	1.34	1.52	2.13	3.65	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+25+42+42	1.30	1.44	1.63	2.74 *	2.74 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+42+50	1.24	1.36	1.55	2.60 *	3.10 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+42+60	1.17	1.28	1.46	2.45 *	3.50	9.85 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99
20+22+25+50+50	1.18	1.30	1.47	2.95 *	2.95 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+35+35+35	1.34	1.47	2.35	2.35	2.35	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+35+35+42	1.28	1.41	2.24	2.24	2.69 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+35+35+50	1.22	1.34	2.13	2.13	3.04 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+35+35+60	1.15	1.26	2.00	2.00	3.44	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+35+42+42	1.22	1.35	2.14	2.57 *	2.57 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+35+42+50	1.17	1.28	2.04	2.45 *	2.91 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+42+42+42	1.17	1.29	2.46 *	2.46 *	2.46 *	9.85 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
20+25+25+25+25	1.61	2.01	2.01	2.01	2.01	9.65 3.90 - 10.79	2.637 0.640 - 4.137	12.11	11.58	99
20+25+25+25+35	1.52	1.90	1.90	1.90	2.67	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+25+25+42	1.45	1.81	1.81	1.81	3.04 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+25+50	1.37	1.71	1.71	1.71	3.41 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+25+60	1.28	1.60	1.60	1.60	3.83	9.90 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+25+25+25+71	1.19	1.49	1.49	1.49	4.23	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+25+25+35+35	1.41	1.77	1.77	2.48	2.48	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+25+35+42	1.35	1.68	1.68	2.36	2.83 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+35+50	1.28	1.60	1.60	2.24	3.19 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+35+60	1.20	1.50	1.50	2.10	3.60	9.90 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+25+25+42+42	1.29	1.61	1.61	2.70 *	2.70 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+25+42+50	1.22	1.53	1.53	2.57 *	3.06 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+25+42+60	1.15	1.44	1.44	2.42 *	3.45	9.90 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99
20+25+25+50+50	1.16	1.46	1.46	2.91 *	2.91 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+35+35+35	1.32	1.65	2.31	2.31	2.31	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+35+35+42	1.26	1.58	2.21	2.21	2.65 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+35+35+50	1.20	1.50	2.10	2.10	3.00 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+35+42+42	1.21	1.51	2.11	2.54 *	2.54 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+35+42+50	1.15	1.44	2.01	2.42 *	2.88 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+42+42+42	1.16	1.45	2.43 *	2.43 *	2.43 *	9.90 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
20+35+35+35+35	1.24	2.17	2.17	2.17	2.17	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+35+35+35+42	1.19	2.07	2.07	2.07	2.49 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
22+22+22+22+22	1.80	1.80	1.80	1.80	1.80	9.00 3.90 - 10.37	2.480 0.640 - 4.100	11.39	10.89	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22+22+25	1.79	1.79	1.79	1.79	2.04	9.20 3.90 - 10.50	2.520 0.640 - 4.100	11.57	11.07	99
22+22+22+22+35	1.73	1.73	1.73	1.73	2.76	9.70 3.90 - 10.92	2.680 0.640 - 4.130	12.31	11.77	99
22+22+22+22+42	1.66	1.66	1.66	1.66	3.17 *	9.80 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+22+50	1.56	1.56	1.56	1.56	3.55 *	9.80 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+22+60	1.46	1.46	1.46	1.46	3.97	9.80 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+22+71	1.36	1.36	1.36	1.36	4.38	9.80 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+25+25	1.78	1.78	1.78	2.03	2.03	9.40 3.90 - 10.62	2.570 0.640 - 4.110	11.80	11.29	99
22+22+22+25+35	1.72	1.72	1.72	1.95	2.74	9.85 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+22+25+42	1.63	1.63	1.63	1.85	3.11 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+25+50	1.54	1.54	1.54	1.75	3.49 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+25+60	1.44	1.44	1.44	1.63	3.91	9.85 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+25+71	1.34	1.34	1.34	1.52	4.32	9.85 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+35+35	1.59	1.59	1.59	2.53	2.53	9.85 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+22+35+42	1.52	1.52	1.52	2.41	2.89 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+35+50	1.44	1.44	1.44	2.28	3.26 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+35+60	1.35	1.35	1.35	2.14	3.67	9.85 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+35+71	1.26	1.26	1.26	2.00	4.07	9.85 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+42+42	1.44	1.44	1.44	2.76 *	2.76 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+22+42+50	1.37	1.37	1.37	2.62 *	3.12 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+22+42+60	1.29	1.29	1.29	2.46 *	3.52	9.85 3.90 - 11.00	2.681 0.640 - 4.111	12.31	11.77	99
22+22+22+50+50	1.31	1.31	1.31	2.97 *	2.97 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+25+25	1.77	1.77	2.02	2.02	2.02	9.60 3.90 - 10.75	2.620 0.640 - 4.120	12.03	11.51	99
22+22+25+25+35	1.69	1.69	1.92	1.92	2.69	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+25+25+42	1.60	1.60	1.82	1.82	3.06 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+25+50	1.51	1.51	1.72	1.72	3.44 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+25+60	1.41	1.41	1.61	1.61	3.86	9.90 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+25+25+71	1.32	1.32	1.50	1.50	4.26	9.90 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+25+35+35	1.57	1.57	1.78	2.49	2.49	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+25+35+42	1.49	1.49	1.70	2.37	2.85 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+35+50	1.41	1.41	1.61	2.25	3.21 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+35+60	1.33	1.33	1.51	2.11	3.62	9.90 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+25+42+42	1.42	1.42	1.62	2.72 *	2.72 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+42+50	1.35	1.35	1.54	2.58 *	3.07 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+42+60	1.27	1.27	1.45	2.43 *	3.47	9.90 3.90 - 11.00	2.681 0.640 - 4.111	12.31	11.77	99
22+22+25+50+50	1.29	1.29	1.46	2.93 *	2.93 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+35+35+35	1.46	1.46	2.33	2.33	2.33	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+35+35+42	1.40	1.40	2.22	2.22	2.67 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+35+35+50	1.33	1.33	2.11	2.11	3.02 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+35+42+42	1.34	1.34	2.13	2.55 *	2.55 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+35+42+50	1.27	1.27	2.03	2.43 *	2.89 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+42+42+42	1.28	1.28	2.45 *	2.45 *	2.45 *	9.90 3.90 - 11.00	2.692 0.640 - 4.122	12.36	11.82	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+25+25+25+25	1.77	2.01	2.01	2.01	2.01	9.80 3.90 - 10.87	2.660 0.640 - 4.130	12.21	11.68	99
22+25+25+25+35	1.66	1.88	1.88	1.88	2.64	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+25+25+42	1.57	1.79	1.79	1.79	3.01 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+25+50	1.49	1.69	1.69	1.69	3.38 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+25+60	1.39	1.58	1.58	1.58	3.80	9.95 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+25+25+25+71	1.30	1.48	1.48	1.48	4.21	9.95 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+25+25+35+35	1.54	1.75	1.75	2.45	2.45	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+25+35+42	1.47	1.67	1.67	2.34	2.80 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+35+50	1.39	1.58	1.58	2.22	3.17 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+35+60	1.31	1.49	1.49	2.09	3.57	9.95 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+25+25+42+42	1.40	1.59	1.59	2.68 *	2.68 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+25+42+50	1.33	1.52	1.52	2.55 *	3.03 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+25+50+50	1.27	1.45	1.45	2.89 *	2.89 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+35+35+35	1.44	1.64	2.29	2.29	2.29	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+35+35+42	1.38	1.56	2.19	2.19	2.63 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+35+35+50	1.31	1.49	2.09	2.09	2.98 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+35+42+42	1.32	1.50	2.10	2.52 *	2.52 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+35+35+35+35	1.35	2.15	2.15	2.15	2.15 *	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+35+35+35+42	1.30	2.06	2.06	2.06	2.47 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+25+35	1.85	1.85	1.85	1.85	2.59	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+25+42	1.76	1.76	1.76	1.76	2.96 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+50	1.67	1.67	1.67	1.67	3.33 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+60	1.56	1.56	1.56	1.56	3.75	10.00 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
25+25+25+25+71	1.46	1.46	1.46	1.46	4.15	10.00 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
25+25+25+35+35	1.72	1.72	1.72	2.41	2.41	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+35+42	1.64	1.64	1.64	2.30	2.76 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
25+25+25+42+42	1.57	1.57	1.57	2.64 *	2.64 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+25+25+42+50	1.50	1.50	1.50	2.51 *	2.99 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+35+42+42	1.48	1.48	2.07	2.49 *	2.49 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD
 · MSZ-AP25VGD : Rated capacity is 2.2kW
 · MSZ-AP25VGD : Rated capacity is 2.2kW
 · MSZ-AP42VGD : Rated capacity is 3.33kW (=3.7*0.9)

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15	1.70	-	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.71	2.59	99
20	2.20	-	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.84	2.72	99
22	3.30	-	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.44	3.29	99
25	3.60	-	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.67	3.51	99
35	4.00	-	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	4.09	3.91	99
42	5.40	-	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.74	5.49	99
50	7.20	-	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.87	8.48	99
60	7.90	-	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	10.10	9.66	99
71	8.60	-	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	11.75	11.24	99
15+15	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.386 - 2.466	6.37	6.09	99
15+20	2.83	3.77	-	-	-	6.60 3.00 - 7.20	1.384 - 2.554	6.36	6.08	99
15+22	2.68	3.92	-	-	-	6.60 3.00 - 7.20	1.377 - 2.587	6.33	6.05	99
15+25	2.48	4.13	-	-	-	6.60 3.00 - 7.20	1.377 - 2.637	6.33	6.05	99
15+35	2.16	5.04	-	-	-	7.20 3.00 - 8.80	1.547 - 2.787	7.10	6.79	99
15+42	1.97	5.53	-	-	-	7.50 3.00 - 9.20	1.651 - 2.841	7.58	7.25	99
15+50	1.80	6.00	-	-	-	7.80 3.00 - 9.60	1.771 - 2.921	8.13	7.78	99
15+60	1.68	6.72	-	-	-	8.40 3.00 - 10.20	2.004 - 3.024	9.20	8.80	99
15+71	1.59	7.51	-	-	-	9.10 3.00 - 11.00	2.338 - 3.158	10.74	10.27	99
20+20	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.382 - 2.642	6.35	6.07	99
20+22	3.14	3.46	-	-	-	6.60 3.00 - 7.20	1.375 - 2.635	6.31	6.04	99
20+25	2.98	3.72	-	-	-	6.70 3.00 - 7.50	1.405 - 2.665	6.45	6.17	99
20+35	2.69	4.71	-	-	-	7.40 3.00 - 9.10	1.625 - 2.835	7.46	7.14	99
20+42	2.48	5.22	-	-	-	7.70 3.00 - 9.40	1.729 - 2.889	7.94	7.59	99
20+50	2.29	5.71	-	-	-	8.00 3.00 - 9.80	1.849 - 2.959	8.49	8.12	99
20+60	2.18	6.53	-	-	-	8.70 3.00 - 10.70	2.172 - 3.092	9.97	9.54	99
20+71	2.07	7.33	-	-	-	9.40 3.00 - 11.00	2.426 - 3.156	11.13	10.65	99
22+22	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	6.28	6.01	99
22+25	3.23	3.67	-	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.69	6.40	99
22+35	2.89	4.61	-	-	-	7.50 3.00 - 9.20	1.648 - 2.838	7.57	7.24	99
22+42	2.68	5.12	-	-	-	7.80 3.00 - 9.50	1.752 - 2.902	8.04	7.69	99
22+50	2.48	5.63	-	-	-	8.10 3.00 - 10.00	1.912 - 2.982	8.78	8.40	99
22+60	2.39	6.51	-	-	-	8.90 3.00 - 10.80	2.225 - 3.115	10.21	9.77	99
22+71	2.27	7.33	-	-	-	9.60 3.00 - 11.00	2.449 - 3.149	11.25	10.76	99
25+25	3.60	3.60	-	-	-	7.20 3.00 - 8.80	1.538 - 2.778	7.06	6.75	99
25+35	3.17	4.43	-	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.80	7.46	99
25+42	2.95	4.95	-	-	-	7.90 3.00 - 9.70	1.792 - 2.922	8.23	7.87	99
25+50	2.80	5.60	-	-	-	8.40 3.00 - 10.20	2.012 - 3.032	9.24	8.84	99
25+60	2.68	6.42	-	-	-	9.10 3.00 - 11.00	2.315 - 3.145	10.63	10.17	99
25+71	2.55	7.25	-	-	-	9.80 3.00 - 11.00	2.499 - 3.149	11.47	10.97	99
35+35	4.00	4.00	-	-	-	8.00 3.00 - 9.80	1.848 - 2.958	8.49	8.12	99
35+42	3.86	4.64	-	-	-	8.50 3.00 - 10.40	2.082 - 3.062	9.56	9.14	99
35+50	3.75	5.35	-	-	-	9.10 3.00 - 11.00	2.332 - 3.162	10.71	10.24	99
35+60	3.57	6.13	-	-	-	9.70 3.00 - 11.00	2.485 - 3.145	11.41	10.91	99
35+71	3.30	6.70	-	-	-	10.00 3.00 - 11.00	2.569 - 3.149	11.79	11.28	99
42+42	4.50	4.50	-	-	-	9.00 3.00 - 11.00	2.306 - 3.156	10.59	10.13	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit			Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)			220	230	
42+50	4.34	5.16	-	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156		11.23	10.74	99
42+60	4.12	5.88	-	-	-	10.00 3.00 - 11.00	2.559 0.690 - 3.139		11.75	11.24	99
42+71	3.72	6.28	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143		11.77	11.26	99
50+50	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.576 0.690 - 3.156		11.82	11.31	99
50+60	4.55	5.45	-	-	-	10.00 3.00 - 11.00	2.559 0.690 - 3.139		11.75	11.24	99
50+71	4.13	5.87	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143		11.77	11.26	99
60+60	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.542 0.690 - 3.122		11.67	11.16	99
60+71	4.58	5.42	-	-	-	10.00 3.00 - 11.00	2.546 0.690 - 3.126		11.69	11.18	99
71+71	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.550 0.690 - 3.130		11.71	11.20	99
15+15+15	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.719 0.530 - 3.879		7.89	7.55	99
15+15+20	2.61	2.61	3.48	-	-	8.70 3.20 - 10.60	1.717 0.530 - 3.877		7.88	7.54	99
15+15+22	2.51	2.51	3.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+25	2.37	2.37	3.95	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+35	2.01	2.01	4.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+42	1.85	1.85	5.19	-	-	8.90 3.20 - 11.30	1.814 0.530 - 3.864		8.33	7.97	99
15+15+50	1.73	1.73	5.75	-	-	9.20 3.20 - 11.80	2.034 0.560 - 3.864		9.34	8.93	99
15+15+60	1.58	1.58	6.33	-	-	9.50 3.20 - 12.10	2.327 0.610 - 3.847		10.68	10.22	99
15+15+71	1.47	1.47	6.96	-	-	9.90 3.20 - 12.50	2.671 0.660 - 3.851		12.26	11.73	99
15+20+20	2.37	3.16	3.16	-	-	8.70 3.20 - 10.60	1.715 0.530 - 3.875		7.87	7.53	99
15+20+22	2.29	3.05	3.36	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868		7.84	7.50	99
15+20+25	2.18	2.90	3.63	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868		7.84	7.50	99
15+20+35	1.89	2.51	4.40	-	-	8.80 3.20 - 11.00	1.788 0.530 - 3.868		8.21	7.85	99
15+20+42	1.77	2.36	4.96	-	-	9.10 3.20 - 11.70	1.932 0.540 - 3.862		8.87	8.48	99
15+20+50	1.64	2.19	5.47	-	-	9.30 3.20 - 11.90	2.182 0.580 - 3.862		10.02	9.58	99
15+20+60	1.53	2.04	6.13	-	-	9.70 3.20 - 12.30	2.485 0.630 - 3.845		11.41	10.91	99
15+20+71	1.42	1.89	6.70	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849		12.85	12.29	99
15+22+22	2.21	3.24	3.24	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+22+25	2.10	3.09	3.51	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+22+35	1.85	2.72	4.33	-	-	8.90 3.20 - 11.30	1.811 0.530 - 3.861		8.31	7.95	99
15+22+42	1.73	2.53	4.84	-	-	9.10 3.20 - 11.70	1.995 0.550 - 3.855		9.16	8.76	99
15+22+50	1.62	2.38	5.40	-	-	9.40 3.20 - 12.00	2.245 0.590 - 3.855		10.31	9.86	99
15+22+60	1.50	2.20	6.00	-	-	9.70 3.20 - 12.30	2.538 0.640 - 3.838		11.66	11.15	99
15+22+71	1.39	2.04	6.57	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+25+25	2.01	3.35	3.35	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+25+35	1.80	3.00	4.20	-	-	9.00 3.20 - 11.60	1.871 0.530 - 3.861		8.59	8.22	99
15+25+42	1.68	2.80	4.71	-	-	9.20 3.20 - 11.80	2.085 0.570 - 3.855		9.58	9.16	99
15+25+50	1.58	2.64	5.28	-	-	9.50 3.20 - 12.10	2.335 0.610 - 3.855		10.72	10.25	99
15+25+60	1.47	2.45	5.88	-	-	9.80 3.20 - 12.40	2.628 0.660 - 3.838		12.06	11.54	99
15+25+71	1.35	2.25	6.40	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+35+35	1.64	3.83	3.83	-	-	9.30 3.20 - 11.90	2.181 0.580 - 3.861		10.02	9.58	99
15+35+42	1.57	3.65	4.38	-	-	9.60 3.20 - 12.20	2.395 0.620 - 3.855		11.00	10.52	99
15+35+50	1.47	3.43	4.90	-	-	9.80 3.20 - 12.40	2.645 0.660 - 3.855		12.15	11.62	99
15+35+60	1.36	3.18	5.45	-	-	10.00 3.20 - 12.60	2.788 0.680 - 3.838		12.80	12.24	99
15+35+71	1.24	2.89	5.87	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+42+42	1.48	4.16	4.16	-	-	9.80 3.20 - 12.40	2.609 0.650 - 3.849		11.98	11.46	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+42+50	1.40	3.93	4.67	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849	12.85	12.29	99
15+42+60	1.28	3.59	5.13	-	-	10.00 3.20 - 12.60	2.782 0.680 - 3.832	12.78	12.22	99
15+42+71	1.17	3.28	5.55	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
15+50+50	1.30	4.35	4.35	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849	12.85	12.29	99
15+50+60	1.20	4.00	4.80	-	-	10.00 3.20 - 12.60	2.782 0.680 - 3.832	12.78	12.22	99
15+50+71	1.10	3.68	5.22	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
15+60+60	1.11	4.44	4.44	-	-	10.00 3.20 - 12.60	2.765 0.680 - 3.815	12.69	12.14	99
15+60+71	1.03	4.11	4.86	-	-	10.00 3.20 - 12.60	2.769 0.680 - 3.819	12.71	12.16	99
15+71+71	0.96	4.52	4.52	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
20+20+20	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.713 0.530 - 3.873	7.86	7.52	99
20+20+22	2.81	2.81	3.09	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	99
20+20+25	2.68	2.68	3.35	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	99
20+20+35	2.40	2.40	4.20	-	-	9.00 3.20 - 11.60	1.876 0.530 - 3.866	8.61	8.24	99
20+20+42	2.24	2.24	4.71	-	-	9.20 3.20 - 11.80	2.090 0.570 - 3.860	9.60	9.18	99
20+20+50	2.11	2.11	5.28	-	-	9.50 3.20 - 12.10	2.340 0.610 - 3.860	10.75	10.28	99
20+20+60	1.96	1.96	5.88	-	-	9.80 3.20 - 12.40	2.633 0.660 - 3.843	12.09	11.56	99
20+20+71	1.80	1.80	6.40	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+22+22	2.72	2.99	2.99	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	99
20+22+25	2.60	2.86	3.25	-	-	8.70 3.20 - 10.70	1.719 0.530 - 3.859	7.89	7.55	99
20+22+35	2.36	2.60	4.14	-	-	9.10 3.20 - 11.70	1.929 0.540 - 3.859	8.86	8.47	99
20+22+42	2.21	2.44	4.65	-	-	9.30 3.20 - 11.90	2.143 0.580 - 3.853	9.84	9.41	99
20+22+50	2.09	2.30	5.22	-	-	9.60 3.20 - 12.20	2.393 0.620 - 3.853	10.99	10.51	99
20+22+60	1.94	2.14	5.82	-	-	9.90 3.20 - 12.50	2.696 0.670 - 3.836	12.38	11.84	99
20+22+71	1.77	1.95	6.28	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+25+25	2.51	3.14	3.14	-	-	8.80 3.20 - 11.00	1.779 0.530 - 3.859	8.17	7.81	99
20+25+35	2.30	2.88	4.03	-	-	9.20 3.20 - 11.80	2.029 0.560 - 3.859	9.32	8.91	99
20+25+42	2.16	2.70	4.54	-	-	9.40 3.20 - 12.00	2.243 0.590 - 3.853	10.30	9.85	99
20+25+50	2.04	2.55	5.11	-	-	9.70 3.20 - 12.30	2.493 0.630 - 3.853	11.45	10.95	99
20+25+60	1.90	2.38	5.71	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
20+25+71	1.72	2.16	6.12	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+35+35	2.11	3.69	3.69	-	-	9.50 3.20 - 12.10	2.339 0.610 - 3.859	10.74	10.27	99
20+35+42	2.00	3.50	4.20	-	-	9.70 3.20 - 12.30	2.553 0.640 - 3.853	11.72	11.21	99
20+35+50	1.90	3.33	4.76	-	-	10.00 3.20 - 12.60	2.803 0.680 - 3.853	12.87	12.31	99
20+35+60	1.74	3.04	5.22	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
20+35+71	1.59	2.78	5.63	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+42+42	1.92	4.04	4.04	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.847	12.70	12.15	99
20+42+50	1.79	3.75	4.46	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+42+60	1.64	3.44	4.92	-	-	10.00 3.20 - 12.60	2.780 0.680 - 3.830	12.77	12.21	99
20+42+71	1.50	3.16	5.34	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
20+50+50	1.67	4.17	4.17	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+50+60	1.54	3.85	4.62	-	-	10.00 3.20 - 12.60	2.780 0.680 - 3.830	12.77	12.21	99
20+50+71	1.42	3.55	5.04	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
20+60+60	1.43	4.29	4.29	-	-	10.00 3.20 - 12.60	2.763 0.680 - 3.813	12.68	12.13	99
20+60+71	1.32	3.97	4.70	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
20+71+71	1.23	4.38	4.38	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	99
22+22+25	2.81	2.81	3.19	-	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	8.04	7.69	99
22+22+35	2.53	2.53	4.03	-	-	9.10 3.20 - 11.70	1.992 0.550 - 3.852	9.15	8.75	99
22+22+42	2.40	2.40	4.59	-	-	9.40 3.20 - 12.00	2.196 0.590 - 3.846	10.08	9.64	99
22+22+50	2.25	2.25	5.11	-	-	9.60 3.20 - 12.20	2.456 0.630 - 3.846	11.28	10.79	99
22+22+60	2.12	2.12	5.77	-	-	10.00 3.20 - 12.60	2.749 0.680 - 3.829	12.62	12.07	99
22+22+71	1.91	1.91	6.17	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+25+25	2.72	3.09	3.09	-	-	8.90 3.20 - 11.30	1.802 0.530 - 3.852	8.27	7.91	99
22+25+35	2.47	2.80	3.93	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	9.56	9.14	99
22+25+42	2.35	2.67	4.48	-	-	9.50 3.20 - 12.10	2.296 0.600 - 3.846	10.54	10.08	99
22+25+50	2.20	2.50	5.00	-	-	9.70 3.20 - 12.30	2.546 0.640 - 3.846	11.69	11.18	99
22+25+60	2.06	2.34	5.61	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
22+25+71	1.86	2.12	6.02	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+35+35	2.30	3.65	3.65	-	-	9.60 3.20 - 12.20	2.392 0.620 - 3.852	10.99	10.51	99
22+35+42	2.18	3.46	4.16	-	-	9.80 3.20 - 12.40	2.606 0.650 - 3.846	11.96	11.44	99
22+35+50	2.06	3.27	4.67	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
22+35+60	1.88	2.99	5.13	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
22+35+71	1.72	2.73	5.55	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+42+42	2.08	3.96	3.96	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+42+50	1.93	3.68	4.39	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+42+60	1.77	3.39	4.84	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
22+42+71	1.63	3.11	5.26	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
22+50+50	1.80	4.10	4.10	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+50+60	1.67	3.79	4.55	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
22+50+71	1.54	3.50	4.97	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
22+60+60	1.55	4.23	4.23	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
22+60+71	1.44	3.92	4.64	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
22+71+71	1.34	4.33	4.33	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	99
25+25+25	3.00	3.00	3.00	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	8.55	8.18	99
25+25+35	2.74	2.74	3.83	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.97	9.54	99
25+25+42	2.61	2.61	4.38	-	-	9.60 3.20 - 12.20	2.386 0.620 - 3.846	10.96	10.48	99
25+25+50	2.45	2.45	4.90	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	12.11	11.58	99
25+25+60	2.27	2.27	5.45	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
25+25+71	2.07	2.07	5.87	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
25+35+35	2.55	3.57	3.57	-	-	9.70 3.20 - 12.30	2.492 0.630 - 3.852	11.44	10.94	99
25+35+42	2.43	3.40	4.08	-	-	9.90 3.20 - 12.50	2.706 0.670 - 3.846	12.42	11.88	99
25+35+50	2.27	3.18	4.55	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
25+35+60	2.08	2.92	5.00	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
25+35+71	1.91	2.67	5.42	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
25+42+42	2.29	3.85	3.85	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+42+50	2.14	3.59	4.27	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+42+60	1.97	3.31	4.72	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
25+42+71	1.81	3.04	5.14	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
25+50+50	2.00	4.00	4.00	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+50+60	1.85	3.70	4.44	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
25+50+71	1.71	3.42	4.86	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
25+60+60	1.72	4.14	4.14	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
25+60+71	1.60	3.85	4.55	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
25+71+71	1.50	4.25	4.25	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	99
35+35+35	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	12.87	12.31	99
35+35+42	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
35+35+50	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
35+35+60	2.69	2.69	4.62	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
35+35+71	2.48	2.48	5.04	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
35+42+42	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+42+50	2.76	3.31	3.94	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+42+60	2.55	3.07	4.38	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
35+42+71	2.36	2.84	4.80	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
35+50+50	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+50+60	2.41	3.45	4.14	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
35+50+71	2.24	3.21	4.55	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
35+60+60	2.26	3.87	3.87	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
35+60+71	2.11	3.61	4.28	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
42+42+42	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+42+50	3.13	3.13	3.73	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+42+60	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
42+42+71	2.71	2.71	4.58	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
42+50+50	2.96	3.52	3.52	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+50+60	2.76	3.29	3.95	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
42+50+71	2.58	3.07	4.36	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
42+60+60	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	99
50+50+50	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
50+50+60	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
50+50+71	2.92	2.92	4.15	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
50+60+60	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	99
15+15+15+15	2.25	2.25	2.25	2.25	-	9.00 3.40 - 11.60	1.872 0.590 - 3.862	8.59	8.22	99
15+15+15+20	2.10	2.10	2.10	2.80	-	9.10 3.40 - 11.60	1.880 0.590 - 3.860	8.64	8.26	99
15+15+15+22	2.04	2.04	2.04	2.99	-	9.10 3.40 - 11.60	1.883 0.590 - 3.853	8.65	8.27	99
15+15+15+25	1.95	1.95	1.95	3.25	-	9.10 3.40 - 11.60	1.883 0.590 - 3.853	8.65	8.27	99
15+15+15+35	1.73	1.73	1.73	4.03	-	9.20 3.40 - 11.60	1.903 0.590 - 3.853	8.74	8.36	99
15+15+15+42	1.60	1.60	1.60	4.49	-	9.30 3.40 - 11.60	1.917 0.590 - 3.847	8.80	8.42	99
15+15+15+50	1.44	1.44	1.44	4.79	-	9.10 3.40 - 11.60	1.887 0.590 - 3.847	8.67	8.29	99
15+15+15+60	1.34	1.34	1.34	5.37	-	9.40 3.40 - 11.80	1.950 0.590 - 3.830	8.95	8.56	99
15+15+15+71	1.24	1.24	1.24	5.88	-	9.60 3.40 - 12.30	2.064 0.590 - 3.834	9.47	9.06	99
15+15+20+20	1.95	1.95	2.60	2.60	-	9.10 3.40 - 11.60	1.888 0.590 - 3.858	8.67	8.29	99
15+15+20+22	1.90	1.90	2.53	2.78	-	9.10 3.40 - 11.60	1.891 0.590 - 3.851	8.68	8.30	99
15+15+20+25	1.84	1.84	2.45	3.07	-	9.20 3.40 - 11.60	1.891 0.590 - 3.851	8.68	8.30	99
15+15+20+35	1.64	1.64	2.19	3.83	-	9.30 3.40 - 11.60	1.911 0.590 - 3.851	8.77	8.39	99
15+15+20+42	1.48	1.48	1.98	4.15	-	9.10 3.40 - 11.60	1.885 0.590 - 3.845	8.66	8.28	99
15+15+20+50	1.40	1.40	1.86	4.65	-	9.30 3.40 - 11.60	1.915 0.590 - 3.845	8.79	8.41	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+20+60	1.30	1.30	1.73	5.18	-	9.50 3.40 - 12.00	1.998 0.590 - 3.828	9.17	8.77	99
15+15+20+71	1.20	1.20	1.60	5.69	-	9.70 3.40 - 12.50	2.102 0.590 - 3.832	9.65	9.23	99
15+15+22+22	1.86	1.86	2.74	2.74	-	9.20 3.40 - 11.60	1.884 0.590 - 3.844	8.65	8.27	99
15+15+22+25	1.79	1.79	2.63	2.99	-	9.20 3.40 - 11.60	1.894 0.590 - 3.844	8.70	8.32	99
15+15+22+35	1.60	1.60	2.35	3.74	-	9.30 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	99
15+15+22+42	1.45	1.45	2.13	4.07	-	9.10 3.40 - 11.60	1.878 0.590 - 3.838	8.63	8.25	99
15+15+22+50	1.37	1.37	2.01	4.56	-	9.30 3.40 - 11.70	1.928 0.590 - 3.838	8.86	8.47	99
15+15+22+60	1.27	1.27	1.87	5.09	-	9.50 3.40 - 12.10	2.011 0.590 - 3.821	9.23	8.83	99
15+15+22+71	1.18	1.18	1.73	5.60	-	9.70 3.40 - 12.60	2.115 0.590 - 3.825	9.71	9.29	99
15+15+25+25	1.73	1.73	2.88	2.88	-	9.20 3.40 - 11.60	1.894 0.590 - 3.844	8.70	8.32	99
15+15+25+35	1.52	1.52	2.53	3.54	-	9.10 3.40 - 11.60	1.884 0.590 - 3.844	8.65	8.27	99
15+15+25+42	1.41	1.41	2.35	3.94	-	9.10 3.40 - 11.60	1.878 0.590 - 3.838	8.63	8.25	99
15+15+25+50	1.34	1.34	2.24	4.48	-	9.40 3.40 - 11.80	1.958 0.590 - 3.838	8.99	8.60	99
15+15+25+60	1.25	1.25	2.09	5.01	-	9.60 3.40 - 12.20	2.041 0.590 - 3.821	9.37	8.96	99
15+15+25+71	1.17	1.17	1.94	5.52	-	9.80 3.40 - 12.70	2.145 0.590 - 3.825	9.85	9.42	99
15+15+35+35	1.40	1.40	3.26	3.26	-	9.30 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	99
15+15+35+42	1.32	1.32	3.07	3.69	-	9.40 3.40 - 11.90	1.978 0.590 - 3.838	9.09	8.69	99
15+15+35+50	1.25	1.25	2.92	4.17	-	9.60 3.40 - 12.20	2.058 0.590 - 3.838	9.45	9.04	99
15+15+35+60	1.16	1.16	2.72	4.66	-	9.70 3.40 - 12.70	2.131 0.590 - 3.821	9.79	9.36	99
15+15+35+71	1.09	1.09	2.55	5.17	-	9.90 3.40 - 13.10	2.245 0.590 - 3.825	10.31	9.86	99
15+15+42+42	1.25	1.25	3.50	3.50	-	9.50 3.40 - 12.20	2.042 0.590 - 3.832	9.38	8.97	99
15+15+42+50	1.19	1.19	3.34	3.98	-	9.70 3.40 - 12.50	2.112 0.590 - 3.832	9.70	9.28	99
15+15+42+60	1.13	1.13	3.15	4.50	-	9.90 3.40 - 13.00	2.195 0.590 - 3.815	10.08	9.64	99
15+15+42+71	1.05	1.05	2.94	4.97	-	10.00 3.40 - 13.30	2.279 0.590 - 3.819	10.47	10.01	99
15+15+50+50	1.13	1.13	3.77	3.77	-	9.80 3.40 - 12.90	2.192 0.590 - 3.832	10.07	9.63	99
15+15+50+60	1.07	1.07	3.57	4.29	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
15+15+50+71	0.99	0.99	3.31	4.70	-	10.00 3.40 - 13.30	2.279 0.590 - 3.819	10.47	10.01	99
15+15+60+60	1.00	1.00	4.00	4.00	-	10.00 3.40 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
15+15+60+71	0.93	0.93	3.73	4.41	-	10.00 3.50 - 13.30	2.262 0.590 - 3.802	10.38	9.93	99
15+15+71+71	0.87	0.87	4.13	4.13	-	10.00 3.50 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+20+20+20	1.84	2.45	2.45	2.45	-	9.20 3.40 - 11.60	1.896 0.590 - 3.856	8.71	8.33	99
15+20+20+22	1.79	2.39	2.39	2.63	-	9.20 3.40 - 11.60	1.899 0.590 - 3.849	8.72	8.34	99
15+20+20+25	1.73	2.30	2.30	2.88	-	9.20 3.40 - 11.60	1.899 0.590 - 3.849	8.72	8.34	99
15+20+20+35	1.52	2.02	2.02	3.54	-	9.10 3.40 - 11.60	1.889 0.590 - 3.849	8.68	8.30	99
15+20+20+42	1.41	1.88	1.88	3.94	-	9.10 3.40 - 11.60	1.883 0.590 - 3.843	8.65	8.27	99
15+20+20+50	1.34	1.79	1.79	4.48	-	9.40 3.40 - 11.80	1.963 0.590 - 3.843	9.01	8.62	99
15+20+20+60	1.25	1.67	1.67	5.01	-	9.60 3.40 - 12.20	2.046 0.590 - 3.826	9.40	8.99	99
15+20+20+71	1.17	1.56	1.56	5.52	-	9.80 3.40 - 12.70	2.150 0.590 - 3.830	9.87	9.44	99
15+20+22+22	1.75	2.33	2.56	2.56	-	9.20 3.40 - 11.60	1.892 0.590 - 3.842	8.69	8.31	99
15+20+22+25	1.68	2.24	2.47	2.80	-	9.20 3.40 - 11.60	1.902 0.590 - 3.842	8.73	8.35	99
15+20+22+35	1.48	1.98	2.18	3.46	-	9.10 3.40 - 11.60	1.882 0.590 - 3.842	8.65	8.27	99
15+20+22+42	1.38	1.84	2.02	3.86	-	9.10 3.40 - 11.60	1.876 0.590 - 3.836	8.61	8.24	99
15+20+22+50	1.32	1.76	1.93	4.39	-	9.40 3.40 - 11.90	1.976 0.590 - 3.836	9.07	8.68	99
15+20+22+60	1.23	1.64	1.81	4.92	-	9.60 3.40 - 12.30	2.059 0.590 - 3.819	9.45	9.04	99
15+20+22+71	1.15	1.53	1.68	5.44	-	9.80 3.40 - 12.80	2.163 0.590 - 3.823	9.93	9.50	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+20+25+25	1.64	2.19	2.74	2.74	-	9.30 3.40 - 11.60	1.902 0.590 - 3.842	8.73	8.35	99
15+20+25+35	1.44	1.92	2.39	3.35	-	9.10 3.40 - 11.60	1.882 0.590 - 3.842	8.65	8.27	99
15+20+25+42	1.37	1.82	2.28	3.83	-	9.30 3.40 - 11.70	1.926 0.590 - 3.836	8.84	8.46	99
15+20+25+50	1.30	1.73	2.16	4.32	-	9.50 3.40 - 12.00	2.006 0.590 - 3.836	9.21	8.81	99
15+20+25+60	1.21	1.62	2.02	4.85	-	9.70 3.40 - 12.50	2.089 0.590 - 3.819	9.59	9.17	99
15+20+25+71	1.12	1.50	1.87	5.31	-	9.80 3.40 - 12.90	2.193 0.590 - 3.823	10.07	9.63	99
15+20+35+35	1.34	1.79	3.13	3.13	-	9.40 3.40 - 11.80	1.962 0.590 - 3.842	9.01	8.62	99
15+20+35+42	1.27	1.70	2.97	3.56	-	9.50 3.40 - 12.10	2.026 0.590 - 3.836	9.30	8.90	99
15+20+35+50	1.21	1.62	2.83	4.04	-	9.70 3.40 - 12.50	2.106 0.590 - 3.836	9.67	9.25	99
15+20+35+60	1.13	1.51	2.64	4.52	-	9.80 3.40 - 12.90	2.179 0.590 - 3.819	10.01	9.57	99
15+20+35+71	1.06	1.42	2.48	5.04	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+20+42+42	1.21	1.61	3.39	3.39	-	9.60 3.40 - 12.40	2.090 0.590 - 3.830	9.60	9.18	99
15+20+42+50	1.16	1.54	3.24	3.86	-	9.80 3.40 - 12.70	2.160 0.590 - 3.830	9.92	9.49	99
15+20+42+60	1.08	1.45	3.04	4.34	-	9.90 3.40 - 13.20	2.243 0.590 - 3.813	10.30	9.85	99
15+20+42+71	1.01	1.35	2.84	4.80	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+20+50+50	1.10	1.47	3.67	3.67	-	9.90 3.40 - 13.10	2.240 0.590 - 3.830	10.29	9.84	99
15+20+50+60	1.03	1.38	3.45	4.14	-	10.00 3.40 - 13.30	2.273 0.590 - 3.813	10.43	9.98	99
15+20+50+71	0.96	1.28	3.21	4.55	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+20+60+60	0.97	1.29	3.87	3.87	-	10.00 3.50 - 13.30	2.256 0.590 - 3.796	10.36	9.91	99
15+20+60+71	0.90	1.20	3.61	4.28	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+22+22+22	1.70	2.50	2.50	2.50	-	9.20 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	99
15+22+22+25	1.66	2.44	2.44	2.77	-	9.30 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	99
15+22+22+35	1.45	2.13	2.13	3.39	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+22+22+42	1.38	2.03	2.03	3.87	-	9.30 3.40 - 11.60	1.909 0.590 - 3.829	8.76	8.38	99
15+22+22+50	1.31	1.92	1.92	4.36	-	9.50 3.40 - 12.00	1.989 0.590 - 3.829	9.14	8.74	99
15+22+22+60	1.21	1.77	1.77	4.84	-	9.60 3.40 - 12.40	2.072 0.590 - 3.812	9.51	9.10	99
15+22+22+71	1.13	1.66	1.66	5.35	-	9.80 3.40 - 12.90	2.176 0.590 - 3.816	9.99	9.56	99
15+22+25+25	1.60	2.35	2.67	2.67	-	9.30 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	99
15+22+25+35	1.41	2.06	2.35	3.28	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+22+25+42	1.36	1.99	2.26	3.80	-	9.40 3.40 - 11.80	1.939 0.590 - 3.829	8.91	8.52	99
15+22+25+50	1.27	1.87	2.12	4.24	-	9.50 3.40 - 12.10	2.019 0.590 - 3.829	9.27	8.87	99
15+22+25+60	1.19	1.75	1.99	4.77	-	9.70 3.40 - 12.50	2.092 0.590 - 3.812	9.61	9.19	99
15+22+25+71	1.12	1.64	1.86	5.28	-	9.90 3.40 - 13.00	2.206 0.590 - 3.816	10.13	9.69	99
15+22+35+35	1.32	1.93	3.07	3.07	-	9.40 3.40 - 11.90	1.975 0.590 - 3.835	9.06	8.67	99
15+22+35+42	1.25	1.83	2.92	3.50	-	9.50 3.40 - 12.20	2.039 0.590 - 3.829	9.36	8.95	99
15+22+35+50	1.19	1.75	2.78	3.98	-	9.70 3.40 - 12.50	2.109 0.590 - 3.829	9.68	9.26	99
15+22+35+60	1.13	1.65	2.63	4.50	-	9.90 3.40 - 13.00	2.192 0.590 - 3.812	10.07	9.63	99
15+22+35+71	1.05	1.54	2.45	4.97	-	10.00 3.40 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+22+42+42	1.20	1.76	3.37	3.37	-	9.70 3.40 - 12.50	2.093 0.590 - 3.823	9.61	9.19	99
15+22+42+50	1.14	1.67	3.19	3.80	-	9.80 3.40 - 12.80	2.173 0.590 - 3.823	9.97	9.54	99
15+22+42+60	1.08	1.58	3.02	4.32	-	10.00 3.40 - 13.30	2.256 0.590 - 3.806	10.36	9.91	99
15+22+42+71	1.00	1.47	2.80	4.73	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+22+50+50	1.08	1.59	3.61	3.61	-	9.90 3.40 - 13.20	2.253 0.590 - 3.823	10.34	9.89	99
15+22+50+60	1.02	1.50	3.40	4.08	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+22+50+71	0.95	1.39	3.16	4.49	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+22+60+60	0.96	1.40	3.82	3.82	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+22+60+71	0.89	1.31	3.57	4.23	-	10.00 3.50 - 13.30	2.253 0.590 - 3.793	10.34	9.89	99
15+25+25+25	1.52	2.53	2.53	2.53	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+25+25+35	1.40	2.33	2.33	3.26	-	9.30 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	99
15+25+25+42	1.32	2.20	2.20	3.69	-	9.40 3.40 - 11.90	1.969 0.590 - 3.829	9.04	8.65	99
15+25+25+50	1.25	2.09	2.09	4.17	-	9.60 3.40 - 12.20	2.049 0.590 - 3.829	9.41	9.00	99
15+25+25+60	1.16	1.94	1.94	4.66	-	9.70 3.40 - 12.70	2.122 0.590 - 3.812	9.74	9.32	99
15+25+25+71	1.09	1.82	1.82	5.17	-	9.90 3.40 - 13.10	2.236 0.590 - 3.816	10.27	9.82	99
15+25+35+35	1.30	2.16	3.02	3.02	-	9.50 3.40 - 12.00	2.005 0.590 - 3.835	9.21	8.81	99
15+25+35+42	1.23	2.05	2.87	3.45	-	9.60 3.40 - 12.30	2.069 0.590 - 3.829	9.50	9.09	99
15+25+35+50	1.16	1.94	2.72	3.88	-	9.70 3.40 - 12.70	2.139 0.590 - 3.829	9.82	9.39	99
15+25+35+60	1.10	1.83	2.57	4.40	-	9.90 3.40 - 13.10	2.222 0.590 - 3.812	10.20	9.76	99
15+25+35+71	1.03	1.71	2.40	4.86	-	10.00 3.40 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+25+42+42	1.17	1.96	3.29	3.29	-	9.70 3.40 - 12.60	2.123 0.590 - 3.823	9.74	9.32	99
15+25+42+50	1.13	1.88	3.15	3.75	-	9.90 3.40 - 13.00	2.203 0.590 - 3.823	10.12	9.68	99
15+25+42+60	1.06	1.76	2.96	4.23	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+25+42+71	0.98	1.63	2.75	4.64	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+25+50+50	1.07	1.79	3.57	3.57	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+25+50+60	1.00	1.67	3.33	4.00	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+25+50+71	0.93	1.55	3.11	4.41	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+25+60+60	0.94	1.56	3.75	3.75	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+25+60+71	0.88	1.46	3.51	4.15	-	10.00 3.50 - 13.30	2.253 0.590 - 3.793	10.34	9.89	99
15+35+35+35	1.21	2.83	2.83	2.83	-	9.70 3.40 - 12.50	2.105 0.590 - 3.835	9.66	9.24	99
15+35+35+42	1.16	2.70	2.70	3.24	-	9.80 3.40 - 12.70	2.159 0.590 - 3.829	9.91	9.48	99
15+35+35+50	1.10	2.57	2.57	3.67	-	9.90 3.40 - 13.10	2.239 0.590 - 3.829	10.28	9.83	99
15+35+35+60	1.03	2.41	2.41	4.14	-	10.00 3.40 - 13.30	2.272 0.590 - 3.812	10.43	9.98	99
15+35+35+71	0.96	2.24	2.24	4.55	-	10.00 3.50 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+35+42+42	1.11	2.59	3.10	3.10	-	9.90 3.40 - 13.00	2.223 0.590 - 3.823	10.20	9.76	99
15+35+42+50	1.06	2.46	2.96	3.52	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+35+42+60	0.99	2.30	2.76	3.95	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+35+42+71	0.92	2.15	2.58	4.36	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+35+50+50	1.00	2.33	3.33	3.33	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+35+50+60	0.94	2.19	3.13	3.75	-	10.00 3.50 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+35+50+71	0.88	2.05	2.92	4.15	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+35+60+60	0.88	2.06	3.53	3.53	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+42+42+42	1.06	2.98	2.98	2.98	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+42+50	1.01	2.82	2.82	3.36	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+42+60	0.94	2.64	2.64	3.77	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+42+42+71	0.88	2.47	2.47	4.18	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
15+42+50+50	0.96	2.68	3.18	3.18	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+50+60	0.90	2.51	2.99	3.59	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+50+50+50	0.91	3.03	3.03	3.03	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
20+20+20+20	2.30	2.30	2.30	2.30	-	9.20 3.40 - 11.60	1.904 0.590 - 3.854	8.74	8.36	99
20+20+20+22	2.24	2.24	2.24	2.47	-	9.20 3.40 - 11.60	1.907 0.590 - 3.847	8.76	8.38	99
20+20+20+25	2.19	2.19	2.19	2.74	-	9.30 3.40 - 11.60	1.907 0.590 - 3.847	8.76	8.38	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+20+20+35	1.92	1.92	1.92	3.35	-	9.10 3.40 - 11.60	1.887 0.590 - 3.847	8.67	8.29	99
20+20+20+42	1.82	1.82	1.82	3.83	-	9.30 3.40 - 11.70	1.931 0.590 - 3.841	8.87	8.48	99
20+20+20+50	1.73	1.73	1.73	4.32	-	9.50 3.40 - 12.00	2.011 0.590 - 3.841	9.23	8.83	99
20+20+20+60	1.62	1.62	1.62	4.85	-	9.70 3.40 - 12.50	2.094 0.590 - 3.824	9.62	9.20	99
20+20+20+71	1.50	1.50	1.50	5.31	-	9.80 3.40 - 12.90	2.198 0.590 - 3.828	10.09	9.65	99
20+20+22+22	2.21	2.21	2.44	2.44	-	9.30 3.40 - 11.60	1.900 0.590 - 3.840	8.72	8.34	99
20+20+22+25	2.14	2.14	2.35	2.67	-	9.30 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	99
20+20+22+35	1.88	1.88	2.06	3.28	-	9.10 3.40 - 11.60	1.880 0.590 - 3.840	8.64	8.26	99
20+20+22+42	1.81	1.81	1.99	3.80	-	9.40 3.40 - 11.80	1.944 0.590 - 3.834	8.93	8.54	99
20+20+22+50	1.70	1.70	1.87	4.24	-	9.50 3.40 - 12.10	2.024 0.590 - 3.834	9.29	8.89	99
20+20+22+60	1.59	1.59	1.75	4.77	-	9.70 3.40 - 12.50	2.097 0.590 - 3.817	9.63	9.21	99
20+20+22+71	1.49	1.49	1.64	5.28	-	9.90 3.40 - 13.00	2.211 0.590 - 3.821	10.15	9.71	99
20+20+25+25	2.02	2.02	2.53	2.53	-	9.10 3.40 - 11.60	1.880 0.590 - 3.840	8.64	8.26	99
20+20+25+35	1.86	1.86	2.33	3.26	-	9.30 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	99
20+20+25+42	1.76	1.76	2.20	3.69	-	9.40 3.40 - 11.90	1.974 0.590 - 3.834	9.06	8.67	99
20+20+25+50	1.67	1.67	2.09	4.17	-	9.60 3.40 - 12.20	2.054 0.590 - 3.834	9.43	9.02	99
20+20+25+60	1.55	1.55	1.94	4.66	-	9.70 3.40 - 12.70	2.127 0.590 - 3.817	9.76	9.34	99
20+20+25+71	1.46	1.46	1.82	5.17	-	9.90 3.40 - 13.10	2.241 0.590 - 3.821	10.29	9.84	99
20+20+35+35	1.73	1.73	3.02	3.02	-	9.50 3.40 - 12.00	2.010 0.590 - 3.840	9.23	8.83	99
20+20+35+42	1.64	1.64	2.87	3.45	-	9.60 3.40 - 12.30	2.074 0.590 - 3.834	9.52	9.11	99
20+20+35+50	1.55	1.55	2.72	3.88	-	9.70 3.40 - 12.70	2.144 0.590 - 3.834	9.85	9.42	99
20+20+35+60	1.47	1.47	2.57	4.40	-	9.90 3.40 - 13.10	2.227 0.590 - 3.817	10.22	9.78	99
20+20+35+71	1.37	1.37	2.40	4.86	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+20+42+42	1.56	1.56	3.29	3.29	-	9.70 3.40 - 12.60	2.128 0.590 - 3.828	9.78	9.35	99
20+20+42+50	1.50	1.50	3.15	3.75	-	9.90 3.40 - 13.00	2.208 0.590 - 3.828	10.14	9.70	99
20+20+42+60	1.41	1.41	2.96	4.23	-	10.00 3.40 - 13.30	2.271 0.590 - 3.811	10.42	9.97	99
20+20+42+71	1.31	1.31	2.75	4.64	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+20+50+50	1.43	1.43	3.57	3.57	-	10.00 3.40 - 13.30	2.288 0.590 - 3.828	10.51	10.05	99
20+20+50+60	1.33	1.33	3.33	4.00	-	10.00 3.40 - 13.30	2.271 0.590 - 3.811	10.42	9.97	99
20+20+50+71	1.24	1.24	3.11	4.41	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+20+60+60	1.25	1.25	3.75	3.75	-	10.00 3.50 - 13.30	2.254 0.590 - 3.794	10.35	9.90	99
20+20+60+71	1.17	1.17	3.51	4.15	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+22+22+22	2.16	2.38	2.38	2.38	-	9.30 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	99
20+22+22+25	2.04	2.25	2.25	2.56	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+22+35	1.84	2.02	2.02	3.22	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+22+42	1.77	1.95	1.95	3.72	-	9.40 3.40 - 11.90	1.957 0.590 - 3.827	8.98	8.59	99
20+22+22+50	1.67	1.83	1.83	4.17	-	9.50 3.40 - 12.20	2.037 0.590 - 3.827	9.36	8.95	99
20+22+22+60	1.56	1.72	1.72	4.69	-	9.70 3.40 - 12.60	2.110 0.590 - 3.810	9.69	9.27	99
20+22+22+71	1.47	1.61	1.61	5.21	-	9.90 3.40 - 13.10	2.224 0.590 - 3.814	10.21	9.77	99
20+22+25+25	1.98	2.18	2.47	2.47	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+25+35	1.82	2.01	2.28	3.19	-	9.30 3.40 - 11.70	1.923 0.590 - 3.833	8.83	8.45	99
20+22+25+42	1.74	1.92	2.18	3.66	-	9.50 3.40 - 12.00	1.987 0.590 - 3.827	9.13	8.73	99
20+22+25+50	1.64	1.81	2.05	4.10	-	9.60 3.40 - 12.30	2.067 0.590 - 3.827	9.49	9.08	99
20+22+25+60	1.54	1.70	1.93	4.63	-	9.80 3.40 - 12.70	2.140 0.590 - 3.810	9.83	9.40	99
20+22+25+71	1.45	1.59	1.81	5.14	-	10.00 3.40 - 13.20	2.254 0.590 - 3.814	10.35	9.90	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+22+35+35	1.70	1.87	2.97	2.97	-	9.50 3.40 - 12.10	2.023 0.590 - 3.833	9.28	8.88	99
20+22+35+42	1.61	1.77	2.82	3.39	-	9.60 3.40 - 12.40	2.087 0.590 - 3.827	9.59	9.17	99
20+22+35+50	1.54	1.70	2.70	3.86	-	9.80 3.40 - 12.70	2.157 0.590 - 3.827	9.90	9.47	99
20+22+35+60	1.45	1.59	2.53	4.34	-	9.90 3.40 - 13.20	2.240 0.590 - 3.810	10.29	9.84	99
20+22+35+71	1.35	1.49	2.36	4.80	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+22+42+42	1.56	1.71	3.27	3.27	-	9.80 3.40 - 12.70	2.141 0.590 - 3.821	9.83	9.40	99
20+22+42+50	1.48	1.63	3.10	3.69	-	9.90 3.40 - 13.00	2.221 0.590 - 3.821	10.19	9.75	99
20+22+42+60	1.39	1.53	2.92	4.17	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+22+42+71	1.29	1.42	2.71	4.58	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+22+50+50	1.41	1.55	3.52	3.52	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+22+50+60	1.32	1.45	3.29	3.95	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+22+50+71	1.23	1.35	3.07	4.36	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+22+60+60	1.23	1.36	3.70	3.70	-	10.00 3.50 - 13.30	2.247 0.590 - 3.787	10.32	9.87	99
20+25+25+25	1.92	2.39	2.39	2.39	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+25+25+35	1.79	2.24	2.24	3.13	-	9.40 3.40 - 11.80	1.953 0.590 - 3.833	8.97	8.58	99
20+25+25+42	1.70	2.12	2.12	3.56	-	9.50 3.40 - 12.10	2.017 0.590 - 3.827	9.26	8.86	99
20+25+25+50	1.62	2.02	2.02	4.04	-	9.70 3.40 - 12.50	2.097 0.590 - 3.827	9.63	9.21	99
20+25+25+60	1.51	1.88	1.88	4.52	-	9.80 3.40 - 12.90	2.170 0.590 - 3.810	9.96	9.53	99
20+25+25+71	1.42	1.77	1.77	5.04	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+25+35+35	1.67	2.09	2.92	2.92	-	9.60 3.40 - 12.20	2.053 0.590 - 3.833	9.43	9.02	99
20+25+35+42	1.59	1.99	2.78	3.34	-	9.70 3.40 - 12.50	2.107 0.590 - 3.827	9.67	9.25	99
20+25+35+50	1.51	1.88	2.64	3.77	-	9.80 3.40 - 12.90	2.187 0.590 - 3.827	10.04	9.60	99
20+25+35+60	1.43	1.79	2.50	4.29	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
20+25+35+71	1.32	1.66	2.32	4.70	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+25+42+42	1.52	1.90	3.19	3.19	-	9.80 3.40 - 12.80	2.171 0.590 - 3.821	9.96	9.53	99
20+25+42+50	1.45	1.81	3.04	3.61	-	9.90 3.40 - 13.20	2.251 0.590 - 3.821	10.34	9.89	99
20+25+42+60	1.36	1.70	2.86	4.08	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+25+42+71	1.27	1.58	2.66	4.49	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+25+50+50	1.38	1.72	3.45	3.45	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+25+50+60	1.29	1.61	3.23	3.87	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+25+50+71	1.20	1.51	3.01	4.28	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+25+60+60	1.21	1.52	3.64	3.64	-	10.00 3.50 - 13.30	2.247 0.590 - 3.787	10.32	9.87	99
20+35+35+35	1.55	2.72	2.72	2.72	-	9.70 3.40 - 12.70	2.143 0.590 - 3.833	9.84	9.41	99
20+35+35+42	1.50	2.63	2.63	3.15	-	9.90 3.40 - 13.00	2.207 0.590 - 3.827	10.13	9.69	99
20+35+35+50	1.43	2.50	2.50	3.57	-	10.00 3.40 - 13.30	2.287 0.590 - 3.827	10.50	10.04	99
20+35+35+60	1.33	2.33	2.33	4.00	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
20+35+35+71	1.24	2.17	2.17	4.41	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+35+42+42	1.44	2.52	3.02	3.02	-	10.00 3.40 - 13.30	2.271 0.590 - 3.821	10.42	9.97	99
20+35+42+50	1.36	2.38	2.86	3.40	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+35+42+60	1.27	2.23	2.68	3.82	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+35+42+71	1.19	2.08	2.50	4.23	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+35+50+50	1.29	2.26	3.23	3.23	-	10.00 3.50 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+35+50+60	1.21	2.12	3.03	3.64	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+42+42+42	1.37	2.88	2.88	2.88	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+42+42+50	1.30	2.73	2.73	3.25	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+42+42+60	1.22	2.56	2.56	3.66	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+42+50+50	1.23	2.59	3.09	3.09	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+42+50+60	1.16	2.44	2.91	3.49	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+50+50+50	1.18	2.94	2.94	2.94	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
22+22+22+22	2.33	2.33	2.33	2.33	-	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	99
22+22+22+25	2.20	2.20	2.20	2.50	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+22+22+35	2.03	2.03	2.03	3.22	-	9.30 3.40 - 11.60	1.906 0.590 - 3.826	8.75	8.37	99
22+22+22+42	1.91	1.91	1.91	3.66	-	9.40 3.40 - 11.90	1.970 0.590 - 3.820	9.04	8.65	99
22+22+22+50	1.82	1.82	1.82	4.14	-	9.60 3.40 - 12.30	2.050 0.590 - 3.820	9.41	9.00	99
22+22+22+60	1.71	1.71	1.71	4.67	-	9.80 3.40 - 12.70	2.123 0.590 - 3.803	9.74	9.32	99
22+22+22+71	1.59	1.59	1.59	5.13	-	9.90 3.40 - 13.20	2.237 0.590 - 3.807	10.27	9.82	99
22+22+25+25	2.13	2.13	2.42	2.42	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+22+25+35	1.99	1.99	2.26	3.16	-	9.40 3.40 - 11.80	1.936 0.590 - 3.826	8.89	8.50	99
22+22+25+42	1.88	1.88	2.14	3.59	-	9.50 3.40 - 12.10	2.000 0.590 - 3.820	9.18	8.78	99
22+22+25+50	1.77	1.77	2.02	4.03	-	9.60 3.40 - 12.40	2.080 0.590 - 3.820	9.55	9.13	99
22+22+25+60	1.67	1.67	1.90	4.56	-	9.80 3.40 - 12.80	2.153 0.590 - 3.803	9.89	9.46	99
22+22+25+71	1.57	1.57	1.79	5.07	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+22+35+35	1.83	1.83	2.92	2.92	-	9.50 3.40 - 12.20	2.036 0.590 - 3.826	9.35	8.94	99
22+22+35+42	1.76	1.76	2.81	3.37	-	9.70 3.40 - 12.50	2.090 0.590 - 3.820	9.60	9.18	99
22+22+35+50	1.67	1.67	2.66	3.80	-	9.80 3.40 - 12.80	2.170 0.590 - 3.820	9.96	9.53	99
22+22+35+60	1.58	1.58	2.52	4.32	-	10.00 3.40 - 13.30	2.253 0.590 - 3.803	10.34	9.89	99
22+22+35+71	1.47	1.47	2.33	4.73	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+22+42+42	1.68	1.68	3.22	3.22	-	9.80 3.40 - 12.80	2.154 0.590 - 3.814	9.89	9.46	99
22+22+42+50	1.60	1.60	3.06	3.64	-	9.90 3.40 - 13.10	2.234 0.590 - 3.814	10.26	9.81	99
22+22+42+60	1.51	1.51	2.88	4.11	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+22+42+71	1.40	1.40	2.68	4.52	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+22+50+50	1.53	1.53	3.47	3.47	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+22+50+60	1.43	1.43	3.25	3.90	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+22+50+71	1.33	1.33	3.03	4.30	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+22+60+60	1.34	1.34	3.66	3.66	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
22+25+25+25	2.06	2.35	2.35	2.35	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+25+25+35	1.93	2.20	2.20	3.07	-	9.40 3.40 - 11.90	1.966 0.590 - 3.826	9.02	8.63	99
22+25+25+42	1.83	2.08	2.08	3.50	-	9.50 3.40 - 12.20	2.030 0.590 - 3.820	9.33	8.92	99
22+25+25+50	1.75	1.99	1.99	3.98	-	9.70 3.40 - 12.50	2.100 0.590 - 3.820	9.64	9.22	99
22+25+25+60	1.65	1.88	1.88	4.50	-	9.90 3.40 - 13.00	2.183 0.590 - 3.803	10.03	9.59	99
22+25+25+71	1.54	1.75	1.75	4.97	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+25+35+35	1.81	2.05	2.87	2.87	-	9.60 3.40 - 12.30	2.066 0.590 - 3.826	9.48	9.07	99
22+25+35+42	1.72	1.96	2.74	3.29	-	9.70 3.40 - 12.60	2.120 0.590 - 3.820	9.73	9.31	99
22+25+35+50	1.65	1.88	2.63	3.75	-	9.90 3.40 - 13.00	2.200 0.590 - 3.820	10.10	9.66	99
22+25+35+60	1.55	1.76	2.46	4.23	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
22+25+35+71	1.44	1.63	2.29	4.64	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+25+42+42	1.65	1.87	3.14	3.14	-	9.80 3.40 - 12.90	2.184 0.590 - 3.814	10.03	9.59	99
22+25+42+50	1.58	1.80	3.02	3.60	-	10.00 3.40 - 13.30	2.264 0.590 - 3.814	10.39	9.94	99
22+25+42+60	1.48	1.68	2.82	4.03	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+25+42+71	1.38	1.56	2.63	4.44	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
22+25+50+50	1.50	1.70	3.40	3.40	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+25+50+60	1.40	1.59	3.18	3.82	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+25+50+71	1.31	1.49	2.98	4.23	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+25+60+60	1.32	1.50	3.59	3.59	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
22+35+35+35	1.70	2.70	2.70	2.70	-	9.80 3.40 - 12.70	2.156 0.590 - 3.826	9.90	9.47	99
22+35+35+42	1.63	2.59	2.59	3.10	-	9.90 3.40 - 13.00	2.220 0.590 - 3.820	10.19	9.75	99
22+35+35+50	1.55	2.46	2.46	3.52	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
22+35+35+60	1.45	2.30	2.30	3.95	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
22+35+35+71	1.35	2.15	2.15	4.36	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+35+42+42	1.56	2.48	2.98	2.98	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+42+50	1.48	2.35	2.82	3.36	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+42+60	1.38	2.20	2.64	3.77	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+35+42+71	1.29	2.06	2.47	4.18	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+35+50+50	1.40	2.23	3.18	3.18	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+50+60	1.32	2.10	2.99	3.59	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+42+42+42	1.49	2.84	2.84	2.84	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+42+42+50	1.41	2.69	2.69	3.21	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+42+42+60	1.33	2.53	2.53	3.61	-	10.00 3.50 - 13.30	2.251 0.590 - 3.791	10.34	9.89	99
22+42+50+50	1.34	2.56	3.05	3.05	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+50+50+50	1.28	2.91	2.91	2.91	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+25+25+25	2.33	2.33	2.33	2.33	-	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	99
25+25+25+35	2.16	2.16	2.16	3.02	-	9.50 3.40 - 12.00	1.996 0.590 - 3.826	9.17	8.77	99
25+25+25+42	2.05	2.05	2.05	3.45	-	9.60 3.40 - 12.30	2.060 0.590 - 3.820	9.46	9.05	99
25+25+25+50	1.94	1.94	1.94	3.88	-	9.70 3.40 - 12.70	2.130 0.590 - 3.820	9.78	9.35	99
25+25+25+60	1.83	1.83	1.83	4.40	-	9.90 3.40 - 13.10	2.213 0.590 - 3.803	10.16	9.72	99
25+25+25+71	1.71	1.71	1.71	4.86	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+25+35+35	2.02	2.02	2.83	2.83	-	9.70 3.40 - 12.50	2.096 0.590 - 3.826	9.63	9.21	99
25+25+35+42	1.93	1.93	2.70	3.24	-	9.80 3.40 - 12.70	2.150 0.590 - 3.820	9.87	9.44	99
25+25+35+50	1.83	1.83	2.57	3.67	-	9.90 3.40 - 13.10	2.230 0.590 - 3.820	10.24	9.79	99
25+25+35+60	1.72	1.72	2.41	4.14	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
25+25+35+71	1.60	1.60	2.24	4.55	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+25+42+42	1.85	1.85	3.10	3.10	-	9.90 3.40 - 13.00	2.214 0.590 - 3.814	10.16	9.72	99
25+25+42+50	1.76	1.76	2.96	3.52	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+25+42+60	1.64	1.64	2.76	3.95	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+25+42+71	1.53	1.53	2.58	4.36	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
25+25+50+50	1.67	1.67	3.33	3.33	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+25+50+60	1.56	1.56	3.13	3.75	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+25+50+71	1.46	1.46	2.92	4.15	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
25+25+60+60	1.47	1.47	3.53	3.53	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
25+35+35+35	1.88	2.64	2.64	2.64	-	9.80 3.40 - 12.90	2.186 0.590 - 3.826	10.04	9.60	99
25+35+35+42	1.81	2.53	2.53	3.04	-	9.90 3.40 - 13.20	2.250 0.590 - 3.820	10.33	9.88	99
25+35+35+50	1.72	2.41	2.41	3.45	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
25+35+35+60	1.61	2.26	2.26	3.87	-	10.00 3.50 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
25+35+35+71	1.51	2.11	2.11	4.28	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+35+42+42	1.74	2.43	2.92	2.92	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
25+35+42+50	1.64	2.30	2.76	3.29	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+35+42+60	1.54	2.16	2.59	3.70	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+35+50+50	1.56	2.19	3.13	3.13	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+35+50+60	1.47	2.06	2.94	3.53	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+42+42+42	1.66	2.78	2.78	2.78	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+42+42+50	1.57	2.64	2.64	3.14	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+42+42+60	1.48	2.49	2.49	3.55	-	10.00 3.50 - 13.30	2.251 0.590 - 3.791	10.34	9.89	99
25+42+50+50	1.50	2.51	2.99	2.99	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
35+35+35+35	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	99
35+35+35+42	2.38	2.38	2.38	2.86	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
35+35+35+50	2.26	2.26	2.26	3.23	-	10.00 3.50 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
35+35+35+60	2.12	2.12	2.12	3.64	-	10.00 3.50 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
35+35+42+42	2.27	2.27	2.73	2.73	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+35+42+50	2.16	2.16	2.59	3.09	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+35+42+60	2.03	2.03	2.44	3.49	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
35+35+50+50	2.06	2.06	2.94	2.94	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+42+42+42	2.17	2.61	2.61	2.61	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
35+42+42+50	2.07	2.49	2.49	2.96	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
42+42+42+42	2.50	2.50	2.50	2.50	-	10.00 3.50 - 13.30	2.262 0.590 - 3.802	10.38	9.93	99
15+15+15+15+15	1.90	1.90	1.90	1.90	1.90	9.50 4.10 - 13.00	2.225 0.640 - 3.945	10.21	9.77	99
15+15+15+15+22	1.75	1.75	1.75	1.75	2.56	9.55 4.10 - 13.14	2.186 0.640 - 3.936	10.04	9.60	99
15+15+15+15+25	1.69	1.69	1.69	1.69	2.82	9.60 4.10 - 13.20	2.166 0.640 - 3.936	9.94	9.51	99
15+15+15+15+35	1.52	1.52	1.52	1.52	3.54	9.60 4.10 - 13.40	2.116 0.640 - 3.936	9.71	9.29	99
15+15+15+15+42	1.41	1.41	1.41	1.41	3.95	9.60 4.10 - 13.54	2.080 0.640 - 3.930	9.55	9.13	99
15+15+15+15+50	1.31	1.31	1.31	1.31	4.36	9.60 4.10 - 13.70	2.040 0.640 - 3.930	9.37	8.96	99
15+15+15+15+60	1.20	1.20	1.20	1.20	4.80	9.60 4.10 - 13.90	1.973 0.640 - 3.913	9.05	8.66	99
15+15+15+15+71	1.10	1.10	1.10	1.10	5.20	9.60 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+15+15+20+20	1.68	1.68	1.68	2.24	2.24	9.50 4.10 - 13.20	2.171 0.640 - 3.941	9.96	9.53	99
15+15+15+20+22	1.65	1.65	1.65	2.20	2.41	9.55 4.10 - 13.24	2.154 0.640 - 3.934	9.89	9.46	99
15+15+15+20+25	1.60	1.60	1.60	2.13	2.67	9.60 4.10 - 13.30	2.144 0.640 - 3.934	9.85	9.42	99
15+15+15+20+35	1.44	1.44	1.44	1.92	3.36	9.60 4.10 - 13.50	2.094 0.640 - 3.934	9.62	9.20	99
15+15+15+20+42	1.35	1.35	1.35	1.79	3.77	9.60 4.10 - 13.64	2.058 0.640 - 3.928	9.45	9.04	99
15+15+15+20+50	1.25	1.25	1.25	1.67	4.17	9.60 4.10 - 13.80	2.018 0.640 - 3.928	9.26	8.86	99
15+15+15+20+60	1.15	1.15	1.15	1.54	4.61	9.60 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99
15+15+15+20+71	1.06	1.06	1.06	1.41	5.01	9.60 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+22+22	1.62	1.62	1.62	2.37	2.37	9.60 4.10 - 13.28	2.137 0.640 - 3.927	9.82	9.39	99
15+15+15+22+25	1.57	1.57	1.57	2.31	2.62	9.65 4.10 - 13.34	2.127 0.640 - 3.927	9.76	9.34	99
15+15+15+22+35	1.42	1.42	1.42	2.08	3.31	9.65 4.10 - 13.54	2.077 0.640 - 3.927	9.53	9.12	99
15+15+15+22+42	1.33	1.33	1.33	1.95	3.72	9.65 4.10 - 13.68	2.041 0.640 - 3.921	9.37	8.96	99
15+15+15+22+50	1.24	1.24	1.24	1.81	4.12	9.65 4.10 - 13.84	2.001 0.640 - 3.921	9.19	8.79	99
15+15+15+22+60	1.14	1.14	1.14	1.67	4.56	9.65 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+22+71	1.05	1.05	1.05	1.54	4.96	9.65 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+25+25	1.53	1.53	1.53	2.55	2.55	9.70 4.10 - 13.40	2.107 0.640 - 3.927	9.67	9.25	99
15+15+15+25+35	1.39	1.39	1.39	2.31	3.23	9.70 4.10 - 13.60	2.067 0.640 - 3.927	9.49	9.08	99
15+15+15+25+42	1.30	1.30	1.30	2.17	3.64	9.70 4.10 - 13.74	2.021 0.640 - 3.921	9.28	8.88	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+15+25+50	1.21	1.21	1.21	2.02	4.04	9.70 4.10 - 13.90	1.981 0.640 - 3.921	9.10	8.70	99
15+15+15+25+60	1.12	1.12	1.12	1.87	4.48	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+25+71	1.03	1.03	1.03	1.72	4.88	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+35+35	1.27	1.27	1.27	2.95	2.95	9.70 4.10 - 13.80	2.017 0.640 - 3.927	9.26	8.86	99
15+15+15+35+42	1.19	1.19	1.19	2.78	3.34	9.70 4.10 - 13.94	1.971 0.640 - 3.921	9.05	8.66	99
15+15+15+35+50	1.12	1.12	1.12	2.61	3.73	9.70 4.10 - 14.00	1.961 0.640 - 3.921	9.00	8.61	99
15+15+15+35+60	1.04	1.04	1.04	2.43	4.16	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+35+71	0.96	0.96	0.96	2.25	4.56	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+42+42	1.13	1.13	1.13	3.16	3.16	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+42+50	1.06	1.06	1.06	2.97	3.54	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+42+60	0.99	0.99	0.99	2.77	3.96	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
15+15+15+42+71	0.92	0.92	0.92	2.58	4.36	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+15+50+50	1.00	1.00	1.00	3.34	3.34	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+50+60	0.94	0.94	0.94	3.13	3.75	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
15+15+15+50+71	0.88	0.88	0.88	2.92	4.15	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+15+60+60	0.88	0.88	0.88	3.53	3.53	9.70 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
15+15+20+20+20	1.58	1.58	2.11	2.11	2.11	9.50 4.10 - 13.30	2.149 0.640 - 3.939	9.87	9.44	99
15+15+20+20+22	1.56	1.56	2.08	2.08	2.28	9.55 4.10 - 13.34	2.132 0.640 - 3.932	9.79	9.36	99
15+15+20+20+25	1.52	1.52	2.02	2.02	2.53	9.60 4.10 - 13.40	2.112 0.640 - 3.932	9.70	9.28	99
15+15+20+20+35	1.37	1.37	1.83	1.83	3.20	9.60 4.10 - 13.60	2.072 0.640 - 3.932	9.51	9.10	99
15+15+20+20+42	1.29	1.29	1.71	1.71	3.60	9.60 4.10 - 13.74	2.026 0.640 - 3.926	9.30	8.90	99
15+15+20+20+50	1.20	1.20	1.60	1.60	4.00	9.60 4.10 - 13.90	1.986 0.640 - 3.926	9.12	8.72	99
15+15+20+20+60	1.11	1.11	1.48	1.48	4.43	9.60 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+15+20+20+71	1.02	1.02	1.36	1.36	4.83	9.60 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+22+22	1.53	1.53	2.04	2.25	2.25	9.60 4.10 - 13.38	2.115 0.640 - 3.925	9.71	9.29	99
15+15+20+22+25	1.49	1.49	1.99	2.19	2.49	9.65 4.10 - 13.44	2.095 0.640 - 3.925	9.62	9.20	99
15+15+20+22+35	1.35	1.35	1.80	1.98	3.16	9.65 4.10 - 13.64	2.055 0.640 - 3.925	9.44	9.03	99
15+15+20+22+42	1.27	1.27	1.69	1.86	3.56	9.65 4.10 - 13.78	2.009 0.640 - 3.919	9.22	8.82	99
15+15+20+22+50	1.19	1.19	1.58	1.74	3.95	9.65 4.10 - 13.94	1.969 0.640 - 3.919	9.04	8.65	99
15+15+20+22+60	1.10	1.10	1.46	1.61	4.39	9.65 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+22+71	1.01	1.01	1.35	1.48	4.79	9.65 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+25+25	1.46	1.46	1.94	2.43	2.43	9.70 4.10 - 13.50	2.085 0.640 - 3.925	9.58	9.16	99
15+15+20+25+35	1.32	1.32	1.76	2.20	3.09	9.70 4.10 - 13.70	2.035 0.640 - 3.925	9.35	8.94	99
15+15+20+25+42	1.24	1.24	1.66	2.07	3.48	9.70 4.10 - 13.84	1.999 0.640 - 3.919	9.18	8.78	99
15+15+20+25+50	1.16	1.16	1.55	1.94	3.88	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+25+60	1.08	1.08	1.44	1.80	4.31	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+25+71	1.00	1.00	1.33	1.66	4.72	9.70 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+35+35	1.21	1.21	1.62	2.83	2.83	9.70 4.10 - 13.90	1.985 0.640 - 3.925	9.12	8.72	99
15+15+20+35+42	1.15	1.15	1.53	2.67	3.21	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+35+50	1.08	1.08	1.44	2.51	3.59	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+35+60	1.00	1.00	1.34	2.34	4.01	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+35+71	0.93	0.93	1.24	2.18	4.41	9.70 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+42+42	1.09	1.09	1.45	3.04	3.04	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+42+50	1.02	1.02	1.37	2.87	3.42	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+42+60	0.96	0.96	1.28	2.68	3.83	9.70 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+20+42+71	0.89	0.89	1.19	2.50	4.23	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+20+50+50	0.97	0.97	1.29	3.23	3.23	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+50+60	0.91	0.91	1.21	3.03	3.64	9.70 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99
15+15+20+50+71	0.85	0.85	1.13	2.84	4.03	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+20+60+60	0.86	0.86	1.14	3.42	3.42	9.70 4.10 - 14.00	1.919 0.640 - 3.879	8.81	8.43	99
15+15+22+22+22	1.51	1.51	2.21	2.21	2.21	9.65 4.10 - 13.42	2.098 0.640 - 3.918	9.63	9.21	99
15+15+22+22+25	1.47	1.47	2.16	2.16	2.45	9.70 4.10 - 13.48	2.078 0.640 - 3.918	9.55	9.13	99
15+15+22+22+35	1.33	1.33	1.96	1.96	3.11	9.70 4.10 - 13.68	2.038 0.640 - 3.918	9.36	8.95	99
15+15+22+22+42	1.25	1.25	1.84	1.84	3.51	9.70 4.10 - 13.82	1.992 0.640 - 3.912	9.15	8.75	99
15+15+22+22+50	1.17	1.17	1.72	1.72	3.91	9.70 4.10 - 13.98	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+22+60	1.09	1.09	1.59	1.59	4.34	9.70 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+22+71	1.00	1.00	1.47	1.47	4.75	9.70 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+25+25	1.43	1.43	2.10	2.39	2.39	9.75 4.10 - 13.54	2.068 0.640 - 3.918	9.49	9.08	99
15+15+22+25+35	1.31	1.31	1.92	2.18	3.05	9.75 4.10 - 13.74	2.018 0.640 - 3.918	9.26	8.86	99
15+15+22+25+42	1.23	1.23	1.80	2.05	3.44	9.75 4.10 - 13.88	1.982 0.640 - 3.912	9.10	8.70	99
15+15+22+25+50	1.15	1.15	1.69	1.92	3.84	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+25+60	1.07	1.07	1.57	1.78	4.27	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+25+71	0.99	0.99	1.45	1.65	4.68	9.75 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+35+35	1.20	1.20	1.76	2.80	2.80	9.75 4.10 - 13.94	1.968 0.640 - 3.918	9.03	8.64	99
15+15+22+35+42	1.13	1.13	1.66	2.65	3.17	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+35+50	1.07	1.07	1.57	2.49	3.56	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+35+60	0.99	0.99	1.46	2.32	3.98	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+35+71	0.93	0.93	1.36	2.16	4.38	9.75 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+42+42	1.08	1.08	1.58	3.01	3.01	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+42+50	1.02	1.02	1.49	2.84	3.39	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+42+60	0.95	0.95	1.39	2.66	3.80	9.75 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+22+42+71	0.89	0.89	1.30	2.48	4.20	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+15+22+50+50	0.96	0.96	1.41	3.21	3.21	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+50+60	0.90	0.90	1.32	3.01	3.61	9.75 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+22+60+60	0.85	0.85	1.25	3.40	3.40	9.75 4.10 - 14.00	1.912 0.640 - 3.872	8.78	8.40	99
15+15+25+25+25	1.40	1.40	2.33	2.33	2.33	9.80 4.10 - 13.60	2.058 0.640 - 3.918	9.45	9.04	99
15+15+25+25+35	1.28	1.28	2.13	2.13	2.98	9.80 4.10 - 13.80	2.008 0.640 - 3.918	9.22	8.82	99
15+15+25+25+42	1.20	1.20	2.01	2.01	3.37	9.80 4.10 - 13.94	1.962 0.640 - 3.912	9.01	8.62	99
15+15+25+25+50	1.13	1.13	1.88	1.88	3.77	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+25+60	1.05	1.05	1.75	1.75	4.20	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+25+25+71	0.97	0.97	1.62	1.62	4.61	9.80 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+25+35+35	1.18	1.18	1.96	2.74	2.74	9.80 4.10 - 14.00	1.958 0.640 - 3.918	8.99	8.60	99
15+15+25+35+42	1.11	1.11	1.86	2.60	3.12	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+35+50	1.05	1.05	1.75	2.45	3.50	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+35+60	0.98	0.98	1.63	2.29	3.92	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+25+35+71	0.91	0.91	1.52	2.13	4.32	9.80 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+25+42+42	1.06	1.06	1.76	2.96	2.96	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+25+42+50	1.00	1.00	1.67	2.80	3.33	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+25+42+60	0.94	0.94	1.56	2.62	3.75	9.80 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+25+42+71	0.88	0.88	1.46	2.45	4.14	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)		
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230			
15+15+25+50+50	0.95	0.95	1.58	3.16	3.16	9.80 4.10 - 14.00	1.946 - 3.906	0.640	8.94	8.55	99
15+15+25+50+60	0.89	0.89	1.48	2.97	3.56	9.80 4.10 - 14.00	1.929 - 3.889	0.640	8.86	8.47	99
15+15+35+35+35	1.09	1.09	2.54	2.54	2.54	9.80 4.10 - 14.00	1.958 - 3.918	0.640	8.99	8.60	99
15+15+35+35+42	1.04	1.04	2.42	2.42	2.90	9.80 4.10 - 14.00	1.952 - 3.912	0.640	8.96	8.57	99
15+15+35+35+50	0.98	0.98	2.29	2.29	3.27	9.80 4.10 - 14.00	1.952 - 3.912	0.640	8.96	8.57	99
15+15+35+35+60	0.92	0.92	2.14	2.14	3.68	9.80 4.10 - 14.00	1.935 - 3.895	0.640	8.89	8.50	99
15+15+35+35+71	0.86	0.86	2.01	2.01	4.07	9.80 4.10 - 14.00	1.939 - 3.899	0.640	8.91	8.52	99
15+15+35+42+42	0.99	0.99	2.30	2.76	2.76	9.80 4.10 - 14.00	1.946 - 3.906	0.640	8.94	8.55	99
15+15+35+42+50	0.94	0.94	2.18	2.62	3.12	9.80 4.10 - 14.00	1.946 - 3.906	0.640	8.94	8.55	99
15+15+35+42+60	0.88	0.88	2.05	2.46	3.52	9.80 4.10 - 14.00	1.929 - 3.889	0.640	8.86	8.47	99
15+15+35+50+50	0.89	0.89	2.08	2.97	2.97	9.80 4.10 - 14.00	1.946 - 3.906	0.640	8.94	8.55	99
15+15+42+42+42	0.94	0.94	2.64	2.64	2.64	9.80 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+15+42+42+50	0.90	0.90	2.51	2.51	2.99	9.80 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+15+42+50+50	0.85	0.85	2.39	2.85	2.85	9.80 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+20+20+20+20	1.50	2.00	2.00	2.00	2.00	9.50 4.10 - 13.40	2.117 - 3.937	0.640	9.72	9.30	99
15+20+20+20+22	1.48	1.97	1.97	1.97	2.17	9.55 4.10 - 13.44	2.100 - 3.930	0.640	9.64	9.22	99
15+20+20+20+25	1.44	1.92	1.92	1.92	2.40	9.60 4.10 - 13.50	2.090 - 3.930	0.640	9.60	9.18	99
15+20+20+20+35	1.31	1.75	1.75	1.75	3.05	9.60 4.10 - 13.70	2.040 - 3.930	0.640	9.37	8.96	99
15+20+20+20+42	1.23	1.64	1.64	1.64	3.45	9.60 4.10 - 13.84	2.004 - 3.924	0.640	9.20	8.80	99
15+20+20+20+50	1.15	1.54	1.54	1.54	3.84	9.60 4.10 - 14.00	1.964 - 3.924	0.640	9.02	8.63	99
15+20+20+20+60	1.07	1.42	1.42	1.42	4.27	9.60 4.10 - 14.00	1.947 - 3.907	0.640	8.94	8.55	99
15+20+20+20+71	0.99	1.32	1.32	1.32	4.67	9.60 4.10 - 14.00	1.951 - 3.911	0.640	8.96	8.57	99
15+20+20+22+22	1.45	1.94	1.94	2.13	2.13	9.60 4.10 - 13.48	2.083 - 3.923	0.640	9.57	9.15	99
15+20+20+22+25	1.42	1.89	1.89	2.08	2.37	9.65 4.10 - 13.54	2.073 - 3.923	0.640	9.51	9.10	99
15+20+20+22+35	1.29	1.72	1.72	1.90	3.02	9.65 4.10 - 13.74	2.023 - 3.923	0.640	9.28	8.88	99
15+20+20+22+42	1.22	1.62	1.62	1.78	3.41	9.65 4.10 - 13.88	1.987 - 3.917	0.640	9.13	8.73	99
15+20+20+22+50	1.14	1.52	1.52	1.67	3.80	9.65 4.10 - 14.00	1.957 - 3.917	0.640	8.98	8.59	99
15+20+20+22+60	1.06	1.41	1.41	1.55	4.23	9.65 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+20+20+22+71	0.98	1.30	1.30	1.43	4.63	9.65 4.10 - 14.00	1.944 - 3.904	0.640	8.93	8.54	99
15+20+20+25+25	1.39	1.85	1.85	2.31	2.31	9.70 4.10 - 13.60	2.063 - 3.923	0.640	9.47	9.06	99
15+20+20+25+35	1.27	1.69	1.69	2.11	2.95	9.70 4.10 - 13.80	2.013 - 3.923	0.640	9.24	8.84	99
15+20+20+25+42	1.19	1.59	1.59	1.99	3.34	9.70 4.10 - 13.94	1.967 - 3.917	0.640	9.03	8.64	99
15+20+20+25+50	1.12	1.49	1.49	1.87	3.73	9.70 4.10 - 14.00	1.957 - 3.917	0.640	8.98	8.59	99
15+20+20+25+60	1.04	1.39	1.39	1.73	4.16	9.70 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+20+20+25+71	0.96	1.28	1.28	1.61	4.56	9.70 4.10 - 14.00	1.944 - 3.904	0.640	8.93	8.54	99
15+20+20+35+35	1.16	1.55	1.55	2.72	2.72	9.70 4.10 - 14.00	1.963 - 3.923	0.640	9.01	8.62	99
15+20+20+35+42	1.10	1.47	1.47	2.57	3.09	9.70 4.10 - 14.00	1.957 - 3.917	0.640	8.98	8.59	99
15+20+20+35+50	1.04	1.39	1.39	2.43	3.46	9.70 4.10 - 14.00	1.957 - 3.917	0.640	8.98	8.59	99
15+20+20+35+60	0.97	1.29	1.29	2.26	3.88	9.70 4.10 - 14.00	1.940 - 3.900	0.640	8.91	8.52	99
15+20+20+35+71	0.90	1.20	1.20	2.11	4.28	9.70 4.10 - 14.00	1.944 - 3.904	0.640	8.93	8.54	99
15+20+20+42+42	1.05	1.40	1.40	2.93	2.93	9.70 4.10 - 14.00	1.951 - 3.911	0.640	8.96	8.57	99
15+20+20+42+50	0.99	1.32	1.32	2.77	3.30	9.70 4.10 - 14.00	1.951 - 3.911	0.640	8.96	8.57	99
15+20+20+42+60	0.93	1.24	1.24	2.59	3.71	9.70 4.10 - 14.00	1.934 - 3.894	0.640	8.88	8.49	99
15+20+20+42+71	0.87	1.15	1.15	2.43	4.10	9.70 4.10 - 14.00	1.938 - 3.898	0.640	8.90	8.51	99
15+20+20+50+50	0.94	1.25	1.25	3.13	3.13	9.70 4.10 - 14.00	1.951 - 3.911	0.640	8.96	8.57	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+20+50+60	0.88	1.18	1.18	2.94	3.53	9.70 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
15+20+22+22+22	1.43	1.91	2.10	2.10	2.10	9.65 4.10 - 13.52	2.076 0.640 - 3.916	9.53	9.12	99
15+20+22+22+25	1.40	1.87	2.05	2.05	2.33	9.70 4.10 - 13.58	2.056 0.640 - 3.916	9.44	9.03	99
15+20+22+22+35	1.28	1.70	1.87	1.87	2.98	9.70 4.10 - 13.78	2.006 0.640 - 3.916	9.21	8.81	99
15+20+22+22+42	1.20	1.60	1.76	1.76	3.37	9.70 4.10 - 13.92	1.970 0.640 - 3.910	9.04	8.65	99
15+20+22+22+50	1.13	1.50	1.65	1.65	3.76	9.70 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+22+60	1.05	1.40	1.54	1.54	4.19	9.70 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+22+71	0.97	1.29	1.42	1.42	4.59	9.70 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+25+25	1.37	1.82	2.00	2.28	2.28	9.75 4.10 - 13.64	2.046 0.640 - 3.916	9.40	8.99	99
15+20+22+25+35	1.25	1.67	1.83	2.08	2.92	9.75 4.10 - 13.84	1.996 0.640 - 3.916	9.17	8.77	99
15+20+22+25+42	1.18	1.57	1.73	1.97	3.30	9.75 4.10 - 13.98	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+25+50	1.11	1.48	1.63	1.85	3.69	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+25+60	1.03	1.37	1.51	1.72	4.12	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+25+71	0.96	1.27	1.40	1.59	4.52	9.75 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+35+35	1.15	1.54	1.69	2.69	2.69	9.75 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+22+35+42	1.09	1.46	1.60	2.55	3.06	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+35+50	1.03	1.37	1.51	2.40	3.43	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+35+60	0.96	1.28	1.41	2.25	3.85	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+35+71	0.90	1.20	1.32	2.09	4.25	9.75 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+42+42	1.04	1.38	1.52	2.90	2.90	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+42+50	0.98	1.31	1.44	2.75	3.27	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+42+60	0.92	1.23	1.35	2.58	3.68	9.75 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+22+42+71	0.86	1.15	1.26	2.41	4.07	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+20+22+50+50	0.93	1.24	1.37	3.11	3.11	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+50+60	0.88	1.17	1.28	2.92	3.50	9.75 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+25+25+25	1.34	1.78	2.23	2.23	2.23	9.80 4.10 - 13.70	2.026 0.640 - 3.916	9.30	8.90	99
15+20+25+25+35	1.23	1.63	2.04	2.04	2.86	9.80 4.10 - 13.90	1.976 0.640 - 3.916	9.07	8.68	99
15+20+25+25+42	1.16	1.54	1.93	1.93	3.24	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+25+50	1.09	1.45	1.81	1.81	3.63	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+25+60	1.01	1.35	1.69	1.69	4.06	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+25+25+71	0.94	1.26	1.57	1.57	4.46	9.80 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+25+35+35	1.13	1.51	1.88	2.64	2.64	9.80 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+25+35+42	1.07	1.43	1.79	2.50	3.00	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+35+50	1.01	1.35	1.69	2.37	3.38	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+35+60	0.95	1.26	1.58	2.21	3.79	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+25+35+71	0.89	1.18	1.48	2.07	4.19	9.80 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+25+42+42	1.02	1.36	1.70	2.86	2.86	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+42+50	0.97	1.29	1.61	2.71	3.22	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+42+60	0.91	1.21	1.51	2.54	3.63	9.80 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+25+50+50	0.92	1.23	1.53	3.06	3.06	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+50+60	0.86	1.15	1.44	2.88	3.46	9.80 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+35+35+35	1.05	1.40	2.45	2.45	2.45	9.80 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+35+35+42	1.00	1.33	2.33	2.33	2.80	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+35+35+50	0.95	1.26	2.21	2.21	3.16	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+35+35+60	0.89	1.19	2.08	2.08	3.56	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+35+42+42	0.95	1.27	2.23	2.67	2.67	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+35+42+50	0.91	1.21	2.12	2.54	3.02	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+35+42+60	0.85	1.14	1.99	2.39	3.42	9.80 4.10 - 14.00	1.927 - 3.887	8.84	8.46	99
15+20+35+50+50	0.86	1.15	2.02	2.88	2.88	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+42+42+42	0.91	1.22	2.56	2.56	2.56	9.80 4.10 - 14.00	1.938 - 3.898	8.90	8.51	99
15+20+42+42+50	0.87	1.16	2.44	2.44	2.90	9.80 4.10 - 14.00	1.938 - 3.898	8.90	8.51	99
15+22+22+22+22	1.41	2.07	2.07	2.07	2.07	9.70 4.10 - 13.56	2.059 - 3.909	9.45	9.04	99
15+22+22+22+25	1.38	2.02	2.02	2.02	2.30	9.75 4.10 - 13.62	2.039 - 3.909	9.36	8.95	99
15+22+22+22+35	1.26	1.85	1.85	1.85	2.94	9.75 4.10 - 13.82	1.989 - 3.909	9.14	8.74	99
15+22+22+22+42	1.19	1.74	1.74	1.74	3.33	9.75 4.10 - 13.96	1.953 - 3.903	8.97	8.58	99
15+22+22+22+50	1.12	1.64	1.64	1.64	3.72	9.75 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+22+60	1.04	1.52	1.52	1.52	4.15	9.75 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+22+71	0.96	1.41	1.41	1.41	4.55	9.75 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+25+25	1.35	1.98	1.98	2.25	2.25	9.80 4.10 - 13.68	2.029 - 3.909	9.32	8.91	99
15+22+22+25+35	1.24	1.81	1.81	2.06	2.88	9.80 4.10 - 13.88	1.979 - 3.909	9.09	8.69	99
15+22+22+25+42	1.17	1.71	1.71	1.94	3.27	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+25+50	1.10	1.61	1.61	1.83	3.66	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+25+60	1.02	1.50	1.50	1.70	4.08	9.80 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+25+71	0.95	1.39	1.39	1.58	4.49	9.80 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+35+35	1.14	1.67	1.67	2.66	2.66	9.80 4.10 - 14.00	1.949 - 3.909	8.95	8.56	99
15+22+22+35+42	1.08	1.59	1.59	2.52	3.03	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+35+50	1.02	1.50	1.50	2.38	3.40	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+35+60	0.95	1.40	1.40	2.23	3.82	9.80 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+35+71	0.89	1.31	1.31	2.08	4.22	9.80 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+42+42	1.03	1.51	1.51	2.88	2.88	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+42+50	0.97	1.43	1.43	2.73	3.25	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+42+60	0.91	1.34	1.34	2.56	3.65	9.80 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+22+42+71	0.85	1.25	1.25	2.39	4.05	9.80 4.10 - 14.00	1.924 - 3.884	8.83	8.45	99
15+22+22+50+50	0.92	1.36	1.36	3.08	3.08	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+50+60	0.87	1.28	1.28	2.90	3.48	9.80 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+25+25+25	1.32	1.93	2.20	2.20	2.20	9.85 4.10 - 13.74	2.009 - 3.909	9.22	8.82	99
15+22+25+25+35	1.21	1.78	2.02	2.02	2.83	9.85 4.10 - 13.94	1.959 - 3.909	8.99	8.60	99
15+22+25+25+42	1.15	1.68	1.91	1.91	3.21	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+25+50	1.08	1.58	1.80	1.80	3.59	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+25+60	1.01	1.47	1.68	1.68	4.02	9.85 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+25+25+71	0.94	1.37	1.56	1.56	4.43	9.85 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+25+35+35	1.12	1.64	1.87	2.61	2.61	9.85 4.10 - 14.00	1.949 - 3.909	8.95	8.56	99
15+22+25+35+42	1.06	1.56	1.77	2.48	2.98	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+35+50	1.01	1.47	1.68	2.35	3.35	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+35+60	0.94	1.38	1.57	2.20	3.76	9.85 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+25+35+71	0.88	1.29	1.47	2.05	4.16	9.85 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+25+42+42	1.01	1.48	1.69	2.83	2.83	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+25+42+50	0.96	1.41	1.60	2.69	3.20	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+25+42+60	0.90	1.32	1.50	2.52	3.60	9.85 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+25+50+50	0.91	1.34	1.52	3.04	3.04	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+22+25+50+60	0.86	1.26	1.43	2.86	3.44	9.85 4.10 - 14.00	1.920 0.640 - 3.880	8.81	8.43	99
15+22+35+35+35	1.04	1.53	2.43	2.43	2.43	9.85 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+22+35+35+42	0.99	1.45	2.31	2.31	2.78	9.85 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+22+35+35+50	0.94	1.38	2.20	2.20	3.14	9.85 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+22+35+35+60	0.88	1.30	2.06	2.06	3.54	9.85 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+22+35+42+42	0.95	1.39	2.21	2.65	2.65	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+35+42+50	0.90	1.32	2.10	2.52	3.00	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+35+50+50	0.86	1.26	2.00	2.86	2.86	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+42+42+42	0.91	1.33	2.54	2.54	2.54	9.85 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+22+42+42+50	0.86	1.27	2.42	2.42	2.88	9.85 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+25+25+25+25	1.29	2.15	2.15	2.15	2.15	9.90 4.10 - 13.80	1.999 0.640 - 3.909	9.18	8.78	99
15+25+25+25+35	1.19	1.98	1.98	1.98	2.77	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+25+25+42	1.13	1.88	1.88	1.88	3.15	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+25+50	1.06	1.77	1.77	1.77	3.54	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+25+60	0.99	1.65	1.65	1.65	3.96	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+25+25+71	0.92	1.54	1.54	1.54	4.37	9.90 4.10 - 14.00	1.930 0.640 - 3.890	8.87	8.48	99
15+25+25+35+35	1.10	1.83	1.83	2.57	2.57	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+25+35+42	1.05	1.74	1.74	2.44	2.93	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+35+50	0.99	1.65	1.65	2.31	3.30	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+35+60	0.93	1.55	1.55	2.17	3.71	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+25+35+71	0.87	1.45	1.45	2.03	4.11	9.90 4.10 - 14.00	1.930 0.640 - 3.890	8.87	8.48	99
15+25+25+42+42	1.00	1.66	1.66	2.79	2.79	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+25+42+50	0.95	1.58	1.58	2.65	3.15	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+25+42+60	0.89	1.48	1.48	2.49	3.56	9.90 4.10 - 14.00	1.920 0.640 - 3.880	8.81	8.43	99
15+25+25+50+50	0.90	1.50	1.50	3.00	3.00	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+35+35+35	1.02	1.71	2.39	2.39	2.39	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+35+35+42	0.98	1.63	2.28	2.28	2.74	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+35+35+50	0.93	1.55	2.17	2.17	3.09	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+35+35+60	0.87	1.46	2.04	2.04	3.49	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+35+42+42	0.93	1.56	2.18	2.62	2.62	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+35+42+50	0.89	1.48	2.07	2.49	2.96	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+42+42+42	0.89	1.49	2.50	2.50	2.50	9.90 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+35+35+35+35	0.96	2.24	2.24	2.24	2.24	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+35+35+35+42	0.92	2.14	2.14	2.14	2.57	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+35+35+35+50	0.87	2.04	2.04	2.04	2.91	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+35+35+42+42	0.88	2.05	2.05	2.46	2.46	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
20+20+20+20+20	1.90	1.90	1.90	1.90	1.90	9.50 4.10 - 13.50	2.095 0.640 - 3.935	9.62	9.20	99
20+20+20+20+22	1.87	1.87	1.87	1.87	2.06	9.55 4.10 - 13.54	2.078 0.640 - 3.928	9.55	9.13	99
20+20+20+20+25	1.83	1.83	1.83	1.83	2.29	9.60 4.10 - 13.60	2.068 0.640 - 3.928	9.49	9.08	99
20+20+20+20+35	1.67	1.67	1.67	1.67	2.92	9.60 4.10 - 13.80	2.018 0.640 - 3.928	9.26	8.86	99
20+20+20+20+42	1.57	1.57	1.57	1.57	3.30	9.60 4.10 - 13.94	1.972 0.640 - 3.922	9.05	8.66	99
20+20+20+20+50	1.48	1.48	1.48	1.48	3.69	9.60 4.10 - 14.00	1.962 0.640 - 3.922	9.01	8.62	99
20+20+20+20+60	1.37	1.37	1.37	1.37	4.11	9.60 4.10 - 14.00	1.945 0.640 - 3.905	8.93	8.54	99
20+20+20+20+71	1.27	1.27	1.27	1.27	4.51	9.60 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+22+22	1.85	1.85	1.85	2.03	2.03	9.60 4.10 - 13.58	2.061 0.640 - 3.921	9.46	9.05	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+20+22+25	1.80	1.80	1.80	1.98	2.25	9.65 4.10 - 13.64	2.051 0.640 - 3.921	9.42	9.01	99
20+20+20+22+35	1.65	1.65	1.65	1.81	2.89	9.65 4.10 - 13.84	2.001 0.640 - 3.921	9.19	8.79	99
20+20+20+22+42	1.56	1.56	1.56	1.71	3.27	9.65 4.10 - 13.98	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+22+50	1.46	1.46	1.46	1.61	3.66	9.65 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+22+60	1.36	1.36	1.36	1.50	4.08	9.65 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+22+71	1.26	1.26	1.26	1.39	4.48	9.65 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+25+25	1.76	1.76	1.76	2.20	2.20	9.70 4.10 - 13.70	2.031 0.640 - 3.921	9.33	8.92	99
20+20+20+25+35	1.62	1.62	1.62	2.02	2.83	9.70 4.10 - 13.90	1.981 0.640 - 3.921	9.10	8.70	99
20+20+20+25+42	1.53	1.53	1.53	1.91	3.21	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+25+50	1.44	1.44	1.44	1.80	3.59	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+25+60	1.34	1.34	1.34	1.67	4.01	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+25+71	1.24	1.24	1.24	1.55	4.41	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+35+35	1.49	1.49	1.49	2.61	2.61	9.70 4.10 - 14.00	1.961 0.640 - 3.921	9.00	8.61	99
20+20+20+35+42	1.42	1.42	1.42	2.48	2.97	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+35+50	1.34	1.34	1.34	2.34	3.34	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+35+60	1.25	1.25	1.25	2.19	3.75	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+35+71	1.17	1.17	1.17	2.05	4.15	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+42+42	1.35	1.35	1.35	2.83	2.83	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+42+50	1.28	1.28	1.28	2.68	3.19	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+42+60	1.20	1.20	1.20	2.51	3.59	9.70 4.10 - 14.00	1.932 0.640 - 3.892	8.87	8.48	99
20+20+20+50+50	1.21	1.21	1.21	3.03	3.03	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+50+60	1.14	1.14	1.14	2.85	3.42	9.70 4.10 - 14.00	1.932 0.640 - 3.892	8.87	8.48	99
20+20+22+22+22	1.82	1.82	2.00	2.00	2.00	9.65 4.10 - 13.62	2.044 0.640 - 3.914	9.39	8.98	99
20+20+22+22+25	1.78	1.78	1.96	1.96	2.22	9.70 4.10 - 13.68	2.034 0.640 - 3.914	9.34	8.93	99
20+20+22+22+35	1.63	1.63	1.79	1.79	2.85	9.70 4.10 - 13.88	1.984 0.640 - 3.914	9.11	8.71	99
20+20+22+22+42	1.54	1.54	1.69	1.69	3.23	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+22+50	1.45	1.45	1.59	1.59	3.62	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+22+60	1.35	1.35	1.48	1.48	4.04	9.70 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+22+71	1.25	1.25	1.38	1.38	4.44	9.70 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+25+25	1.74	1.74	1.92	2.18	2.18	9.75 4.10 - 13.74	2.014 0.640 - 3.914	9.24	8.84	99
20+20+22+25+35	1.60	1.60	1.76	2.00	2.80	9.75 4.10 - 13.94	1.964 0.640 - 3.914	9.02	8.63	99
20+20+22+25+42	1.51	1.51	1.66	1.89	3.17	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+25+50	1.42	1.42	1.57	1.78	3.56	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+25+60	1.33	1.33	1.46	1.66	3.98	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+25+71	1.23	1.23	1.36	1.54	4.38	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+35+35	1.48	1.48	1.63	2.59	2.59	9.75 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+22+35+42	1.40	1.40	1.54	2.46	2.95	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+35+50	1.33	1.33	1.46	2.32	3.32	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+35+60	1.24	1.24	1.37	2.17	3.73	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+35+71	1.16	1.16	1.28	2.03	4.12	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+42+42	1.34	1.34	1.47	2.80	2.80	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+42+50	1.27	1.27	1.39	2.66	3.17	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+42+60	1.19	1.19	1.31	2.50	3.57	9.75 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99
20+20+22+50+50	1.20	1.20	1.32	3.01	3.01	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+50+60	1.13	1.13	1.25	2.83	3.40	9.75 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+25+25+25	1.70	1.70	2.13	2.13	2.13	9.80 4.10 - 13.80	2.004 0.640 - 3.914	9.20	8.80	99
20+20+25+25+35	1.57	1.57	1.96	1.96	2.74	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+25+25+42	1.48	1.48	1.86	1.86	3.12	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+25+50	1.40	1.40	1.75	1.75	3.50	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+25+60	1.31	1.31	1.63	1.63	3.92	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+25+25+71	1.22	1.22	1.52	1.52	4.32	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+25+35+35	1.45	1.45	1.81	2.54	2.54	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+25+35+42	1.38	1.38	1.73	2.42	2.90	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+35+50	1.31	1.31	1.63	2.29	3.27	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+35+60	1.23	1.23	1.53	2.14	3.68	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+25+35+71	1.15	1.15	1.43	2.01	4.07	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+25+42+42	1.32	1.32	1.64	2.76	2.76	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+25+42+50	1.25	1.25	1.56	2.62	3.12	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+25+42+60	1.17	1.17	1.47	2.46	3.52	9.80 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99
20+20+25+50+50	1.19	1.19	1.48	2.97	2.97	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+35+35+35	1.35	1.35	2.37	2.37	2.37	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+35+35+42	1.29	1.29	2.26	2.26	2.71	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+35+35+50	1.23	1.23	2.14	2.14	3.06	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+35+35+60	1.15	1.15	2.02	2.02	3.46	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+35+42+42	1.23	1.23	2.16	2.59	2.59	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+35+42+50	1.17	1.17	2.05	2.46	2.93	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+42+42+42	1.18	1.18	2.48	2.48	2.48	9.80 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99
20+22+22+22+22	1.80	1.98	1.98	1.98	1.98	9.70 4.10 - 13.66	2.027 0.640 - 3.907	9.30	8.90	99
20+22+22+22+25	1.76	1.93	1.93	1.93	2.20	9.75 4.10 - 13.72	2.017 0.640 - 3.907	9.26	8.86	99
20+22+22+22+35	1.61	1.77	1.77	1.77	2.82	9.75 4.10 - 13.92	1.967 0.640 - 3.907	9.03	8.64	99
20+22+22+22+42	1.52	1.68	1.68	1.68	3.20	9.75 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+22+50	1.43	1.58	1.58	1.58	3.58	9.75 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+22+60	1.34	1.47	1.47	1.47	4.01	9.75 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+22+71	1.24	1.37	1.37	1.37	4.41	9.75 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+25+25	1.72	1.89	1.89	2.15	2.15	9.80 4.10 - 13.78	1.997 0.640 - 3.907	9.17	8.77	99
20+22+22+25+35	1.58	1.74	1.74	1.98	2.77	9.80 4.10 - 13.98	1.947 0.640 - 3.907	8.94	8.55	99
20+22+22+25+42	1.50	1.65	1.65	1.87	3.14	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+25+50	1.41	1.55	1.55	1.76	3.53	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+25+60	1.32	1.45	1.45	1.64	3.95	9.80 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+25+71	1.23	1.35	1.35	1.53	4.35	9.80 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+35+35	1.46	1.61	1.61	2.56	2.56	9.80 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+22+35+42	1.39	1.53	1.53	2.43	2.92	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+35+50	1.32	1.45	1.45	2.30	3.29	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+35+60	1.23	1.36	1.36	2.16	3.70	9.80 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+35+71	1.15	1.27	1.27	2.02	4.09	9.80 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+42+42	1.32	1.46	1.46	2.78	2.78	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+22+42+50	1.26	1.38	1.38	2.64	3.14	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+22+42+60	1.18	1.30	1.30	2.48	3.54	9.80 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+22+22+50+50	1.20	1.31	1.31	2.99	2.99	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+25+25	1.68	1.85	2.10	2.10	2.10	9.85 4.10 - 13.84	1.987 0.640 - 3.907	9.13	8.73	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+22+25+25+35	1.55	1.71	1.94	1.94	2.71	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+25+25+42	1.47	1.62	1.84	1.84	3.09	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+25+50	1.39	1.53	1.73	1.73	3.47	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+25+60	1.30	1.43	1.62	1.62	3.89	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+25+25+71	1.21	1.33	1.51	1.51	4.29	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+25+35+35	1.44	1.58	1.80	2.52	2.52	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+25+35+42	1.37	1.50	1.71	2.39	2.87	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+35+50	1.30	1.43	1.62	2.27	3.24	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+35+60	1.22	1.34	1.52	2.13	3.65	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+25+42+42	1.30	1.44	1.63	2.74	2.74	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+42+50	1.24	1.36	1.55	2.60	3.10	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+42+60	1.17	1.28	1.46	2.45	3.50	9.85 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+22+25+50+50	1.18	1.30	1.47	2.95	2.95	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+35+35+35	1.34	1.47	2.35	2.35	2.35	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+35+35+42	1.28	1.41	2.24	2.24	2.69	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+35+35+50	1.22	1.34	2.13	2.13	3.04	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+35+35+60	1.15	1.26	2.00	2.00	3.44	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+35+42+42	1.22	1.35	2.14	2.57	2.57	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+35+42+50	1.17	1.28	2.04	2.45	2.91	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+42+42+42	1.17	1.29	2.46	2.46	2.46	9.85 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
20+25+25+25+25	1.65	2.06	2.06	2.06	2.06	9.90 4.10 - 13.90	1.967 0.640 - 3.907	9.03	8.64	99
20+25+25+25+35	1.52	1.90	1.90	1.90	2.67	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+25+25+42	1.45	1.81	1.81	1.81	3.04	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+25+50	1.37	1.71	1.71	1.71	3.41	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+25+60	1.28	1.60	1.60	1.60	3.83	9.90 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+25+25+25+71	1.19	1.49	1.49	1.49	4.23	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+25+25+35+35	1.41	1.77	1.77	2.48	2.48	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+25+35+42	1.35	1.68	1.68	2.36	2.83	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+35+50	1.28	1.60	1.60	2.24	3.19	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+35+60	1.20	1.50	1.50	2.10	3.60	9.90 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+25+25+42+42	1.29	1.61	1.61	2.70	2.70	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+25+42+50	1.22	1.53	1.53	2.57	3.06	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+25+42+60	1.15	1.44	1.44	2.42	3.45	9.90 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+25+25+50+50	1.16	1.46	1.46	2.91	2.91	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+35+35+35	1.32	1.65	2.31	2.31	2.31	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+35+35+42	1.26	1.58	2.21	2.21	2.65	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+35+35+50	1.20	1.50	2.10	2.10	3.00	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+35+42+42	1.21	1.51	2.11	2.54	2.54	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+35+42+50	1.15	1.44	2.01	2.42	2.88	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+42+42+42	1.16	1.45	2.43	2.43	2.43	9.90 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
20+35+35+35+35	1.24	2.17	2.17	2.17	2.17	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+35+35+35+42	1.19	2.07	2.07	2.07	2.49	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
22+22+22+22+22	1.95	1.95	1.95	1.95	1.95	9.75 4.10 - 13.70	2.010 0.640 - 3.900	9.23	8.83	99
22+22+22+22+25	1.91	1.91	1.91	1.91	2.17	9.80 4.10 - 13.76	2.000 0.640 - 3.900	9.18	8.78	99
22+22+22+22+35	1.75	1.75	1.75	1.75	2.79	9.80 4.10 - 13.96	1.950 0.640 - 3.900	8.95	8.56	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22+22+42	1.66	1.66	1.66	1.66	3.17	9.80 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+22+50	1.56	1.56	1.56	1.56	3.55	9.80 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+22+60	1.46	1.46	1.46	1.46	3.97	9.80 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+22+71	1.36	1.36	1.36	1.36	4.38	9.80 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+25+25	1.87	1.87	1.87	2.12	2.12	9.85 4.10 - 13.82	1.980 0.640 - 3.900	9.10	8.70	99
22+22+22+25+35	1.72	1.72	1.72	1.95	2.74	9.85 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+22+25+42	1.63	1.63	1.63	1.85	3.11	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+25+50	1.54	1.54	1.54	1.75	3.49	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+25+60	1.44	1.44	1.44	1.63	3.91	9.85 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+25+71	1.34	1.34	1.34	1.52	4.32	9.85 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+35+35	1.59	1.59	1.59	2.53	2.53	9.85 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+22+35+42	1.52	1.52	1.52	2.41	2.89	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+35+50	1.44	1.44	1.44	2.28	3.26	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+35+60	1.35	1.35	1.35	2.14	3.67	9.85 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+35+71	1.26	1.26	1.26	2.00	4.07	9.85 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+42+42	1.44	1.44	1.44	2.76	2.76	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+22+42+50	1.37	1.37	1.37	2.62	3.12	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+22+42+60	1.29	1.29	1.29	2.46	3.52	9.85 4.10 - 14.00	1.911 0.640 - 3.871	8.77	8.39	99
22+22+22+50+50	1.31	1.31	1.31	2.97	2.97	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+25+25	1.83	1.83	2.08	2.08	2.08	9.90 4.10 - 13.88	1.970 0.640 - 3.900	9.04	8.65	99
22+22+25+25+35	1.69	1.69	1.92	1.92	2.69	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+25+25+42	1.60	1.60	1.82	1.82	3.06	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+25+50	1.51	1.51	1.72	1.72	3.44	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+25+60	1.41	1.41	1.61	1.61	3.86	9.90 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+25+25+71	1.32	1.32	1.50	1.50	4.26	9.90 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+25+35+35	1.57	1.57	1.78	2.49	2.49	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+25+35+42	1.49	1.49	1.70	2.37	2.85	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+35+50	1.41	1.41	1.61	2.25	3.21	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+35+60	1.33	1.33	1.51	2.11	3.62	9.90 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+25+42+42	1.42	1.42	1.62	2.72	2.72	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+42+50	1.35	1.35	1.54	2.58	3.07	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+42+60	1.27	1.27	1.45	2.43	3.47	9.90 4.10 - 14.00	1.911 0.640 - 3.871	8.77	8.39	99
22+22+25+50+50	1.29	1.29	1.46	2.93	2.93	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+35+35+35	1.46	1.46	2.33	2.33	2.33	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+35+35+42	1.40	1.40	2.22	2.22	2.67	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+35+35+50	1.33	1.33	2.11	2.11	3.02	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+35+42+42	1.34	1.34	2.13	2.55	2.55	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+35+42+50	1.27	1.27	2.03	2.43	2.89	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+42+42+42	1.28	1.28	2.45	2.45	2.45	9.90 4.10 - 14.00	1.922 0.640 - 3.882	8.82	8.44	99
22+25+25+25+25	1.79	2.04	2.04	2.04	2.04	9.95 4.10 - 13.94	1.950 0.640 - 3.900	8.95	8.56	99
22+25+25+25+35	1.66	1.88	1.88	1.88	2.64	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+25+25+42	1.57	1.79	1.79	1.79	3.01	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+25+50	1.49	1.69	1.69	1.69	3.38	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+25+60	1.39	1.58	1.58	1.58	3.80	9.95 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+25+25+25+71	1.30	1.48	1.48	1.48	4.21	9.95 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+25+25+35+35	1.54	1.75	1.75	2.45	2.45	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+25+35+42	1.47	1.67	1.67	2.34	2.80	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+35+50	1.39	1.58	1.58	2.22	3.17	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+35+60	1.31	1.49	1.49	2.09	3.57	9.95 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+25+25+42+42	1.40	1.59	1.59	2.68	2.68	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+25+42+50	1.33	1.52	1.52	2.55	3.03	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+25+50+50	1.27	1.45	1.45	2.89	2.89	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+35+35+35	1.44	1.64	2.29	2.29	2.29	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+35+35+42	1.38	1.56	2.19	2.19	2.63	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+35+35+50	1.31	1.49	2.09	2.09	2.98	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+35+42+42	1.32	1.50	2.10	2.52	2.52	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+35+35+35+35	1.35	2.15	2.15	2.15	2.15	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+35+35+35+42	1.30	2.06	2.06	2.06	2.47	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+25+35	1.85	1.85	1.85	1.85	2.59	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+25+42	1.76	1.76	1.76	1.76	2.96	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+50	1.67	1.67	1.67	1.67	3.33	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+60	1.56	1.56	1.56	1.56	3.75	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+25+71	1.46	1.46	1.46	1.46	4.15	10.00 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
25+25+25+35+35	1.72	1.72	1.72	2.41	2.41	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+35+42	1.64	1.64	1.64	2.30	2.76	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+42+42	1.57	1.57	1.57	2.64	2.64	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+25+42+50	1.50	1.50	1.50	2.51	2.99	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+42+42	1.48	1.48	2.07	2.49	2.49	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+42+42	1.57	1.57	1.57	2.64	2.64	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+25+42+50	1.50	1.50	1.50	2.51	2.99	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+42+42	1.48	1.48	2.07	2.49	2.49	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99